

Applicant: Overseas Trading (HK) Limited

Address: NO.1302 Room, 13 Floor, NO.B2 Building, Ningbo R & D Park, 399 Juxian Road, National

Hi-Tech Zone

The following sample(s) information and test item(s) were submitted and identified by/on behalf of the applicant

Sample Name: Water Blaster

Labeled age group: None

Age grading for testing:Over 3 years oldApplicant's specified ageOver 3 years oldSample Receiving Date:Sep. 12, 2022

Testing Period: Sep. 12, 2022 to Sep. 26, 2022

*******************FOR FURTHER DETAILS,PLEASE REFER TO THE FOLLOWING PAGE(S)**

Signed for and on behalf of LST

Rory / Technical Manager

Signed for and on behalf of LST

Davy / Lab supervisor

Zhejiang Lisen Testing Technology Co.,

Address: 5 Floor, Building 13, Yiwu Science & Technology Pal No. 968 Xuefeng West Road, Yiwu, Zhejiang, China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com ne test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will



Summary of Test Result(s):

No.	Test Sample	Test Requested	Result(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS
2	Tested materials of submitted samples	ASTM F963-17 Section 4.3.5.2 - Total Lead (Pb) content in substrate material	PASS
3	Tested materials of submitted samples	Client's requirement for California Proposition 65 on Cadmium(Cd) content	PASS
4	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - 16 CFR 1307 - Phthalates	PASS
5	Tested materials of submitted samples	California AB1108 and California Proposition 65, Sacramento Superior Court, Case No. BG07350969 - Phthalates	PASS
6	Tested materials of submitted samples	ASTM F963-17 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material	PASS
7	Submitted samples	ASTM F963-17 - Physical and Mechanical Properties (Excluding Section 5.2, 7.1)	PASS
8	Submitted samples	ASTM F963-17 - Flammability	PASS



Sample Description

Material No. Component Description		Location
01▲	Blue transparent plastic + red transparent plastic + yellow transparent plastic	Pipe + pipe + pipe
02▲	Blue plastic + red plastic + yellow plastic	Handle + handle + handle
03	yellow plastic	Handle
04	Water blaster suit	Water blaster suit entirety

Photo of sample





Test Result(s):

CPSIA -Total Lead (Pb) content

Method: With reference to CPSC-CH-E1002-08.3, analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
01▲	100	N.D.	PASS

Note:

- 1. mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< RL).
- 3. RL (Reporting Limit) = 10 mg/kg.
- 4. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

ASTM F963-17 Section 4.3.5.2 - Total Lead(Pb) content in substrate material

Method: With reference to CPSC-CH-E1002-08.3, analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	RL (mg/kg)	Limit (mg/kg)	Result (mg/kg)	Conclusion
01▲	10	100	N.D.	PASS

Note:

- mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< RL).
- 3. RL = Reporting Limit.
- 4. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

Cadmium(Cd) content

Method: With reference to EN 1122:2001 Method B, analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	Client's Limit (mg/kg)	Result (mg/kg)	Conclusion
03	100	N.D.	PASS

Note: 1. mg/kg = milligram per kilogram (ppm).

- 2. N.D. = Not Detected (< RL).
- 3. RL (Reporting Limit) = 5 mg/kg.

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China



CPSIA (16 CFR 1307) - Phthalates

<u>Method:</u> With reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

(000).									
Substances	DBP	ВВР	DEHP	DINP	DHEXP	DIBP	DCHP	DPENP	
CAS No.	84-74-2	85-68-7	117-81-7	28553-12-0/ 68515-48-0	84-75-3	84-69-5	84-61-7	131-18-0	
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	1000	1000	Conclusion
RL (mg/kg)	50	50	50	100	50	50	50	50	
Material No.	Result (mg/kg)								
02▲	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note:

- 1. mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< RL).
- RL = Reporting Limit.
- 4. Children's toys and child care articles shall not more than 1000mg/kg DBP, BBP, DEHP, DINP, DIBP, DCHP, DPENP and DHEXP
 - Children's toys defined as 12 years and under.
 - Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.
- 5. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing. If material identification is not provided, phthalate testing will be conducted on all plastic materials.
- 6. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.



California AB1108 & CP65 - Phthalates

<u>Method:</u> With reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

(33 ma).								
Substances	DBP	ВВР	DEHP	DINP	DNOP	DIDP	DnHP	
CAS No.	84-74-2	85-68-7	117-81-7	28553-12-0/ 68515-48-0	117-84-0	26761-40-0/ 68515-49-1	84-75-3	
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	1000	Conclusion
RL (mg/kg)	50	50	50	100	50	100	50	
Material No. Result (mg/kg)								
03	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note: 1. mg/kg = milligram per kilogram (ppm).

- 2. N.D. = Not Detected (< RL).
- 3. RL = Reporting Limit.
- Toys are defined as products designed to be used by children under 6 years of age when they play.
- 5. Child care articles are defined as products designed to facilitate sleep, relaxation, grooming, hygiene, or feeding of children under 3 years of age, or to help children under 3 years of age with sucking or teething.



ASTM F963-17 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material Method: With reference to ASTM F963-17 Section 8.3, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Elements	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	
Limit for									
Modeling	25	250	50	25	25	90	60	500	
clay (mg/kg)									
Limit for									Conclusion
Others	25	1000	75	60	60	90	60	500	
(mg/kg)									
RL (mg/kg)	2.5	5	5	5	5	5	5	5	
Material No.	Result (mg/kg)								
03	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note:

- mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< RL).
- 3. RL = Reporting Limit.

ASTM F963-17 - Mechanical and Physical Properties

Cootion	Tootion Itama	Assessment 04	
Section	Testing Items		
4	Safety requirements		
4.1	Material quality	PASS	
4.3.7	Stuffing materials	NA	
4.4	Electrical/thermal energy	NA	
4.5	Sound producing toys	NA	
4.6	Small objects	NA	
4.6.1	Toys that are intended for children under 36 months of age	NA	
4.6.2	Mouth-actuated toys	NA	
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA	
4.7	Accessible edges	PASS	
4.8	Projections	NA	
4.9	Accessible points	PASS	

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China



4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	PASS
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marble	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling Requirement	7
5.2	Age Grading labeling	NR*

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China



5.3	Safety labeling requirements	NA
5.4	Aquatic toys	NA
5.5	Crib and playpen toys	NA
5.6	Mobiles	NA
5.7	Stroller and carriage toys	NA
5.8	Toys intended to be assembled by an adult	NA
5.9	Simulated protective devices	NA
5.10	Toys with functional sharp edges or points	NA
5.11	Small objects, small balls, marbles, and balloons	NA
5.12	Toy caps	NA
5.13	Art materials	NA
5.14	Electric toys	NA
5.15	Battery operated toys	NA
5.16	Promotional materials	NA
5.17	Magnets	NA
6	Instructional Literature	. 6/3
6.1	Definition and description	NA
6.2	Crib and playpen toys	NA
6.3	Mobiles	NA
6.4	Toys intended to be assembled by an adult	NA
6.5	Battery operated toys	NA
6.6	Battery powered ride-on toys	NA
6.7	Toys in contact with food	NA
6.8	Toy chests	NA
7	Producer's Marking	·
7.4	Name of the producer or the distributor	NR*
7.1	Address of the producer or the distributor	NR*
7.2	Battery powered ride on toys	NA
7.3	Toy chests	NA

Note: 1. NA = Not Applicable

- 2. NR =Not Requested
- 3. "*" = Per client's requirement, the packaging was not evaluated.
- 4. The sample is tested for "over 3 years of age" as the client's request.

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park,
No.968 Xuefeng West Road,Yiwu,Zhejiang,China



The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

,		
Testing Items	FHSA	Parameter
Drop Test	Section 1500.53(b)	4×3.0 ft
Torque Test	Section 1500.53(e)	4.0 inch ·lbf
Tension Test	Section 1500.53(f)	15 lbf

ASTM F963-17 Annex A5 - Flammability

Material No.	Burn Length(inch)	Burn Time(sec.)	Burn Rate(inch/sec.)	Conclusion
04	1.0	60	0.02	PASS

Note: 1.DNI = Did not ignite.

2.IBE = Ignited but self-extinguished before burn-rate could be determined.

- 3.a) If the burning speed of all samples is less than 0.10 in./s (2.5 mm/s), the test is accepted.
 - b) If the burning speed of all samples is greater than 0.10in./s (2.5mm/s), but less than 0.15in./s (3.75mm/s), it is accepted but in-depth investigation and research should be considered to take measures to improve performance Measures.
 - c) If the burning speed of one of the samples is greater than 0.15 in./s (3.75 mm/s), the rejection is measured.

Remark

This report is a revised document for Report No. LST22090148ENS1. Report No. LST22090148ENS1 is replaced and invalidated automatically from the approval date of this report.

End of Report