



G18275

Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 1 of 9

Applicant: Overseas Trading (HK) Limited

Address: NO.1302 Room, 13 Floor, NO.B2 Building, Ningbo R & D Park, 399 Juxian Road, National Hi-Tech Zone

The following sample(s) information and test item(s) were submitted and identified by/on behalf of the applicant

Sample Name: Water Blaster
Labeled age group: None
Age grading for testing: Over 3 years old
Applicant's specified age: Over 3 years old
Sample Receiving Date: Sep. 12, 2022
Testing Period: Sep. 12, 2022 to Sep. 19, 2022

Summary of Test Result(s):

No.	Test Sample	Test Requested	Result(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS
2	Tested materials of submitted samples	ASTM F963-17 Section 4.3.5.2 - Total Lead (Pb) content in substrate material	PASS
3	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - 16 CFR 1307 - Phthalates	PASS
4	Tested materials of submitted samples	ASTM F963-17 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material	PASS
5	Submitted samples	ASTM F963-17 - Physical and Mechanical Properties (Excluding Section 5.2, 7.1)	PASS
6	Submitted samples	ASTM F963-17 - Flammability	PASS



*****FOR FURTHER DETAILS,PLEASE REFER TO THE FOLLOWING PAGE(S)*****

Signed for and on behalf of LST

Rory / Technical Manager

Signed for and on behalf of LST

Davy / Lab supervisor



Zhejiang Lisen Testing Technology Co., Ltd.
 Address: 5 Floor, Building 13, Yiwu Science & Technology Park,
 No.968 Xuefeng West Road, Yiwu, Zhejiang, China
 Tel: 86-579-85573858
 E-mail: zj@lisenlab.com
 URL: http://www.lisenlab.com

This test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 2 of 9

Sample Description

Material No.	Component Description	Location
01 ▲	Green foam + red foam	Cover + cover
02 ▲	Blue plastic + red plastic	Puller + puller
03	Red foam	cover
04	Water blaster suit	Water blaster suit entirety

Photo of sample



LST 22090150

Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 3 of 9

Other Photos



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22



Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 4 of 9

Test Result(s):

CPSIA -Total Lead (Pb) content

Method:With reference to CPSC-CH-E1002-08.3,analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
01▲	100	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.
 4. “▲”this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

ASTM F963-17 Section 4.3.5.2 - Total Lead(Pb) content in substrate material

Method:With reference to CPSC-CH-E1002-08.3,analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	RL (mg/kg)	Limit (mg/kg)	Result (mg/kg)	Conclusion
01▲	10	100	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.
 4. “▲”this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.





Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 5 of 9

CPSIA (16 CFR 1307) - Phthalates

Method: With reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

Substances	DBP	BBP	DEHP	DINP	DHEXP	DIBP	DCHP	DPENP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	28553-12-0/ 68515-48-0	84-75-3	84-69-5	84-61-7	131-18-0	
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	1000	1000	
RL (mg/kg)	50	50	50	100	50	50	50	50	
Material No.	Result (mg/kg)								PASS
02▲	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.
 4. Children's toys and child care articles shall not more than 1000mg/kg DBP, BBP, DEHP, DINP, DIBP, DCHP,DPENP and DHEXP
 - Children's toys defined as 12 years and under.
 - Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.
 5. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing. If material identification is not provided, phthalate testing will be conducted on all plastic materials.
 6. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

一校一传



Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 6 of 9

ASTM F963-17 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material

Method: With reference to ASTM F963-17 Section 8.3, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Elements	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Conclusion
Limit for Modeling clay (mg/kg)	25	250	50	25	25	90	60	500	
Limit for Others (mg/kg)	25	1000	75	60	60	90	60	500	
RL (mg/kg)	2.5	5	5	5	5	5	5	5	
Material No.	Result (mg/kg)								
03	N.D.	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.

ASTM F963-17 - Mechanical and Physical Properties

Section	Testing Items	Assessment
		04
4	Safety requirements	
4.1	Material quality	PASS
4.3.7	Stuffing materials	NA
4.4	Electrical/thermal energy	NA
4.5	Sound producing toys	NA
4.6	Small objects	NA
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible edges	PASS
4.8	Projections	NA
4.9	Accessible points	PASS

Zhejiang Lisen Testing Technology Co., Ltd.
 Address: 5 Floor, Building 13, Yiwu Science & Technology Park,
 No. 968 Xuefeng West Road, Yiwu, Zhejiang, China
 Tel: 86-579-85573858
 E-mail: zj@lisenlab.com
 URL: <http://www.lisenlab.com>

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

用



Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 7 of 9

4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	PASS
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marble	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling Requirement	
5.2	Age Grading labeling	NR*

Zhejiang Lisen Testing Technology Co., Ltd.
Address: 5 Floor, Building 13, Yiwu Science & Technology Park,
No. 968 Xuefeng West Road, Yiwu, Zhejiang, China
Tel: 86-579-85573858
E-mail: zj@lisenlab.com
URL: <http://www.lisenlab.com>

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

浙江麗申檢測有限公司



Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 8 of 9

5.3	Safety labeling requirements	NA
5.4	Aquatic toys	NA
5.5	Crib and playpen toys	NA
5.6	Mobiles	NA
5.7	Stroller and carriage toys	NA
5.8	Toys intended to be assembled by an adult	NA
5.9	Simulated protective devices	NA
5.10	Toys with functional sharp edges or points	NA
5.11	Small objects, small balls, marbles, and balloons	NA
5.12	Toy caps	NA
5.13	Art materials	NA
5.14	Electric toys	NA
5.15	Battery operated toys	NA
5.16	Promotional materials	NA
5.17	Magnets	NA
6	Instructional Literature	
6.1	Definition and description	NA
6.2	Crib and playpen toys	NA
6.3	Mobiles	NA
6.4	Toys intended to be assembled by an adult	NA
6.5	Battery operated toys	NA
6.6	Battery powered ride-on toys	NA
6.7	Toys in contact with food	NA
6.8	Toy chests	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	NR*
	Address of the producer or the distributor	NR*
7.2	Battery powered ride on toys	NA
7.3	Toy chests	NA

- Note:**
1. NA = Not Applicable
 2. NR =Not Requested
 3. ""= Per client's requirement, the packaging was not evaluated.
 4. The sample is tested for "over 3 years of age" as the client's request.

Zhejiang Lisen Testing Technology Co., Ltd.
Address:5 Floor,Building 13,Yiwu Science&Technology Park,
No.968 Xuefeng West Road,Yiwu,Zhejiang,China
Tel: 86-579-85573858
E-mail: zj@lisenlab.com
URL: <http://www.lisenlab.com>

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

EVBA



Test Report

Report No.: LST22090150ENS2

Date: Sep. 20, 2022

Page 9 of 9

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Testing Items	FHSA	Parameter
Drop Test	Section 1500.53(b)	4×3.0 ft
Torque Test	Section 1500.53(e)	4.0 inch ·lbf
Tension Test	Section 1500.53(f)	15 lbf

ASTM F963-17 Annex A5 - Flammability

Material No.	Burn Length(inch)	Burn Time(sec.)	Burn Rate(inch/sec.)	Conclusion
04	3.2	60	0.05	PASS

- Note:**
- 1.DNI = Did not ignite.
 - 2.IBE = Ignited but self-extinguished before burn-rate could be determined.
 - 3.a) If the burning speed of all samples is less than 0.10 in./s (2.5 mm/s), the test is accepted.
 - b) If the burning speed of all samples is greater than 0.10in./s (2.5mm/s), but less than 0.15in./s (3.75mm/s), it is accepted but in-depth investigation and research should be considered to take measures to improve performance Measures.
 - c) If the burning speed of one of the samples is greater than 0.15 in./s (3.75 mm/s), the rejection is measured.

Remark:

This report is a revised document for Report No. LST22090150ENS1. Report No. LST22090150ENS1 is replaced and invalidated automatically from the approval date of this report.

End of Report



Zhejiang Lisen Testing Technology Co., Ltd.
 Address:5 Floor,Building 13,Yiwu Science&Technology Park,
 No.968 Xuefeng West Road,Yiwu,Zhejiang,China
 Tel: 86-579-85573858
 E-mail: zj@lisenlab.com
 URL: http://www.lisenlab.com

The test results are only applicable to the samples received. Except for full-text reproduction,partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartially proof data,only for the client's research,teaching or internal quality control,etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days,overdue will not be accept.



Q18275

Test Report

Report No.: LST22090150ENS1

Date: Sep. 14, 2022

Page 1 of 5

Applicant: Overseas Trading (HK) Limited

Address: NO.1302 Room, 13 Floor, NO.B2 Building, Ningbo R & D Park, 399 Juxian Road, National Hi-Tech Zone

The following sample(s) information and test item(s) were submitted and identified by/on behalf of the applicant

Sample Name: Water Blaster

Sample Receiving Date: Sep. 12, 2022

Testing Period: Sep. 12, 2022 to Sep. 13, 2022

Summary of Test Result(s):

No.	Test Sample	Test Requested	Result(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS
2	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - 16 CFR 1307 - Phthalates	PASS



*****FOR FURTHER DETAILS,PLEASE REFER TO THE FOLLOWING PAGE(S)*****

Signed for and on behalf of LST

Rory / Technical Manager



Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park

No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858

E-mail: zj@lisenlab.com

URL: http://www.lisenlab.com

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

Test Report

Report No.: LST22090150ENS1


Date: Sep. 14, 2022

Page 2 of 5

Sample Description

Material No.	Component Description	Location
01▲	Green foam + red foam	Cover + cover
02▲	Blue plastic + red plastic	Puller + puller

Photo of sample



检测
检测
0726

Zhejiang Lisen Testing Technology Co., Ltd.

Address: 5 Floor, Building 13, Yiwu Science & Technology Park,
No. 968 Xuefeng West Road, Yiwu, Zhejiang, China

Tel: 86-579-85573858

E-mail: zj@lisenlab.com

URL: <http://www.lisenlab.com>

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

Test Report

Report No.: LST22090150ENS1

Date: Sep. 14, 2022

Page 3 of 5

Other Photos



技
★
则专
2002



Test Report

Report No.: LST22090150ENS1

Date: Sep. 14, 2022

Page 4 of 5

Test Result(s):

CPSIA -Total Lead (Pb) content

Method: With reference to CPSC-CH-E1002-08.3, analyzed by Atomic Absorption Spectroscopy (AAS).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
01▲	100	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.
 4. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.

CPSIA (16 CFR 1307) - Phthalates

Method: With reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

Substances	DBP	BBP	DEHP	DINP	DHEXP	DIBP	DCHP	DPENP	Conclusion
CAS No.	84-74-2	85-68-7	117-81-7	28553-12-0/ 68515-48-0	84-75-3	84-69-5	84-61-7	131-18-0	
Limit (mg/kg)	1000	1000	1000	1000	1000	1000	1000	1000	
RL (mg/kg)	50	50	50	100	50	50	50	50	
Material No.	Result (mg/kg)								
02▲	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.
 4. Children's toys and child care articles shall not more than 1000mg/kg DBP, BBP, DEHP, DINP, DIBP, DCHP, DPENP and DHEXP
 - Children's toys defined as 12 years and under.
 - Child care articles to facilitate sleep or feeding of children 3 years and under, or to help children with sucking and teething.
 5. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (GPPS), medium-impact polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing. If material identification is not provided, phthalate testing will be conducted on all plastic materials.
 6. "▲"this data for several samples of mixed test results, the actual data of one or several samples in mixed samples are likely more than the results, please be careful to use this data.





Test Report

Report No.: LST22090150ENS1

Date: Sep. 14, 2022

Page 5 of 5

Remark:

This report is a revised document for Report No. LST22090150EN. Report No. LST22090150EN is replaced and invalidated automatically from the approval date of this report.

End of Report



Zhejiang Lisen Testing Technology Co., Ltd.

Address: 5 Floor, Building 13, Yiwu Science & Technology Park
No. 968 Xuefeng West Road, Yiwu, Zhejiang, China

Tel: 86-579-85573858

E-mail: zj@lisenlab.com

URL: <http://www.lisenlab.com>

The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.