

Report No.: RTS230403X0184TY Date: 2023-04-03 Page 1 of 11

TEST REPORT

OVERALL RATING					
×	PASS				
	FAIL				

Test information							
Applicant	Applicant : Ningbo Fun Party Secret Import&Export Co., Ltd.						
Address	:	9/F, Zhongshan Yinzuo B, NO.9, Lane 131, Zhoumeng North road, Yinzhou district, Ningbo city, China.					
Sample Description	:	JEWELRY ACCESSORIES NEON 3AST BRACELETNEON PINK/GRN/ORANGE.					
Style #	:	G19206.					
Labeled Age Grade	:	4+.					
Client Request Age Grade	:	4 years +.					
Age grade for testing	:	4 years +.					
Country of origin	:	China.					
Buyer	:	Not provided.					
Receiving Date	:	April 01, 2023.					
Test period	:	April 01, 2023.~April 03, 2023.					
Test Requested	:	Tests requested in accordance to client requirement.					

TEST ITEMS	CONCLUSIONS
ASTM F963-17 - Mechanical and Physical Properties	PASS
ASTM F963-17 - Flammability test	PASS
ASTM F963-17 4.3.5.2 - Toy Substrate Materials	PASS
CPSIA Section 101 - Total Lead(Pb) in Children's Product	PASS
CPSC 16 CFR PART 1307 - Phthalates Content test	PASS

Signed for and on behalf of

RTS TEST CO., LTD./Zhejiang

CHANGBIAO YU

BINBIN ZOU





Scan to follow us


Scan for authenticity

Approved signatory



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 2 of 11


Sample image:






Report No.: RTS230403X0184TY Date: 2023-04-03 Page 3 of 11

Sample image:





Test Number	Item/ component description(s)					
А	WELRY ACCESSORIES NEON 3AST BRACELETNEON PINK/GRN/ORANGE set					
A1	Rose red plastic wristband					
A2	Orange plastic lightning					
A3	Green plastic bead					



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 4 of 11

Test result:

A Standard Consumer Safety Specification For Toy Safety ASTM F963-17-Mechanical and Physical Properties:

Clause	Test Items	Test Results	
Olause	Tost items	Α	
4.	Safety Requirements		
4.1	Material Quality	PASS	
4.3.7	Stuffing Materials	N/A	
4.4	Electrical/Thermal Energy	N/A	
4.5	Sound-Producing Toys	N/A	
4.6	Small Objects	N/A	
4.7	Accessible Edges	PASS	
4.8	Projections	N/A	
4.9	Accessible Points	PASS	
4.10	Wires or Rods	N/A	
4.11	Nails and Fasteners	N/A	
4.12	Plastic Film	N/A	
4.13	Folding Mechanisms and Hinges	N/A	
4.14	Cords, Straps, and Elastics	N/A	
4.15	Stability and Over-Load Requirements	N/A	
4.16	Confined Spaces	N/A	
4.17	Wheels, Tires, and Axles	N/A	
4.18	Holes, Clearance, and Accessibility of Mechanisms	N/A	
4.19	Simulated Protective Devices	N/A	
4.20	Pacifiers	N/A	
4.21	Projectile Toys	N/A	
4.22	Teethers and Teething Toys	N/A	
4.23	Rattles	N/A	
4.24	Squeeze Toys	N/A	
4.25	Battery-Operated Toys	N/A	
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A	
4.27	Stuffed and Beanbag-Type Toys	N/A	
4.28	Stroller and Carriage Toys	N/A	
4.29	Art Materials	N/A	
4.30	Toy Gun Marking	N/A	
4.31	Balloons	N/A	
4.32	Certain Toys with Nearly Spherical Ends	N/A	



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 5 of 11

•	Date: 2023-04-03	Test Results
Clause	Test Items	A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5.1	Federal Government Requirements	N/A
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled By an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	PASS
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	PASS
5.17	Magnets	N/A
6	Instructional Literature	14/7
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled By an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 6 of 11

Clause	Test Items	Test Results A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.5.1	Washable Toys	N/A
8.6	Abuse Testing	PASS
8.7	Impact Tests	PASS
8.7.1	Drop Test	PASS
8.7.2	Tipover Test for Large, Bulky Toys	N/A
8.7.3	Tumble Test for Wheeled Toys	N/A
8.7.4	Impact Test for Toys that Cover the Face	N/A
8.8	Torque Tests for Removal of Components	PASS
8.9	Tension Test for Removal of Components	PASS
8.9.1	Tension Test for Seams in Stuffed Toys and Beanbag	N/A
8.9.2	Tension Test for Suction Cups on Projectiles	N/A
8.10	Compression Test	N/A
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	N/A
8.12	Flexure Test	N/A

Remark: N/A= Not Applicable



Report No.: RTS230403X0184TY Date : 2023-04-03 Page 7 of 11

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

Age Category	Impact Test	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-lbs	10 lbs	20 lbs
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-lbs	15 lbs	25 lbs
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbs	15 lbs	30 lbs

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request



Report No.: RTS230403X0184TY Date : 2023-04-03 Page 8 of 11

B. Standard Consumer Safety Specification For Toy Safety, ASTM F963-17 Clause 4.2 Flammability test:

Test	Observation	Test Results A
Flammability of Solids	The burn rate is less than 0.1 in/sec.	PASS
Flammability of Fabrics	1	N/A

Remark: N/A= Not Applicable

Requirement:

1. Flammability of Solids: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

2. Flammability of Textiles:

Plain Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.				
	(2) Average burn time is 3.5 s or greater.				
Raised Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.				
	(2) Average burn time is 4 s or greater.				
	(3) Average burn time is less than 4 s and all specimens burn with a surface flash where the				
	intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.				
	(4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or				
	fuse, the sample is acceptable.				
	(5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric				
	ignites or fuses, the sample is acceptable.				



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 9 of 11

C. Soluble Heavy Metal Content in Substrate Material: (Unit: mg/kg)

Standard Consumer Safety Specification For Toy Safety, ASTM F963-17 Clause 4.3.5.2.

Test method: With reference to ASTM F963-17 (Clause 8.3.5)-Soluble elements Test method, Analysis was performed by Inductively Coupled plasma atomic emission spectrometer (ICP-OES)

Test Number	Item/ component description(s)
A1	Rose red plastic wristband
A2	Orange plastic lightning

Element(s)	Pb	Cd	Cr	Ва	As	Hg	Se	Sb	Conclusion
Limit(s)	90	75	60	1000	25	60	500	60	Conclusion
Test Number					Test i	esult(s)			
A1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
A2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than 2.5 (As) 5(Cr.Sb.Cd.Pb) 2(Hg) 10(Ba.Se).
- 3)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 10 of 11

D. Total Lead in Substrate Materials: (Unit: mg/kg)

Section 101 of the Consumer Product Safety Improvement Act of 2008 (CPSIA) (pdf) (Public Law 110-314), as modified by H.R. 2715 (Public Law 112-28, August 12, 2011) and in section 2(q)(1) of the Federal Hazardous Substances Act (pdf), 15 U.S.C. § 1261(q)(1) (FHSA).

Test method:

Metal - CPSC-CH-E1001-08.3., Nonmetal - CPSC-CH-E1002-08.3., Was analyzed by flame atomic absorption spectrometry (AAS) or inductively coupled plasma spectrometer (ICP-OES).

Test Number	Item/ component description(s)	
A3	Green plastic bead	

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Lead	A 2	E	N.D.	100	PASS
(Pb)	A3	5	N.D.	100	FA33

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than MDL.
- 3) Any substrate material, that is not more than 100ppm lead by weight.
- 4)"▲" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.



Report No.: RTS230403X0184TY Date: 2023-04-03 Page 11 of 11

E. Phthalates Content Test: (Unit: mg/kg)

Consumer Product Safety Commission (CPSC)16 CFR PART 1307 Prohibited children's toys and child care articles shall not contain more than 0.1% of any of the specified phthalates.

Test method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(s)		
A1&A3	Rose red plastic wristband & Green plastic bead		

Test Item(s)	CAS No.	Results A1&A3 ▲	MDL	Limit value
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	1000
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	1000
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	50	1000
Di-iso-nonyl Phthalate(DINP)	28553-12-0	N.D.	50	1000
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	50	1000
Dipentyl phthalate (DPENP)	131-18-0	N.D.	50	1000
di-n-Hexyl phthalate (DHEXP)	84-75-3	N.D.	50	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	50	1000
Conclusion	-	PASS	-	-

Note:

- 1) N.D. = not detected, less than MDL.
- 2) MDL = Method Detection Limit.
- 3)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

