

Report No.: RTS220709X1306HL Date: 2022-07-11 Page 1 of 5

TEST REPORT

		Test information
Applicant	:	Ningbo Home-Dollar Imp.& Exp.Corp.
Address	:	69 Guangyuan Road, Jiangbei District, Ningbo,China.
Sample Name	:	NIGHT LIGHT .
Style#	:	G20584.
PO#	:	Not provided.
Country of origin	:	China.
Export to	:	USA.
Buyer	:	REGENT PRODUCTS CORP.
Receiving Date	:	July 09, 2022.
Test period	:	July 09, 2022.∼July 11, 2022.
Test Requested	:	Tests requested in accordance to client requirement.

TEST ITEMS	CONCLUSION
Total Lead(Pb) Content - California Proposition 65- Superior Court of California- County of Santa Clara	PASS
Case No. 112CV231165.	17.00
Total Cadmium(Cd) Content - California Proposition 65- Superior Court of California- County of Alameda	PASS
Case No. RG 10-514803.	PASS
Phthalates Content test- Client's requirement	PASS

Signed for and on behalf RTS TEST CO., LTD.(Zhejiang)

BINBIN ZOU

Approved signatory



Report No.: RTS220709X1306HL Date: 2022-07-11 Page 2 of 5

Sample image:





Report No.: RTS220709X1306HL Date: 2022-07-11 Page 3 of 5

Test result:

A. Total Lead(Pb) content: (Unit: mg/kg)

California Proposition 65- Superior Court of California- County of Santa Clara Case No. 112CV231165.

Test method: As per Metal - CPSC-CH-E1001.08.3; Nonmetal - CPSC-CH-E1002.08.3; Surface coating - CPSC-CH-E1003.09.1, Was analyzed by flame atomic absorption spectrometry (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Test Number	Item/ component description(s)		
A1	Transparent plastic shell		

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Lead	A1	5	N.D.	100	PASS
(Pb)	Ai	5	N.D.	100	PASS

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than MDL.
- 3) Products shall not exceed 100 ppm (0.01 %) total lead content.
- 4) Products shall produce a result of 1.0 micrograms or less lead in Ghost WipeTM test
- 5)"▲" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

Remark:



Report No.: RTS220709X1306HL Date: 2022-07-11 Page 4 of 5

B. Total Cadmium(Cd) content: (Unit: mg/kg)

California Proposition 65- Superior Court of California- County of Alameda Case No. RG 10-514803

Test method: RTS-ZY-008 As per Metal - CPSC-CH-E1001-08.3; Nonmetal - CPSC-CH-E1002-08.3; Surface coating - CPSC-CH-E1003-09.1, Was analyzed by flame atomic absorption spectrometry(AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Test Number	Item/ component description(S)
A1	Transparent plastic shell

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Cadmium	۸1	5	N.D.	300	PASS
(Cd)	A1	3	IN.D.	300	rass

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than MDL.
- 3) Product shall not exceed 300 ppm (0.030%) total cadmium content.
- 4)"▲" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.



Date: 2022-07-11 Report No.: RTS220709X1306HL Page 5 of 5

C.Phthalates Content Test: (Unit: mg/kg)

Test method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(s)	
A1	Transparent plastic shell	

Test Item(s)	CAS No.	Results A1	MDL	Client's Limit
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	1000
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	1000
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	50	1000
Di-iso-nonyl Phthalate(DINP)	28553-12-0	N.D.	50	1000
Di-iso-decylphthalate(DIDP)	26761-40-0	N.D.	50	1000
Di-n-hexyl phthalate(DNHP)	84-75-3	N.D.	50	1000
Conclusion	-	PASS	-	-

Note:

- 1) N.D. = not detected, less than MDL.
- 2) MDL = Method Detection Limit.
- 3)"▲" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

 End	of	Report	