

Report No.: RTS220919X2913HL

Date: 2022-09-21

Page 1 of 5

TEST REPORT

	100		
		Test information	
Applicant	:	Ningbo Home-Dollar Imp.& Exp.Corp.	
Address	:	69 Guangyuan Road, Jiangbei District, Ningbo,China.	
Sample Name	:	BBQ/OVEN GLOVE.	
Style#	:	G23485.	
PO#	:	Not provided.	
Country of origin	:	China.	
Export to	:	USA.	
Buyer	:	REGENT PRODUCTS CORP.	
Receiving Date	:	September 19, 2022.	
Test period	:	September 19, 2022.~September 21, 2022.	
Test Requested	:	Tests requested in accordance to client requirement.	
		TEST ITEMS	CONCLUSION
Total Lead(Pb) Cont Case No. 112CV231		California Proposition 65- Superior Court of California- County of Santa Clara	PASS
Total Cadmium(Cd)	Conto	ant California Proposition 65 Superior Court of California County of Alamada	

Total Cadmium(Cd) Content - California Proposition 65- Superior Court of California- County of Alameda **PASS** Case No. RG 10-514803. Phthalates Content test- Client's requirement **PASS**

Signed for and on behalf of RTS TEST CO., LTD./Zhanko

BINBIN ZOU

Approved signatory



Report No.: RTS220919X2913HL Date: 2022-09-21 Page 2 of 5

Sample image:









Report No.: RTS220919X2913HL Date : 2022-09-21 Page 3 of 5

Test result:

A. Total Lead(Pb) content: (Unit: mg/kg)

California Proposition 65- Superior Court of California- County of Santa Clara Case No. 112CV231165.

Test method: As per Metal - CPSC-CH-E1001.08.3; Nonmetal - CPSC-CH-E1002.08.3; Surface coating - CPSC-CH-E1003.09.1, Was analyzed by flame atomic absorption spectrometry (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Test Number	Item/ component description(s)				
A1	Epoxy (red & gray)				
A2	Black fabric (glove)				

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Lead	A1 ▲	5	N.D.	100	PASS
(Pb)	A2	5	N.D.	100	PASS

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than MDL.
- 3) Products shall not exceed 100 ppm (0.01 %) total lead content.
- 4) Products shall produce a result of 1.0 micrograms or less lead in Ghost WipeTM test
- 5)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

Remark:

Zhejiang RTS Test Co.,ltd. is the US (CPSC) Accredited Third Party Testing Laboratory, <u>LAB ID: 1422</u>, Shall refer to: <a href="https://www.cpsc.gov/cgi-bin/LabSearch/ViewDetail.aspx?RegId=7%2bFdY2oZNSUVU5mvbl6jQA%3d%3d&LabId=CJaal8d5DKIPqgie8zcyrw%3d%3d&LabId=CJaal8d5DKIPqgie8zcyrw%3d%3d&LabId=CJaa



Report No.: RTS220919X2913HL Date: 2022-09-21 Page 4 of 5

B. Total Cadmium(Cd) content: (Unit: mg/kg)

California Proposition 65- Superior Court of California- County of Alameda Case No. RG 10-514803

Test method: RTS-ZY-008 As per Metal - CPSC-CH-E1001-08.3; Nonmetal - CPSC-CH-E1002-08.3; Surface coating - CPSC-CH-E1003-09.1, Was analyzed by flame atomic absorption spectrometry(AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Test Number	Item/ component description(S)
A1	Epoxy (red & gray)
A2	Black fabric (glove)

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Cadmium	A1 ▲	5	N.D.	300	PASS
(Cd)	A2	5	N.D.	300	PASS

Note:

- 1) MDL=Method Detection Limit.
- 2) N.D. = not detected, less than MDL.
- 3) Product shall not exceed 300 ppm (0.030%) total cadmium content.
- 4)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.



Report No.: RTS220919X2913HL Date: 2022-09-21 Page 5 of 5

C.Phthalates Content Test: (Unit: mg/kg)

Test method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(s)
A1	Epoxy (red & gray)

Test Item(s)	CAS No.	Results A1 ▲	MDL	Client's Limit
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	1000
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	1000
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	50	1000
Di-iso-nonyl Phthalate(DINP)	28553-12-0	N.D.	50	1000
Di-iso-decylphthalate(DIDP)	26761-40-0	N.D.	50	1000
Di-n-hexyl phthalate(DNHP)	84-75-3	N.D.	50	1000
Conclusion	-	PASS	3	-

Note:

- 1) N.D. = not detected, less than MDL.
- 2) MDL = Method Detection Limit.
- 3)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

	C D		
 -na	ot Ker	10rt	



Report No.: RTS220926X3913TY

Date: 2022-09-28

Page 1 of 3

TEST REPORT

	OVERALL RATING
×	PASS
	FAIL

		Test information		
Applicant	:	Ningbo Home-Dollar Imp.& Exp.Corp.		
Address	:	69 Guangyuan Road, Jiangbei District, Ningbo,China		
Sample Description	:	BBQ/OVEN GLOVE		
PO#	:	Not provided.		
Style #	:	G23485		
Country of origin	:	China.		
Export to	:	USA		
Buyer	:	REGENT PRODUCTS CORP		
Receiving Date	:	September 26, 2022.		
Test period	;	September 26, 2022.~September 28, 2022.		
Test Requested	:	Tests requested in accordance to client requirement.		
		TEST ITEMS	CONCLUSIONS	
ASTM F963-17 - Flammab	ility test		PASS	

Signed for and on behalf of

RTS TEST CO., LTD. (Zheliane)

CHANGBIAO YU

BINBIN ZOU

Approved signatory



Report No.: RTS220926X3913TY Date: 2022-09-28 Page 2 of 3

Sample image:







Test Number	Item/ component description(s)	
A1	BBQ/OVEN GLOVE	



Report No.: RTS220926X3913TY

Date: 2022-09-28

Page 3 of 3

Test result:

A. Standard Consumer Safety Specification For Toy Safety, ASTM F963-17 Clause 4.2 Flammability test:

Test	Observation	Test Results A1
Flammability of Solids	No Ignition	PASS
Flammability of Fabrics	1	N/A

Remark: N/A= Not Applicable

Requirement:

1. Flammability of Solids: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

2. Flammability of Textiles:

Plain Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
	(2) Average burn time is 3.5 s or greater.
Raised Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
	(2) Average burn time is 4 s or greater.
	(3) Average burn time is less than 4 s and all specimens burn with a surface flash where the
	intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.
	(4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or
	fuse, the sample is acceptable.
	(5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric
	ignites or fuses, the sample is acceptable.

----- End of Report -----