

US SATISFACTORY CANADA NOT APPLICABLE

SUBMITTER

FOURSTAR GROUP HK (I)
 UNIT A, 8/F, KAISER ESTATE PHASE 1, 41 MAN YUE ST, HUNG HOM, KOWLOON, HONG KONG



GBI/DTSC SKU NUMBER(S)

282654

PRODUCT DESCRIPTION

TRAVEL EAR BUDS WITH CASE

EXECUTIVE SUMMARY

For US, the sample(s) MEET all the tested requirement(s).

REMARKS

1. No applicable CPSC rules, bans, or standards were tested in this report. Therefore, no GCC was generated.
2. The sample(s) was assigned 8443 Non CPSIA Requirements test protocol but it does not apply to this submission.

TECHNICAL QUESTIONS

Primary Chad Hsieh
 Tel: 886-2-2895-3666#302
 Email: Chad.Hsieh@Tw.Bureauveritas.Com

SIGNATURES

Bureau Veritas Consumer Products Services (H.K.)
 Limited, Taiwan Branch



Chad Hsieh
 Hardline Operation Manager

GENERAL INFORMATION

Primary Contact: Pearl Lin
 Tel: 886-2-2895-3666#309
 Email: Pearl.lin@tw.bureauveritas.Com



BUREAU
VERITAS

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

PLM BATCH ID	/
PLM GB ID #	000000
CHILD SKU	/
SUBMISSION PROCESS	Single Sample Collection (All DC's - 50% of Entire Quantity Produced)
CHILDREN'S AND TOY PROUDCTS PRODUCTION SAMPLE PULL	/
PREVIOUS FIRST OFF LINE TEST REPORT NUMBER	/
PREVIOUS 30% TEST REPORT NUMBER	/
PREVIOUS 60% TEST REPORT NUMBER	/
TEST TYPE	Initial Test
VENDOR NAME	FOURSTAR GROUP HK. (I)
GREENBRIER INTERNATIONAL VENDOR NO	6695
MANUFACTURE R	NINGBO DINGSHUO PLASTIC CO.,LTD
MANUFACTURE R ADDRESS	MAJING ZHUANGQIAO JIANGBEI, NINGBO,ZHEJIANG, CHINA
VENDOR ITEM NO	21003145
STYLE NUMBER	/
COUNTRY OF ORIGIN	CHINA
COUNTRY OF SALE	UNITED STATES
LABELED AGE GRADE	Not Present
APPROPRIATE AGE GRADE	N/A (Adult)
TESTED AGE GRADE	Adult
CLIENT SPECIFIED AGE GRADE	Not Specified
PO NO(S) (USA)	11148319



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

PO SHIP DATE(S) (USA)	07-Aug-2022
ADDITIONAL PO NO(S) (USA)	/
ADDITIONAL PO SHIP DATES (USA)	/
PO NO(S) (CANADA)	/
PO SHIP DATE(S)(CANAD A)	/
ADDITIONAL PO NO(S) (CANADA)	/
ADDITIONAL PO SHIP DATES (CANADA)	/
DEPARTMENT NUMBER	55 HEALTH CARE
SUB- DEPARTMENT NUMBER	70 DENTAL
CLASS	/
SUB-CLASS	930
DOLLAR TREE DIRECT (DTD) SAMPLE DESCRIPTION	/
DTD SKU	/
DTD PO NO.(USA)	/
DTD PO SHIP DATE (USA)	/
DTD COUNTRY OF SALE	/
INITIAL REPORT NUMBER	/
FIRST RETEST REPORT NUMBER	/
PREVIOUS FOOD/CANDY REPORT NUMBER	/
PREVIOUS HBC LABEL REPORT NUMBER	NA



**BUREAU
VERITAS**

Test Report: (6222)160-0230
GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

PREVIOUS FIBER CONTENT PRE- PRODUCTION REPORT NUMBER	/
PREVIOUS TOY AGE GRADE REPORT NUMBER	/
PREVIOUS ENHANCED PERFORMANCE TESTING REPORT NUMBER	/
PREVIOUS CARE LABEL VERIFICATION REPORT NUMBER	/
NATIONAL BRAND PRODUCT NAME	/
NATIONAL BRAND UPC	/
INSPECTION NUMBER	10221501294
E3 ORDER	-
UPC CODE	/
SYNERGY SUBMISSION	No
PHASE OF SYNERGY SUBMISSION	/
DATE OF MANUFACTURE	31-May-2022
REASON FOR REVISION	/
PLACE OF MANUFACTURE	MAJING ZHUANGQIAO JIANGBEI, NINGBO, ZHEJIANG, CHINA
PROTOCOL NUMBER	GBFD-HL-PTCL-10050-AMN-UPC SCANNING REQUIREMENT-V5, GBFD-EL-PTCL-04219-AMN-HEADPHONES EARBUDS-V7, GBFD-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V6, CPSD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 COMPOSITING-V75, GBFD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 (GREENBRIER)-V9, GBFD-AN-PTCL-08443-AMN-NON CPSIA REQUIREMENTS SUPPLEMENT-V5, GBFD-HL-PTCL-09062.03-AMN-TOXICS IN PACKAGING CLEARINGHOUSE-V10



BUREAU
VERITAS

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Barcode requirement (CPSD-GB-01057-MTHD)			
	GBFD-HL-10050-AMN All products are required to have a unique scannable barcode according to the Uniform Code Council's specifications for product identification at the sales register sale. In addition, all barcodes must have the corresponding human readable numbers under the barcode.	Meet	PASS
Claim verification - level 2 (CPSD-GB-08612-MTHD)			
	GBFD-EL-04219-AMN Examine the retail packaging (or submitted artwork). Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly. Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded. Record all other objective (factual) claims as 'NT' for Not Tested and rate as 'FAIL'. Record all subjective (opinion) claims as 'NT' for Not Tested and rate as 'Satisfactory'. If the objective (factual) claim is rated as 'FAIL' and the subjective (opinion) claim is rated as 'Satisfactory', the overall rating will rate as 'FAIL'. Variations of color or assortment (meaning one item could be featured on the packaging but there are other styles in the assortment) between the visual graphic imagery (artwork, photographs and/or illustrations) of the product on the packaging and the product itself should be marked in the test report and should NOT constitute a failure. Client Requirement	Not Tested See additional test results	SATISFACTORY
Use labeling (CPSD-GB-01057-MTHD)			
	GBFD-EL-04219-AMN Supplemental label information of use/care instructions that are clear and understandable shall be provided in English language. Note: -If French language is also included, it should not lead to a Fail. Client requirement	Meet	PASS
US Packaging labeling (16 CFR 500 / UPLR Handbook 130)			
	GBFD-EL-04219-AMN [US] Packaging shall be labelled, Product Identity Net quantity of contents Manufacturer, packer, or distributor's name & address	Meet	PASS
Country of origin marking (19 CFR 134)			
	GBFD-EL-04219-AMN	Meet Made In China	PASS



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
	[US] Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.		

Heavy metals in packaging (TPCH)

	GBFD-HL-09062.03-AMN Per client, packaging & its component(s) shall not exceed 100 mg/kg sum of concentration levels of lead (Pb), cadmium (Cd), mercury (Hg) & hexavalent chromium (Cr VI).	Meet	PASS
--	---	------	------

Test Item(s)	Test Item / Component Description(s)	Location(s)	Style(s)
I009	Multi-color coating (on paper card,A/B)	--	A
I010	White/light grey paper (card without coating,A/B)	--	A
I011	Transparent plastic (bottle,A/B)	--	A
I012	Hot pink plastic (lid of bottle,A)	--	A
I013	Black plastic (lid of bottle,B)	--	A
I014	Transparent plastic (cover on card,A/B)	--	A
I015	White plastic (tie cover,A)	--	A
I016	Black plastic (tie cover,B)	--	A
I017	Silvery metal (frame of lobster hook,A/B)	--	A
I018	Silvery metal (arm of lobster hook,A/B)	--	A
I019	Silvery metal (pin of lobster hook,A/B)	--	A
I020	Silvery metal (tie,A/B)	--	A

Test Parameter(s)	Unit(s)	Result(s)					Requirement(s)
Test Item(s)	--	I009	I010	I011+I012+I013	I014+I015+I016	I017+I018	--
Lead (Pb)	mg/kg	11.5	6.07	Not Detected	Not Detected	12.7	--
Cadmium (Cd)	mg/kg	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	--
Mercury (Hg)	mg/kg	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	--
Chromium VI (Cr VI)	mg/kg	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	--
Sum of Pb, Cd, Hg and Cr VI	mg/kg	26.5	21.07	Not Detected	Not Detected	27.7	Max. 100
Conclusion	--	Pass	Pass	Pass	Pass	Pass	--

Test Parameter(s)	Unit(s)	Result(s)					Requirement(s)
Test Item(s)	--	I019+I020	--	--	--	--	--
Lead (Pb)	mg/kg	Not Detected	--	--	--	--	--
Cadmium (Cd)	mg/kg	Not Detected	--	--	--	--	--
Mercury (Hg)	mg/kg	Not Detected	--	--	--	--	--
Chromium VI (Cr VI)	mg/kg	Not Detected	--	--	--	--	--
Sum of Pb, Cd, Hg and Cr VI	mg/kg	52.2	--	--	--	--	Max. 100
Conclusion	--	Pass	--	--	--	--	--

Phthalates in all coated cords for electrical items (In house method)

	GBFD-AN-06572.01-USA Per client, accessible plastic substrates/surface coatings of products shall have ≤ 1000mg/kg each of BBP, DBP, DEHP, DINP, DIDP & DnHP. When exceeded, utilize a warning.	Meet	PASS
--	--	------	------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
I001	Not Detected	Not Detected	Pass
I002	Not Detected	Not Detected	Pass
I003	Not Detected	Not Detected	Pass
I004	Not Detected	Not Detected	Pass
I005	Not Detected	Not Detected	Pass
I006	Not Detected	Not Detected	Pass
I007	Not Detected	Not Detected	Pass
I008	Not Detected	Not Detected	Pass

Phthalates in bluetooth headphones, headphones and earphones (CA Prop 65)

	GBFD-AN-06572.01-USA Accessible plastics [Incl. natural & synthetic rubber] & surface coatings of product shall not exceed 1000 mg/kg each of DEHP & DINP. Per client, labeling is not allowed.	Meet	PASS
--	--	------	------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
I001	Not Detected	Not Detected	Pass
I002	Not Detected	Not Detected	Pass
I003	Not Detected	Not Detected	Pass
I004	Not Detected	Not Detected	Pass
I005	Not Detected	Not Detected	Pass
I006	Not Detected	Not Detected	Pass
I007	Not Detected	Not Detected	Pass
I008	Not Detected	Not Detected	Pass

Total lead in plastic coated cord-electrical (CA Prop 65)

	CPSD-AN-06572.01-USA Plastic coated component(s) of certain electrical products	Meet	PASS
--	--	------	------



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
	shall not exceed 200 mg/kg of total lead (Pb). When exceeded, product(s) shall utilize warning statement(s).		

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
I001+I002	mg/kg	Max. 200	Not Detected	Pass
I003+I004	mg/kg	Max. 200	Not Detected	Pass
I005+I006	mg/kg	Max. 200	35.6	Pass
I007+I008	mg/kg	Max. 200	Not Detected	Pass

Phthalates in headphone cables (CA Prop 65)

	<p>CPSD-AN-06572.01-USA San Mateo Superior Court 474817</p> <p>Accessible plastic substrates of headphone cables[Incl. ear/cable plug & volume controller] shall have ≤100mg/kg each of BBP,DBP,DEHP,DIDP&DnHP. Labeling is not allowed.</p>	Meet	PASS
--	--	------	------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
I001	Not Detected	Not Detected	Pass
I002	Not Detected	Not Detected	Pass
I003	Not Detected	Not Detected	Pass
I004	Not Detected	Not Detected	Pass
I005	Not Detected	Not Detected	Pass
I006	Not Detected	Not Detected	Pass
I007	Not Detected	Not Detected	Pass
I008	Not Detected	Not Detected	Pass



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
-----------------	--------------	---------	--------

Total lead in charger, headphone, headset and splitter (CA Prop 65)

	CPSD-AN-06572.01-USA Los Angeles Superior Court BC451036/BC463718/BC475262 Certain accessible surface coatings and substrates of chargers, headphones, headsets and splitters shall not exceed 100 mg/kg of total lead (Pb). Labeling is not allowed.	Meet	PASS
--	---	------	------

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
I001+I002	mg/kg	Max. 100	Not Detected	Pass
I003+I004	mg/kg	Max. 100	Not Detected	Pass
I005+I006	mg/kg	Max. 100	35.6	Pass
I007+I008	mg/kg	Max. 100	Not Detected	Pass

Phthalates in computer and electronics accessories (CA Prop 65)

	CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784 Accessible surface coating & plastic substrate mat'ls of certain computer & electronic accessories shall have ≤1000 mg/kg each of BBP, DBP & DEHP. No labeling is allowed.	Meet	PASS
--	--	------	------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
I001	Not Detected	Not Detected	Pass
I002	Not Detected	Not Detected	Pass
I003	Not Detected	Not Detected	Pass
I004	Not Detected	Not Detected	Pass
I005	Not Detected	Not Detected	Pass
I006	Not Detected	Not Detected	Pass
I007	Not Detected	Not Detected	Pass



**BUREAU
VERITAS**

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
I008	Not Detected	Not Detected	Pass

Total lead in computer and electronics accessories (CA Prop 65)

	CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784 Accessible surface coatings & certain substrates of products shall have ≤100 mg/kg of total Pb. When exceeded, product for age >12 shall utilize a warning statement only.	Meet	PASS
--	--	------	------

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Translucent plastic (ear plug,A)	--	A
I002	Black plastic (ear plug,B)	--	A
I003	Hot pink plastic (cord,A)	--	A
I004	Black plastic (cord,B)	--	A
I005	Hot pink plastic (plug,middle connector,A)	--	A
I006	Black plastic (plug,middle connector,B)	--	A
I007	Hot pink plastic (housing,A)	--	A
I008	Black plastic (housing,B)	--	A

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
I001+I002	mg/kg	Max. 100	Not Detected	Pass
I003+I004	mg/kg	Max. 100	Not Detected	Pass
I005+I006	mg/kg	Max. 100	35.6	Pass
I007+I008	mg/kg	Max. 100	Not Detected	Pass

Solids - Flammability (16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)

	GBFD-EL-04219-AMN [US] Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	Meet	PASS
--	--	------	------

Dimensions, weight, counts - product (CPSD-GB-01056-MTHD)

	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet Dimension: C: 48 IN L R: 48 IN L Weight: 9.1g	PASS
--	---	--	------

Dimensions, weight, counts - features (CPSD-GB-01056-MTHD)

	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet Dimension: C: 48 IN L R: 48 IN L Weight: 9.1g	PASS
--	---	--	------

Defects and workmanship (CPSD-GB-01057-MTHD)

	GBFD-EL-04219-AMN No defects found in received product.	Meet	PASS
--	--	------	------



BUREAU
VERITAS

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Sharp point and sharp edge (16 CFR 1500.48 & 49 (Mod))			
	GBFD-EL-04219-AMN Shall have no sharp points / edges, other than those required for function. Modification: Expanded scope to other products.	Meet	PASS
Pull test (Actual use / functionality)			
	GBFD-EL-04219-AMN Cables shall withstand a pull force of 8lbf between connectors and cable for 1 min. After the test, no visual defect occurs and the cable shall function well as intended.	Meet	PASS
Cycle test (CPSD-GB-01058-MTHD)			
	GBFD-EL-04219-AMN [Buttons, Knobs and Jack] 100 uses of each without defect.	Meet	PASS
Actual use - functionality (CPSD-GB-01058-MTHD)			
	GBFD-EL-04219-AMN Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.	Meet	PASS
Drop test (Drop on test surface from listed height, visual exam)			
	GBFD-EL-04219-AMN [For product claimed "shatter resistant"] Shall withstand 3 drops from 3 feet height onto vinyl clad cement floor with no failure.	Meet	PASS
Frequency range (Measure frequency)			
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed frequency range. Attach tested headphone to dummy ears, apply the frequency sound within the frequency range claimed by supplier to the dummy ear. The frequency range of tested headphone shell meet the claim.	Meet C:20-20000Hz	PASS
Headphone sensitivity (Actual use / functionality)			
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed headphone sensitivity. Attach tested headphone to dummy ears, apply 1KHz with 1mW of power to the headphone, measure the sound level produced by headphone in dB/mW. Shell meet the claim.	Meet C:90dB RECORD: R:86.13dB L:87.17 dB	PASS
Stereo (Actual use / functionality)			
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Input a sound signal for left channel and stop, and then input	Meet	PASS



BUREAU
VERITAS

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022

TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
	a sound signal for right channel. Check the stereo function.		
Overall cord length (CPSD-GB-01056-MTHD)			
	GBFD-EL-04219-AMN Report overall cord length; shall meet label claims (if applicable).	Meet C: 48 IN L R: 48 IN L	PASS
Compatibility with accessories (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Product shall be compatible with any claimed accessories (i.e. speakers) and shall function as claimed.	Meet	PASS
Sound quality (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Shall provide clear sound with no hissing or audible distortion.	Meet	PASS
Adjustment - sound level (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Adjust volume control to min and max extremes. Shall control volume smoothly and without static or noise.	Meet	PASS



BUREAU
VERITAS

Test Report: (6222)160-0230 GREENBRIER INTERNATIONAL INC

Received Date: June 09, 2022

Report Date: June 20, 2022



ADDITIONAL TEST RESULTS FOR TRAVEL EAR BUDS WITH CASE

CPSD-GB-08612-DATA-CLAIM VERIFICATION LEVEL 2


Type of Claim	Claim	Actual	Result	Rating
<input checked="" type="checkbox"/> Subjective <input type="checkbox"/> Objective	Lightweight & Comfortable	Subjective Claimed	<input type="checkbox"/> M <input type="checkbox"/> NM <input checked="" type="checkbox"/> NT (Unable to substantiate through protocol testing)	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL <input checked="" type="checkbox"/> Satisfactory
<input checked="" type="checkbox"/> Subjective <input type="checkbox"/> Objective	Compatible with most audio device	Subjective Claimed	<input type="checkbox"/> M <input type="checkbox"/> NM <input checked="" type="checkbox"/> NT (Unable to substantiate through protocol testing)	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL <input checked="" type="checkbox"/> Satisfactory
<input checked="" type="checkbox"/> Subjective <input type="checkbox"/> Objective	Traveling	Subjective Claimed	<input type="checkbox"/> M <input type="checkbox"/> NM <input checked="" type="checkbox"/> NT (Unable to substantiate through protocol testing)	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL <input checked="" type="checkbox"/> Satisfactory







**EXHIBIT
PHOTO(S)**



END OF REPORT