

Received Date: March 10, 2022 Report Date: March 11, 2022

US PASS CANADA PASS

SUBMITTER

FOURSTAR GROUP HK (I)
UNIT A, 8/F, KAISER ESTATE PHASE 1, 41 MAN YUE ST, HUNGHOM, KOWLOON, HONG KONG



GBI/DTSC SKU NUMBER(S)

344095

PRODUCT DESCRIPTION

BTS TWOTONE BUD N HEADPHONE(P)

EXECUTIVE SUMMARY

For US, the sample(s) MEET all the tested requirement(s).

For Canada, the sample(s) MEET all the tested requirement(s).

The sample(s) was assigned 8443 Non CPSIA Requirements test protocol but it does not apply to this submission.

REMARKS

No applicable CPSC rules, bans, or standards were tested in this report. Therefore, no GCC was generated.

TECHNICAL QUESTIONS

Primary Chad Hsieh Tel: 886-2-2895-3666#302

Email: Chad.Hsieh@Tw.Bureauveritas.Com

GENERAL INFORMATION

Primary Contact: Pearl Lin Tel: 886-2-2895-3666#309

NFORMATION Email: Pearl.lin@tw.bureauveritas.Com

SIGNATURES

Bureau Veritas Consumer Products Services (H.K.)

Limited, Taiwan Branch

motil.

Chad Hsieh

Hardline Operation Manager

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (H. K.) LTD. -TAIWAN BRANCH No. 37 Zhongyang S. Road, Sec. 2,

Beitou, Taipei 112, Taiwan Beitou Tel: 886-2-2895-3666 Fax:

886-2-2895-6999

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report



VERITAS	
PLM BATCH ID	344095
PLM GB ID#	705382
CHILD SKU	346182, 307703
SUBMISSION PROCESS	Single Sample Collection (All DC's - 50% of Entire Quantity Produced)
CHILDREN'S AND TOY PROUDCTS PRODUCTION SAMPLE PULL	/
PREVIOUS FIRST OFF LINE TEST REPORT NUMBER	
PREVIOUS 30% TEST REPORT NUMBER	/
PREVIOUS 60% TEST REPORT NUMBER	/
TEST TYPE	Initial Test
VENDOR NAME	FOURSTAR GROUP HK. (I)
GREENBRIER INTERNATIONAL VENDOR NO	6695
MANUFACTURER	NINGBO DINGSHUO PLASTIC CO.,LTD
MANUFACTURER ADDRESS	MAJING ZHUANGQIAO JIANGBEI, NINGBO,ZHEJIANG, CHINA
VENDOR ITEM NO	
STYLE NUMBER	
COUNTRY OF ORIGIN	CHINA
COUNTRY OF SALE	US / CANADA
LABELED AGE GRADE	Not Present
APPROPRIATE AGE GRADE	N/A (Adult)
TESTED AGE GRADE	Adult
CLIENT SPECIFIED AGE GRADE	Not Specified
PO NO(S) (USA)	10605424
PO SHIP DATE(S) (USA)	15-Mar-2022
ADDITIONAL PO NO(S) (USA)	/
ADDITIONAL PO SHIP DATES (USA)	/
PO NO(S) (CANADA)	10605354



PO SHIP DATE(S)(CANADA)	23-Mar-2022
(CANADA)	1
ADDITIONAL PO SHIP DATES (CANADA)	1
DEPARTMENT NUMBER	65 ELECTRONICS
SUB-DEPARTMENT NUMBER	50 PHONE/TABLET ACCESSORIES
CLASS	/
SUB-CLASS	511
DOLLAR TREE DIRECT (DTD) SAMPLE DESCRIPTION	1
DTD SKU	1
DTD PO NO.(USA)	1
DTD PO SHIP DATE (USA)	1
DTD COUNTRY OF SALE	/
INITIAL REPORT NUMBER	1
NUMBER	1
PREVIOUS FOOD/CANDY REPORT NUMBER	1
PREVIOUS HBC LABEL REPORT NUMBER	1
PREVIOUS FIBER CONTENT PRE-PRODUCTION REPORT NUMBER	1
PREVIOUS TOY AGE GRADE REPORT NUMBER	1
PREVIOUS ENHANCED PERFORMANCE TESTING REPORT NUMBER	/
PREVIOUS CARE LABEL VERIFICATION REPORT NUMBER	1
NATIONAL BRAND PRODUCT NAME	/
NATIONAL BRAND UPC	1
INSPECTION NUMBER	10220531195
E3 ORDER	-
UPC CODE	1
SYNERGY SUBMISSION	No



PHASE OF SYNERGY SUBMISSION	1
DATE OF MANUFACTURE	25-Feb-2022
REASON FOR REVISION	1
PLACE OF MANUFACTURE	MAJING ZHUANGQIAO JIANGBEI, NINGBO, ZHEJIANG, CHINA
PROTOCOL NUMBER	GBFD-HL-PTCL-10050-AMN-UPC SCANNING REQUIREMENT-V5, GBFD-EL-PTCL-04219-AMN-HEADPHONES EARBUDS-V6, CPSD-EL-PTCL-04999.90-AMN-FCC PART 15 IC-V27, GBFD-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V6, CPSD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 COMPOSITING-V73, GBFD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 (GREENBRIER)-V8, GBFD-AN-PTCL-08443-AMN-NON CPSIA REQUIREMENTS SUPPLEMENT-V5, GBFD-HL-PTCL-09062.03-AMN-TOXICS IN PACKAGING CLEARINGHOUSE-V10



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Barcode requirement (CPSD-GB-01057-MTHD)			
	GBFD-HL-10050-AMN All products are required to have a unique scannable barcode according to the Uniform Code Council's specifications for product identification at the sales register sale. In addition, all barcodes must have the corresponding human readable numbers under the barcode.	Meet	PASS
Country of origin markin	g (Canada)		
	GBFD-EL-04219-AMN Imported goods shall indicate country of origin. Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser.	Meet	PASS
Claim verification - level	2 (CPSD-GB-08612-MTHD)		
	GBFD-EL-04219-AMN Examine the retail packaging (or submitted artwork). Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly. Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded. Record all other objective (factual) claims as 'NT' for Not Tested and rate as 'FAIL'. Record all subjective (opinion) claims as 'NT' for Not Tested and rate as 'Satisfactory'. If the objective (factual) claim is rated as 'FAIL' and the subjective (opinion) claim is rated as 'Satisfactory', the overall rating will rate as 'FAIL'. Variations of color or assortment (meaning one item could be featured on the packaging but there are other styles in the assortment) between the visual graphic imagery (artwork, photographs and/or illustrations) of the product on the	Meet See Additional Test Results	PASS
	packaging and the product itself should be marked in the test report and should NOT constitute a failure.		
	Client Requirement		
Accuracy or adequacy of	f instructions (CPSD-GB-01057-MTHD)		
	GBFD-EL-04219-AMN Shall include assembly, use, maintenance, and safety information as required with no errors or spelling mistakes. Shall be easy to follow.	Meet	PASS
Use labeling (CPSD-GB-0	01057-MTHD)		
	GBFD-EL-04219-AMN Supplemental label information of use/care instructions that are clear and understandable shall be provided in English language. Note: -If French language is also included, it should not lead to a	Meet	PASS
	Fail.		
	Client requirement		



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING		
US Packaging labeling (1	US Packaging labeling (16 CFR 500 / UPLR Handbook 130)				
	GBFD-EL-04219-AMN [US] Packaging shall be labelled, Product Identity Net quantity of contents Manufacturer, packer, or distributor's name & address		PASS		
Country of origin marking	g (19 CFR 134)				
	[US] Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Meet	PASS		
Canada consumer packa	ging and labeling regulations (CPLA/CPLR, C.R.C., c.4	17)			
	GBFD-EL-04219-AMN Packaging shall be labelled, in English and French (if appropriate) Identity Net quantity Manufacturer or distributor's name & address	Meet	PASS		
Phthalates in all coated cords for electrical items (In house method)					
	GBFD-AN-06572.01-USA Per client, accessible plastic substrates/surface coatings of products shall have ≤ 1000mg/kg each of BBP, DBP, DEHP, DINP, DIDP & DnHP. When exceeded, utilize a warning.	Meet	PASS		

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		Α
1005	Red plastic (cable,B2)		Α
1006	Grey plastic (cable,B3)		Α
1007	Black plastic (plug head/middle components,A1~A4)		Α
1008	Pink plastic (plug head/middle components,B1)		Α
1009	Red plastic (plug head/middle components,B2)		Α
I010	Grey plastic (plug head/middle components,B3)		Α
I011	Pink plastic (headband/housing,A1)		Α

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
1003	Not Detected	Not Detected	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
1011	Not Detected	Not Detected	Pass



Received Date: March 10, 2022 Report Date: March 11, 2022

TEST RESULTS FOR BTS TWOTONE BUD N HEADPHONE(P)

TESTED PROPERTY	PROPERTY REQUIREMENTS		RATING
Phthalates in bluetooth headphones, headphones and earphones (CA Prop 65)			
	GBFD-AN-06572.01-USA Accessible plastics [Incl. natural & synthetic rubber] & surface coatings of product shall not exceed 1000 mg/kg each of DEHP & DINP. Per client, labeling is not allowed.		PASS

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		A
1005	Red plastic (cable,B2)		A
1006	Grey plastic (cable,B3)		A
1007	Black plastic (plug head/middle components,A1~A4)		A
1008	Pink plastic (plug head/middle components,B1)		A
1009	Red plastic (plug head/middle components,B2)		A
I010	Grey plastic (plug head/middle components,B3)		A
I011	Pink plastic (headband/housing,A1)		A
I015	Pink plastic (housing,B1)		A
I016	Blue plastic (housing,B1)		A
I017	Red plastic (housing,B2)		A
I018	Orange plastic (housing,B2)		A
I019	Grey plastic (housing,B3)		A
1020	Turquoise plastic (housing,B3)		Α

Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
1003	Not Detected	Not Detected	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
I011	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
1016	Not Detected	Not Detected	Pass
1017	Not Detected	Not Detected	Pass
I018	Not Detected	Not Detected	Pass
I019	Not Detected	Not Detected	Pass
1020	Not Detected	Not Detected	Pass

Heavy metals in packaging (TPCH)

GBFD-HL-09062.03-AMN

Per client, packaging & its component(s) shall not exceed 100 mg/kg sum of concentration levels of lead (Pb), cadmium (Cd), mercury (Hg) & hexavalent chromium (Cr VI).

Test Item(s)	Test Item / Component Description(s)	Location(s)	Style(s)
1021	Black plastic (tie's cover,A1~A4)		Α
1022	White plastic (tie's cover,B1~B3)		Α
1023	Silvery metal (tie,A1~A4/B1~B3)		Α

Test Parameter(s)	Unit(s)	Result(s)	Requirement(s)

PASS



Meet

Received Date: March 10, 2022 Report Date: March 11, 2022

TEST RESULTS FOR BTS TWOTONE BUD N HEADPHONE(P)

TESTED PROPERTY		REQUIREMENTS			RESULTS		RATING
Test Parameter(s)	Unit(s)		Result(s)			Requirement(s)	
Test Item(s)		1021 + 1022	1023				
Lead (Pb)		Not Detected	Not Detected				
Cadmium (Cd)		Not Detected	Not Detected				
Mercury (Hg)	mg/kg	Not Detected	Not Detected				
Chromium VI (Cr VI)		Not Detected	Not Detected				
Sum of Pb, Cd, Hg and Cr VI		Not Detected	Not Detected				Max. 100
Conclusion		Pass	Pass				

Total lead in plastic coated cord-electrical (CA Prop 65)

CPSD-AN-06572.01-USA
San Francisco Superior Court 312962 / CGC-07-463538

Plastic coated component(s) of certain electrical products shall not exceed 200 mg/kg of total lead (Pb). When exceeded, product(s) shall utilize warning statement(s).

PASS

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Black plastic (ear cushion,A1~A4)		A
1002	Translucent plastic (ear plug, B1~B3)		A
1003	Black plastic (cable,A1~A4)		A
1004	Pink plastic (cable,B1)		A
1005	Red plastic (cable,B2)		A
1006	Grey plastic (cable,B3)		A
1007	Black plastic (plug head/middle components,A1~A4)		A
1008	Pink plastic (plug head/middle components,B1)		A
1009	Red plastic (plug head/middle components,B2)		A
I010	Grey plastic (plug head/middle components,B3)		Α
I011	Pink plastic (headband/housing,A1)		Α
l012	Red plastic (headband/housing,A2)		Α
I013	Blue plastic (headband/housing,A3)		A
I014	Grey plastic (headband/housing,A4)		A
l015	Pink plastic (housing,B1)		A
I016	Blue plastic (housing,B1)		A
1017	Red plastic (housing,B2)		A
I018	Orange plastic (housing,B2)		A
I019	Grey plastic (housing,B3)		A
1020	Turquoise plastic (housing,B3)		A

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1001 + 1002	mg/kg	Max. 200	Not Detected	Pass
1003 + 1004 + 1005	mg/kg	Max. 200	Not Detected	Pass
1006 + 1007 + 1008	mg/kg	Max. 200	Not Detected	Pass
1009 + 1010	mg/kg	Max. 200	21.4	Pass
1011 + 1012 + 1013	mg/kg	Max. 200	Not Detected	Pass
1014 + 1015 + 1016	mg/kg	Max. 200	Not Detected	Pass
1017 + 1018	mg/kg	Max. 200	Not Detected	Pass
1019 + 1020	mg/kg	Max. 200	Not Detected	Pass



Test Report: (6222)069-0219 GREENBRIER INTERNATIONAL INC Received Date: March 10, 2022

Report Date: March 11, 2022

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING			
Phthalates in headphone cables (CA Prop 65)						
	CPSD-AN-06572.01-USA San Mateo Superior Court 474817 Accessible plastic substrates of headphone cables[Incl. ear/cable plug & volume controller] shall have ≤100mg/kg each of BBP,DBP,DEHP,DIDP&DnHP. Labeling is not allowed.	Meet	PASS			

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		A
1005	Red plastic (cable,B2)		A
1006	Grey plastic (cable,B3)		A
1007	Black plastic (plug head/middle components,A1~A4)		A
1008	Pink plastic (plug head/middle components,B1)		A
1009	Red plastic (plug head/middle components,B2)		A
I010	Grey plastic (plug head/middle components,B3)		A
I011	Pink plastic (headband/housing,A1)		A
l015	Pink plastic (housing,B1)		A
I016	Blue plastic (housing,B1)		A
l017	Red plastic (housing,B2)		A
I018	Orange plastic (housing,B2)		A
I019	Grey plastic (housing,B3)		A
1020	Turquoise plastic (housing,B3)		A

Test Item(s)	Result(s) [Unit in mg/	Conclusion	
	Detected Analyte(s)	Concentration	
1003	Not Detected	Not Detected	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
1011	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
1016	Not Detected	Not Detected	Pass
1017	Not Detected	Not Detected	Pass
1018	Not Detected	Not Detected	Pass
1019	Not Detected	Not Detected	Pass
1020	Not Detected	Not Detected	Pass



Meet

Received Date: March 10, 2022 Report Date: March 11, 2022

TEST RESULTS FOR BTS TWOTONE BUD N HEADPHONE(P)

TESTED PROPERTY REQUIREMENTS RESULTS RATING

Total lead in charger, headphone, headset and splitter (CA Prop 65)

CPSD-AN-06572.01-USA

Los Angeles Superior Court BC451036/BC463718/BC475262

Certain accessible surface coatings and substrates of chargers, headphones, headsets and splitters shall not exceed 100 mg/kg of total lead (Pb). Labeling is not allowed.

PASS

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		Α
1005	Red plastic (cable,B2)		Α
1006	Grey plastic (cable,B3)		Α
1007	Black plastic (plug head/middle components,A1~A4)		Α
1008	Pink plastic (plug head/middle components,B1)		Α
1009	Red plastic (plug head/middle components,B2)		A
I010	Grey plastic (plug head/middle components,B3)		Α

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1003 + 1004 + 1005	mg/kg	Max. 100	Not Detected	Pass
1006 + 1007 + 1008	mg/kg	Max. 100	Not Detected	Pass
1009 + 1010	mg/kg	Max. 100	Not Detected	Pass

Phthalates in computer and electronics accessories (CA Prop 65)

CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784

San Francisco Superior Court CGC-09-485784

Meet PASS

Accessible surface coating & plastic substrate mat`ls of certain computer & electronic accessories shall have ≤1000 mg/kg each of BBP, DBP & DEHP. No labeling is allowed.

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		Α
1005	Red plastic (cable,B2)		Α
1006	Grey plastic (cable,B3)		Α
1007	Black plastic (plug head/middle components,A1~A4)		Α
1008	Pink plastic (plug head/middle components,B1)		Α
1009	Red plastic (plug head/middle components,B2)		Α
I010	Grey plastic (plug head/middle components,B3)		Α
I011	Pink plastic (headband/housing,A1)		Α
I015	Pink plastic (housing,B1)		Α
1016	Blue plastic (housing,B1)		Α
1017	Red plastic (housing,B2)		Α
I018	Orange plastic (housing,B2)		Α
1019	Grey plastic (housing,B3)		Α
1020	Turquoise plastic (housing,B3)		Α

Test Item(s)	Result(s) [Unit in mg/kg]	Conclusion	
	Detected Analyte(s)	Detected Analyte(s) Concentration	
1003	Not Detected	Not Detected	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass



Received Date: March 10, 2022 Report Date: March 11, 2022

TEST RESULTS FOR BTS TWOTONE BUD N HEADPHONE(P)

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
I010	Not Detected	Not Detected	Pass
I011	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
1016	Not Detected	Not Detected	Pass
1017	Not Detected	Not Detected	Pass
1018	Not Detected	Not Detected	Pass
1019	Not Detected	Not Detected	Pass
1020	Not Detected	Not Detected	Pass

Total lead in computer and electronics accessories (CA Prop 65)

CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784

Accessible surface coatings & certain substrates of products shall have ≤100 mg/kg of total Pb. When exceeded, product for age >12 shall utilize a warning statement only.

PASS

Meet

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
1001	Black plastic (ear cushion,A1~A4)		A
1002	Translucent plastic (ear plug, B1~B3)		A
1003	Black plastic (cable,A1~A4)		Α
1004	Pink plastic (cable,B1)		Α
1005	Red plastic (cable,B2)		Α
1006	Grey plastic (cable,B3)		A
1007	Black plastic (plug head/middle components,A1~A4)		A
1008	Pink plastic (plug head/middle components,B1)		Α
1009	Red plastic (plug head/middle components,B2)		A
I010	Grey plastic (plug head/middle components,B3)		A
l011	Pink plastic (headband/housing,A1)		A
1012	Red plastic (headband/housing,A2)		A
1013	Blue plastic (headband/housing,A3)		A
1014	Grey plastic (headband/housing,A4)		A
1015	Pink plastic (housing,B1)		A
1016	Blue plastic (housing,B1)		A
1017	Red plastic (housing,B2)		A
1018	Orange plastic (housing,B2)		A
1019	Grey plastic (housing,B3)		Α
I020	Turquoise plastic (housing,B3)		Α

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1001 + 1002	mg/kg	Max. 100	Not Detected	Pass
1003 + 1004 + 1005	mg/kg	Max. 100	Not Detected	Pass
1006 + 1007 + 1008	mg/kg	Max. 100	Not Detected	Pass
1009 + 1010	mg/kg	Max. 100	Not Detected	Pass
1011 + 1012 + 1013	mg/kg	Max. 100	Not Detected	Pass
1014 + 1015 + 1016	mg/kg	Max. 100	Not Detected	Pass
1017 + 1018	mg/kg	Max. 100	Not Detected	Pass
1019 + 1020	mg/kg	Max. 100	Not Detected	Pass



Test Report: (6222)069-0219 GREENBRIER INTERNATIONAL INC Received Date: March 10, 2022

Report Date: March 11, 2022

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Solids - Flammability (16	CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)		
	GBFD-EL-04219-AMN	Meet	PASS
	[US]		
	Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second		
Dimensions, weight, cou	nts - product (CPSD-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:A:48 in / B:48 in R: A:48 in / B:48 in 2:A:44g B:101g 3:NA 4:C:A:48 in / B:48 in R: A:48 in / B:48 in 5:1 pc 6:NA	PASS
Dimensions, weight, cou	nts - features (CPSD-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:A:48 in / B:48 in R: A:48 in / B:48 in 2:A:44g B:101g 3:NA 4:C:A:48 in / B:48 in R: A:48 in / B:48 in 5:NA	PASS
Defects and workmanshi	p (CPSD-GB-01057-MTHD)		
	GBFD-EL-04219-AMN No defects found in received product.	Meet	PASS
Sharp point and sharp ed	lge (SOR/2011-17 (mod))		
	GBFD-EL-04219-AMN Shall have no sharp points /edges, other than those required for function. Modified = Expanded scope to other products	Meet	PASS
Sharp point and sharp ed	lge (16 CFR 1500.48 & 49 (Mod))		
	GBFD-EL-04219-AMN Shall have no sharp points / edges, other than those required for function. Modification: Expanded scope to other products.	Meet	PASS
Pull test (Actual use / fund	ctionality)		
	GBFD-EL-04219-AMN Cables shall withstand a pull force of 8lbf between connectors and cable for 1 min. After the test, no visual defect occurs and the cable shall function well as intended.	Meet	PASS
Cycle test (CPSD-GB-010	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Cydio 1881 (Of OD-OD-010	GBFD-EL-04219-AMN [Buttons, Knobs and Jack] 100 uses of each without defect.	Meet	PASS



Received Date: March 10, 2022 Report Date: March 11, 2022

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Actual use - functionality	(CPSD-GB-01058-MTHD)		
	GBFD-EL-04219-AMN Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.	Meet 1. Use instruction was provided with the sample and sample was used one time according to the use instructions, no defects, deformation or damage was found as per the intended use of the sample. 2. The sample was subject to one minute of manual operation without any issue or abnormality or damage to the sample. 3. The sample was reviewed in consideration of its basic end use, the sample functioned as intended without abnormality.	PASS
Frequency range (Measur	e frequency)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed frequency range. Attach tested headphone to dummy ears, apply the frequency sound within the frequency range claimed by supplier to the dummy ear. The frequency range of tested headphone shell meet the claim.	Meet Claim:20~20KHz Both headphone and earbuds	PASS
Headphone sensitivity (A	ctual use / functionality)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed headphone sensitivity. Attach tested headphone to dummy ears, apply 1KHz with 1mW of power to the headphone, measure the sound level produced by headphone in dB/mW. Shell meet the claim.	Meet Claim:90dB Record: Earbuds: Left:90.37 dB Right:86.58 dB Headphones: Left:78.35dB Right:80.27dB	PASS
Stereo (Actual use / function	onality)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] Input a sound signal for left channel and stop, and then input a sound signal for right channel. Check the stereo function.	Meet	PASS
Overall cord length (CPS)	D-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Report overall cord length; shall meet label claims (if applicable).	Meet C: A:48 in / B:48 in R: A:48 in / B:48 in	PASS
Compatibility with access	sories (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHI	D)	
	GBFD-EL-04219-AMN Product shall be compatible with any claimed accessories (i.e. speakers) and shall function as claimed.	Meet	PASS



Test Report: (6222)069-0219 GREENBRIER INTERNATIONAL INC Received Date: March 10, 2022

Report Date: March 11, 2022

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Sound quality (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Shall provide clear sound with no hissing or audible distortion.	Meet	PASS
Adjustment - ear piece (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Capable of easy adjustment to accommodate a wide range of head sizes.	Meet For A Item	PASS
Adjustment - sound level (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Adjust volume control to min and max extremes. Shall control volume smoothly and without static or noise.	Meet	PASS



Received Date: March 10, 2022 Report Date: March 11, 2022

ADDITIONAL TEST RESULTS FOR BTS TWOTONE BUD N HEADPHONE(P)

CPSD-GB-08612-DATA-CLAIM VERIFICATION LEVEL 2

Sample A					
Type of Claim	Claim	Actual	Result	Rating	
☐ Subjective	3.5 MM JACK	3.5 MM JACK		☐ GOOD☐UNSATISFACTORY☐DATA (Depends on client)	
☐ Subjective	4.8 IN (122CM)CORD	4.8 IN CORD		☐ GOOD☐UNSATISFACTORY☐DATA (Depends on client)	
Subjective □ Objective	Compatible With Most Audio Devices	Subjective Claimed	☐M ☐NM ☑NT (Unable to substantiate through protocol testing)	☐ GOOD ☐UNSATISFACTORY ☑ DATA (Depends on client)	
Sample B					
Type of Claim	Claim	Actual	Result	Rating	
☐ Subjective	3.5 MM JACK	3.5 MM JACK		☐ GOOD ☐UNSATISFACTORY ☐ DATA (Depends on client)	
☐ Subjective	4.8 IN (122CM)CORD	4.8 IN CORD		☐ GOOD ☐UNSATISFACTORY ☐ DATA (Depends on client)	
Subjective □ Objective	Tangle Free	Subjective Claimed	☐M ☐NM ☑NT (Unable to substantiate through protocol testing)	☐ GOOD ☐UNSATISFACTORY ☑ DATA (Depends on client)	
Subjective □ Objective	Compatible With Most Audio Devices	Subjective Claimed	□M □NM ⊠NT (Unable to	☐ GOOD ☐UNSATISFACTORY ☑ DATA (Depends on	

substantiate through protocol testing)



Received Date: March 10, 2022 Report Date: March 11, 2022

EXHIBIT PHOTO(S)





· SPEAKER DIAMETER: 30MM · SENSITIVITY: 90DB • IMPEDANCE: 320HM • FREQUENCY RANGE: 20-20000HZ

PRODUCT SPEC:

- · PLUG: 3.5MM · STEREO
- · CORD LENGTH: 48 IN (122CM)

COMPATIBLE WITH MOST MOBILE PHONE MODELS.









Received Date: March 10, 2022 Report Date: March 11, 2022

EXHIBIT PHOTO(S)

PRODUCT SPEC:

- · SPEAKER DIAMETER: 30MM
- · SENSITIVITY: 90DB
- · IMPEDANCE: 320HM
- · FREQUENCY RANGE: 20-20000HZ
- · PLUG: 3.5MM
- · STEREO
- · CORD LENGTH: 48 IN (122CM)

COMPATIBLE WITH MOST MOBILE PHONE MODELS.







PRODUCT SPEC:

- · SPEAKER DIAMETER: 30MM
- · SENSITIVITY: 90DB
- · IMPEDANCE: 320HM
- · FREQUENCY RANGE: 20-20000HZ
- · PLUG: 3.5MM
- · STEREO
- · CORD LENGTH: 48 IN (122CM)

COMPATIBLE WITH MOST MOBILE PHONE MODELS.





Received Date: March 10, 2022 Report Date: March 11, 2022

EXHIBIT PHOTO(S)





PRODUCT SPEC: • SPEAKER DIAMETER: 30MM • SENSITIVITY: 90DB • IMPEDANCE: 320HM • FREQUENCY RANGE: 20-20000HZ • PLUG: 3.5MM • STEREO • CORD LENGTH: 48 IN (122CM)

COMPATIBLE WITH MOST MOBILE PHONE MODELS.










Received Date: March 10, 2022 Report Date: March 11, 2022

















Received Date: March 10, 2022 Report Date: March 11, 2022















Received Date: March 10, 2022 Report Date: March 11, 2022
















Received Date: March 10, 2022 Report Date: March 11, 2022






























EXHIBIT PHOTO(S)







END OF REPORT