

Report Date: October 04, 2022



US PASS CANADA PASS

SUBMITTER

FOURSTAR GROUP HK (I) UNIT A, 8/F, KAISER ESTATE PHASE 1, 41 MAN YUE ST, HUNGHOM, KOWLOON, HONG KONG



GBI/DTSC SKU NUMBER(S)	336982				
PRODUCT DESCRIPTION	OVER FAR PHONES				
EXECUTIVE SUMMARY	For US, the sample(s) MEET all the tested requirement(s). For Canada, the sample(s) MEET all the tested requirement(s) The sample(s) was assigned 8443 Non CPSIA Requirements t				
REMARKS	No applicable CPSC rules, bans, or standards were tested in the	nis report. Therefore, no GCC was generated.			
TECHNICAL QUESTIONS	Primary Chad Hsieh SIGNATURES Tel: 886-2-2895-3666#302 Email: Chad.Hsieh@Tw.Bureauveritas.Com	Bureau Veritas Consumer Products Services (H.K.) Limited, Taiwan Branch			
GENERAL INFORMATION	Primary Contact: Pearl Lin Tel: 886-2-2895-3666#309 Email: Pearl.lin@tw.bureauveritas.Com	Chad Hsieh Hardline Operation Manager			

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (H. K.) LTD. -TAIWAN BRANCH No. 37 Zhongyang S. Road, Sec. 2, Beitou, Taipei 112, Taiwan Beitou Tel: 886-2-2895-3666 Fax: 886-2-2895-6999 This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/aboutus/our-business/cps/about-us/lerms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



PLM BATCH ID	
PLM GB ID #	705371
CHILD SKU	/
SUBMISSION PROCESS	Single Sample Collection (All DC's - 50% of Entire Quantity Produced)
CHILDREN'S AND TOY PROUDCTS PRODUCTION SAMPLE PULL	1
PREVIOUS FIRST OFF LINE TEST REPORT NUMBER	1
PREVIOUS 30% TEST REPORT NUMBER	/
PREVIOUS 60% TEST REPORT NUMBER	/
TEST TYPE	Initial Test
VENDOR NAME	FOURSTAR GROUP HK. (I)
GREENBRIER INTERNATIONAL VENDOR NO	6695
MANUFACTURER	NINGBO DINGSHUO PLASTIC CO.,LTD
MANUFACTURER ADDRESS	MAJING ZHUANGQIAO JIANGBEI, NINGBO,ZHEJIANG, CHINA
VENDOR ITEM NO	1
STYLE NUMBER	/
COUNTRY OF ORIGIN	CHINA
COUNTRY OF SALE	US / CANADA
LABELED AGE GRADE	/
APPROPRIATE AGE GRADE	/
TESTED AGE GRADE	/
CLIENT SPECIFIED AGE GRADE	/
PO NO(S) (USA)	11091592
PO SHIP DATE(S) (USA)	22-Oct-2022
ADDITIONAL PO NO(S) (USA)	/
ADDITIONAL PO SHIP DATES (USA)	/
PO NO(S) (CANADA)	11091546



VENTIAS	
PO SHIP DATE(S)(CANADA)	22-Oct-2022
ADDITIONAL PO NO(S) (CANADA)	1
ADDITIONAL PO SHIP DATES (CANADA)	1
DEPARTMENT NUMBER	65 ELECTRONICS
SUB-DEPARTMENT NUMBER	50 PHONE/TABLET ACCESSORIES
CLASS	1
SUB-CLASS	511
DOLLAR TREE DIRECT (DTD) SAMPLE DESCRIPTION	1
DTD SKU	/
DTD PO NO.(USA)	/
DTD PO SHIP DATE (USA)	/
DTD COUNTRY OF SALE	1
INITIAL REPORT NUMBER	/
FIRST RETEST REPORT NUMBER	/
PREVIOUS FOOD/CANDY REPORT NUMBER	/
PREVIOUS HBC LABEL REPORT NUMBER	/
PREVIOUS FIBER CONTENT PRE- PRODUCTION REPORT NUMBER	/
PREVIOUS TOY AGE GRADE REPORT NUMBER	1
PREVIOUS ENHANCED PERFORMANCE TESTING REPORT NUMBER	1
PREVIOUS CARE LABEL VERIFICATION REPORT NUMBER	1
NATIONAL BRAND	/
PRODUCT NAME	
NATIONAL BRAND UPC	/



VENTIKS	
E3 ORDER	•
UPC CODE	/
SYNERGY SUBMISSION	No
PHASE OF SYNERGY SUBMISSION	/
DATE OF MANUFACTURE	05-Sep-2022
REASON FOR REVISION	/
PLACE OF MANUFACTURE	MAJING ZHUANGQIAO JIANGBEI, NINGBO, ZHEJIANG, CHINA
	GBFD-HL-PTCL-10050-AMN-UPC SCANNING REQUIREMENT-V5,
	GBFD-EL-PTCL-04219-AMN-HEADPHONES EARBUDS-V9,
	CPSD-EL-PTCL-04999.90-AMN-FCC PART 15 IC-V27,
PROTOCOL NUMBER	GBFD-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V7,
I KOTOGOE NOMBER	CPSD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 COMPOSITING-V78,
	GBFD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 (GREENBRIER)-V9,
	GBFD-AN-PTCL-08443-AMN-NON CPSIA REQUIREMENTS SUPPLEMENT-V5,
	GBFD-HL-PTCL-09062.03-AMN-TOXICS IN PACKAGING CLEARINGHOUSE-V10



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Barcode requirement (0			
	GBFD-HL-10050-AMN All products are required to have a unique scannable barcode according to the Uniform Code Council's specifications for product identification at the sales register sale. In addition, all barcodes must have the corresponding human readable numbers under the barcode.	Meet	PASS
Country of origin marki	ng (Canada)		
	GBFD-EL-04219-AMN Imported goods shall indicate country of origin. Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser.	Meet	PASS
Claim verification - leve	el 2 (CPSD-GB-08612-MTHD)		
	 GBFD-EL-04219-AMN Examine the retail packaging (or submitted artwork). Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly. Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded. Record all other objective (factual) claims as 'NT' for Not Tested and rate as 'FAIL'. Record all subjective (opinion) claims as 'NT' for Not Tested and rate as 'FAIL'. If the objective (factual) claim is rated as 'FAIL' and the subjective (opinion) claim is rated as 'Satisfactory', the overall rating will rate as 'FAIL'. Variations of color or assortment (meaning one item could be featured on the packaging but there are other styles in the assortment) between the visual graphic imagery (artwork, photographs and/or illustrations) of the product on the packaging and the product itself should be marked in the test report and should NOT constitute a failure. Client Requirement 	Meet See Additional Test Results	PASS
Accuracy or adequacy	of instructions (CPSD-GB-01057-MTHD)		
	GBFD-EL-04219-AMN Shall include assembly, use, maintenance, and safety information as required with no errors or spelling mistakes. Shall be easy to follow.	Meet	PASS
Use labeling (CPSD-GB	-01057-MTHD)		
	GBFD-EL-04219-AMN Supplemental label information of use/care instructions that are clear and understandable shall be provided in English language. Note: -If French language is also included, it should not lead to a Fail.	Meet	PASS
	Client requirement		



TESTED PR	OPERTY		REQUIR	EMENTS		RESU	LTS	RATING
US Packagir	ng labeling (10	6 CFR 500 / U	PLR Handbool	k 130)	·			
		GBFD-EL-042 [US] Packaging sha Product Identit Net quantity of Manufacturer,	ll be labelled, y	utor's name & a	address	Мес	et.	PASS
Country of c	origin marking	(19 CFR 134)					
		comparable size country other t	19-AMN country of origin l ze and close pro han country in w or produced. Mu	kimity to any me	ention of was	Mee	t	PASS
Canada con	sumer packag	ging and labe	ling regulation	ns (CPLA/CPI	_R, C.R.C., c.4	17)		
		appropriate) Identity Net quantity	19-AMN Ill be labelled, in or distributor's na	-	ench (if	Меє	et .	PASS
Heavy metal	s in packagin	g (TPCH)						
		mg/kg sum of	62.03-AMN kaging & its com concentration lev (Hg) & hexavale	els of lead (Pb)	, cadmium	Mee	et	PASS
Test Item(s)	Test	ltem / Compon	ent Description	(s)	Locatio	on(s)		Style(s)
015	Multi-color coa	ating (on paper of	card,A~C)				A	
016		• • • •	without coating,	A~C)			A	
	Transparent p	lastic (cover on	card,A~C)				A	
017	Black plastic (tie's cover,A)					A	
	White plastic (tie's cover,B/C)					А	
1017 1018 1019	white plastic (A	
018 019	Silvery metal ((tie,A~C)					1	
018 019 020		tie,A~C) Unit(s)			Result(s)		1	Requirement(s)
018 019 020 Test Para	Silvery metal (1015	1016	Result(s) 1017 + 1018 + 1019	1020		Requirement(s)
018 019 020 Test Para Test Item(s)	Silvery metal (Unit(s)	I015 15.1		1017 + 1018 +	I020 Not Detected		Requirement(s)
018 019 020 Test Par Fest Item(s) _ead (Pb)	Silvery metal (ameter(s)	Unit(s)		1016	I017 + I018 + I019			Requirement(s)
018 019 020 Test Para Test Item(s) Lead (Pb) Cadmium (Cd)	Silvery metal (ameter(s)	Unit(s)	15.1	I016 7.06	I017 + I018 + I019 Not Detected	Not Detected		Requirement(s)
018 019 020 Test Para Test Item(s) Lead (Pb) Cadmium (Cd) Mercury (Hg)	Silvery metal (ameter(s)	Unit(s) 	15.1 Not Detected	I016 7.06 Not Detected	I017 + I018 + I019 Not Detected Not Detected	Not Detected Not Detected		
1018 1019 1020 Test Para Test Item(s) Lead (Pb) Cadmium (Cd) Mercury (Hg) Chromium VI (Silvery metal (ameter(s)	Unit(s) 	15.1 Not Detected Not Detected	I016 7.06 Not Detected Not Detected	I017 + I018 + I019 Not Detected Not Detected Not Detected	Not Detected Not Detected Not Detected		





l011

l012

l013

l014

BRIER	INT	ERN	IATIO	NAL	INC

Received Date: September 15, 2022 Report Date: October 04, 2022

TEST RESU	LTS FOR OVE	ER EAR PHONES					
TESTED PR	OPERTY	REQUIREMENTS		RESULTS			
Phthalates i	n all coated c	ords for electrical items (In house metho	od)				
		GBFD-AN-06572.01-USA Per client, accessible plastic substrates/surfac products shall have ≤ 1000mg/kg each of BBF DINP, DIDP & DnHP. When exceeded, utilize	P, DBP, DEHP,	Me	eet	PASS	
Test Item(s)	ŀ	tem / Component Description(s)	Locat	ion(s)		Style(s)	
1001	Black plastic (cord,A)			A		
1002	Grey plastic (c	ord,B)			A		
1003	Purple plastic	(cord,C)			A		
1004	Black plastic (p	olug head/ cap on middle components,A)			A		
1005	Grey plastic (p	lug head/ cap on middle components,B)			A		
1006	Purple plastic	(plug head/ cap on middle components,C)	A		A	¥	
1007	Black plastic (r	middle components,A)	A		A		
1008	Grey plastic (n	niddle components,B)	A		A		
1009	Purple plastic	(middle components,C)	A		A		
1010	Black plastic (f	foam,A~C)	A				
l011	White plastic (housing/ hook,A~C)	A		A		
1012	Black plastic (I	nousing,A)	A				
1013	Grey plastic (h	ousing,B)			A		
l014	Purple plastic	(housing,C)			А		
Test I	tem(s)	Result(s) [l	Unit in mg/kg]			Conclusion	
		Detected Analyte(s)		Concer	ntration		
1001		Not Detected		Not Detected		Pass	
1002		Not Detected		Not Detected		Pass	
1003		DBP		50	03	Pass	
1004		Not Detected		Not De	etected	Pass	
1005		Not Detected		Not De	etected	Pass	
1006		Not Detected		Not De	etected	Pass	
1007		Not Detected		Not De	etected	Pass	
1008		Not Detected		Not De	etected	Pass	
1009		Not Detected		Not De	etected	Pass	
1010		Not Detected		Not De	etected	Pass	
	· · · · · · · · · · · · · · · · · · ·					-	

Not Detected

Not Detected

Not Detected

Not Detected

Pass

Pass

Pass

Pass

Not Detected

Not Detected

Not Detected

Not Detected





Received Date: September 15, 2022 Report Date: October 04, 2022

TEST RESULTS FOR OVER EAR PHONES								
TESTED PRO	OPERTY		REQUIREMENTS			RESULTS		RATING
Total lead in	plastic coate	d cord-electri	ical (CA Prop 65)					
CPSD-AN-06572.01-USA Plastic coated component(s) of certain electrical products shall not exceed 200 mg/kg of total lead (Pb). When exceeded, product(s) shall utilize warning statement(s).						M	eet	PASS
Test Item(s) Item / Component Description(s)			nt Description(s)	Location(s)			Style(s)	
1001	Black plastic (d	cord,A)					A	
1002	Grey plastic (c	ord,B)		/		A		
1003	Purple plastic	(cord,C)		A		A	4	
1004	Black plastic (p	olug head/ cap o	n middle components,A)		A			
1005	Grey plastic (p	lug head/ cap or	n middle components,B)				A	
1006	Purple plastic	(plug head/ cap	on middle components,C)			A		
1007	Black plastic (r	niddle compone	nts,A)		- A		A	
1008	Grey plastic (m	niddle componer	its,B)				A	
1009	Purple plastic	(middle compone	ents,C)		A			
Test Item(s) Unit		Unit(s)	Requirement(s) F		Re	esult(s)		Conclusion
1001 + 1002 + 10	003	mg/kg	Max. 200 No		Not	Detected		Pass
1004 + 1005 + 1	006	mg/kg	Max. 200			30.3		Pass
1007 + 1008 + 1	009	mg/kg	Max. 200		Not	Detected		Pass

Phthalates in headphone cables (CA Prop 65)

CPSD-AN-06572.01-USA San Mateo Superior Court 474817	Meet	PASS
Accessible plastic substrates of headphone cables[Incl. ear/cable plug & volume controller] shall have ≤100mg/kg each of BBP,DBP,DEHP,DIDP&DnHP. Labeling is not allowed.		

Test Item(s)	It	em / Component Description(s)	Locat	ion(s)	Style(s)	
1001	Black plastic (c	cord,A)		A		
1002	Grey plastic (co	ord,B)		A		
1003	Purple plastic (cord,C)		A		
1004	Black plastic (p	olug head/ cap on middle components,A)		A		
1005	Grey plastic (plug head/ cap on middle components,B)			A		
1006	Purple plastic (plug head/ cap on middle components,C)	A			
1007	Black plastic (r	niddle components,A)	A			
1008	Grey plastic (m	iddle components,B)		A		
1009	Purple plastic (middle components,C)		A		
I010	Black plastic (f	oam,A~C)		A		
1011	White plastic (I	nousing/ hook,A~C)		A		
1012	Black plastic (h	nousing,A)		A	A	
1013	Grey plastic (h	ousing,B)	A			
I014 Purple plastic (housing,C)				A		
Test I	tem(s)	Result(s) [Unit in mg/kg]		Conclusion	
		Detected Analyte(s)		Concentration		



Received Date: September 15, 2022 Report Date: October 04, 2022

TEST RESULTS FOR OVER EAR PHONES

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
	Detected Analyte(s)	Concentration	
1001	Not Detected	Not Detected	Pass
1002	Not Detected	Not Detected	Pass
1003	DBP	503	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
l011	Not Detected	Not Detected	Pass
l012	Not Detected	Not Detected	Pass
1013	Not Detected	Not Detected	Pass
1014	Not Detected	Not Detected	Pass

Total lead in charger, headphone, headset and splitter (CA Prop 65)

CPSD-AN-06572.01-USA Los Angeles Superior Court BC451036/BC463718/BC475262	Meet	
Certain accessible surface coatings and substrates of chargers, headphones, headsets and splitters shall not exceed 100 mg/kg of total lead (Pb). Labeling is not allowed.	Moor	PASS

Test Item(s)	ŀ	tem / Compone	ent Description(s)		Location(s)	Style(s)	
1001	Black plastic (cord,A)					A	
1002	Grey plastic (c	ord,B)				A	
1003	Purple plastic	(cord,C)				A	
1004	Black plastic (olug head/ cap o	on middle components,A)			A	
1005	Grey plastic (p	lug head/ cap o	n middle components,B)			A	
1006	Purple plastic	(plug head/ cap	on middle components,C)			A	
1007	Black plastic (r	middle compone	ents,A)			A	
1008	Grey plastic (n	niddle compone	nts,B)			A	
1009	Purple plastic	(middle compon	ents,C)			A	
1010	Black plastic (f	oam,A~C)				A	
1011	White plastic (housing/ hook,A	~C)			A	
1012	Black plastic (I	nousing,A)				A	
1013	Grey plastic (h	ousing,B)				A	
1014	Purple plastic	(housing,C)				A	
Test I	tem(s)	Unit(s)	Requirement(s)		Result(s)	Conclusion	
1001 + 1002 + 1	003	mg/kg	Max. 100		Not Detected	Pass	
1004 + 1005 + 1	006	mg/kg	Max. 100		30.3	Pass	
1007 + 1008 + 1009		mg/kg	Max. 100		Not Detected	Pass	
l010		mg/kg	Max. 100		12.6	Pass	
1011 + 1012		mg/kg	Max. 100		Not Detected	Pass	
1013 + 1014		mg/kg	Max. 100		Not Detected	Pass	



RESULTS

Meet

Received Date: September 15, 2022 Report Date: October 04, 2022

RATING

PASS

TEST RESULTS FOR OVER EAR PHONES

TESTED PROPERTY	REQUIREMENTS
Phthalates in computer a	nd electronics accessories (CA Prop 65)
	CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784

Accessible surface coating & plastic substrate mat'ls of
certain computer & electronic accessories shall have ≤1000
mg/kg each of BBP, DBP & DEHP. No labeling is allowed.

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Black plastic (cord,A)		A
1002	Grey plastic (cord,B)		A
1003	Purple plastic (cord,C)		A
1004	Black plastic (plug head/ cap on middle components,A)		A
1005	Grey plastic (plug head/ cap on middle components,B)		A
1006	Purple plastic (plug head/ cap on middle components,C)		A
1007	Black plastic (middle components,A)		A
1008	Grey plastic (middle components,B)		A
1009	Purple plastic (middle components,C)		A
1010	Black plastic (foam,A~C)		A
1011	White plastic (housing/ hook,A~C)		A
1012	Black plastic (housing,A)		A
1013	Grey plastic (housing,B)		A
1014	Purple plastic (housing,C)		A

Test Item(s)	Result(s) [Unit in mg/kg]		
	Detected Analyte(s)	Concentration	
1001	Not Detected	Not Detected	Pass
1002	Not Detected	Not Detected	Pass
1003	DBP	503	Pass
1004	Not Detected	Not Detected	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
I011	Not Detected	Not Detected	Pass
1012	Not Detected	Not Detected	Pass
1013	Not Detected	Not Detected	Pass
1014	Not Detected	Not Detected	Pass





1011 + 1012

1013 + 1014

GREENBRIER INTERNATIONAL INC

Received Date: September 15, 2022 Report Date: October 04, 2022

1 En TAU							
TEST RESU	LTS FOR OVE	ER EAR PHON	IES				
TESTED PR	OPERTY		REQUIREMENTS		RES	ULTS	RATING
Total lead in	computer an	d electronics	accessories (CA Prop 65)				
		Accessible sur shall have ≤10	72.01-USA Superior Court CGC-09-48578 face coatings & certain substra 0 mg/kg of total Pb. When exce all utilize a warning statement c	tes of products eded, product	;	leet	PASS
Test Item(s)	ŀ	tem / Compone	nt Description(s)	Lo	cation(s)		Style(s)
1001	Black plastic (cord,A)				A	
1002	Grey plastic (c	ord,B)				A	
1003	Purple plastic	(cord,C)		A			
1004	Black plastic (olug head/ cap o	n middle components,A)		A		
1005	Grey plastic (p	lug head/ cap or	n middle components,B)	A			
1006	Purple plastic	(plug head/ cap	on middle components,C)	A			
1007	Black plastic (r	middle compone	nts,A)			A	
1008	Grey plastic (n	niddle componer	nts,B)			A	
1009	Purple plastic	(middle compone	ents,C)			A	
l010	Black plastic (f	foam,A~C)				A	
l011	White plastic (housing/ hook,A	~C)			A	
1012	Black plastic (I	nousing,A)				A	
1013	Grey plastic (h	iousing,B)		A			
l014	Purple plastic	(housing,C)				A	
Test l	tem(s)	Unit(s)	Requirement(s)		Result(s)	(Conclusion
1001 + 1002 + I	003	mg/kg	Max. 100		Not Detected		Pass
1004 + 1005 + 1	006	mg/kg	Max. 100		30.3		Pass
1007 + 1008 + 1	009	mg/kg	Max. 100		Not Detected		Pass
1010		mg/kg	Max. 100		12.6		Pass
		1				1	

Phthalates in bluetooth headphones, headphones and earphones (CA Prop 65)

Max. 100

Max. 100

mg/kg

mg/kg

GBFD-AN	I-06572.01-USA	Meet	PASS
Accessib	e plastics [Incl. natural & synthetic rubber] & surface		
coatings	of product shall not exceed 1000 mg/kg each of		
DEHP &	DINP. Per client, labeling is not allowed.		

Not Detected

Not Detected

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Black plastic (cord,A)		A
1002	Grey plastic (cord,B)		A
1003	Purple plastic (cord,C)		A
1004	Black plastic (plug head/ cap on middle components,A)		A
1005	Grey plastic (plug head/ cap on middle components,B)		A
1006	Purple plastic (plug head/ cap on middle components,C)		A
1007	Black plastic (middle components,A)		A
1008	Grey plastic (middle components,B)		A
1009	Purple plastic (middle components,C)		A
l010	Black plastic (foam,A~C)		A
l011	White plastic (housing/ hook,A~C)		A
l012	Black plastic (housing,A)		A
1013	Grey plastic (housing,B)		A
l014	Purple plastic (housing,C)		A

Pass

Pass



Received Date: September 15, 2022 Report Date: October 04, 2022

TEST RESULTS FOR OVER EAR PHONES

Test Item(s)	Result(s) [Unit in mg/kg]	Conclusion	
	Detected Analyte(s)	Concentration	
001	Not Detected	Not Detected	Pass
1002	Not Detected	Not Detected	Pass
003	DBP	503	Pass
004	Not Detected	Not Detected	Pass
005	Not Detected	Not Detected	Pass
006	Not Detected	Not Detected	Pass
007	Not Detected	Not Detected	Pass
008	Not Detected	Not Detected	Pass
009	Not Detected	Not Detected	Pass
010	Not Detected	Not Detected	Pass
011	Not Detected	Not Detected	Pass
012	Not Detected	Not Detected	Pass
013	Not Detected	Not Detected	Pass
014	Not Detected	Not Detected	Pass

Dimensions, weight, counts - product (CPSD-GB-01056-MTHD)

GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:48 in / R:48 in 2:30g 3:NA 4: C:48 in / R:48 in 5:1 pc 6:NA	PASS
--	--	------

Dimensions, weight, counts - features (CPSD-GB-01056-MTHD)

· · · · · · · · · · · · · · · · · · ·		
GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:48 in / R:48 in 2:30g 3:NA 4: C:48 in / R:48 in 5:NA	PASS

Defects and workmanship (CPSD-GB-01057-MTHD)

Defects and workmanship (CPSD-GB-01057-MTHD)				
	GBFD-EL-04219-AMN No defects found in received product.	Meet	PASS	
Sharp point and sharp edge (SOR/2011-17 (mod))				
	GBFD-EL-04219-AMN Shall have no sharp points /edges, other than those required for function. Modified = Expanded scope to other products	Meet	PASS	
Sharp point and sharp edge (16 CFR 1500.48 & 49 (Mod))				
	GBFD-EL-04219-AMN Shall have no sharp points / edges, other than those required for function. Modification: Expanded scope to other products.	Meet	PASS	



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Pull test (Actual use / fu	nctionality)		
	GBFD-EL-04219-AMN Cables shall withstand a pull force of 8lbf between connectors and cable for 1 min.	Meet	PASS
	After the test, no visual defect occurs and the cable shall function well as intended.		
Cycle test (CPSD-GB-0 ²	1058-MTHD)		
	GBFD-EL-04219-AMN [Buttons, Knobs and Jack] 100 uses of each without defect.	Meet	PASS
Actual use - functionali	ty (CPSD-GB-01058-MTHD)		
	GBFD-EL-04219-AMN Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.	Meet 1. All movable components/ parts of the sample were subject to 10 cycles of manual operation as per intended with the appropriate goods/ items without defects, deformation or damage to the sample and the appropriate goods/items. 2. Use instruction was provided with the sample and sample was used one time according to the use instructions, no defects, deformation or damage was found as per the intended use of the sample. 3. The sample was subject to one minute of manual operation without any issue or abnormality or damage to the sample. 4. The sample was reviewed in consideration of its basic end use, the sample functioned as intended without abnormality.	PASS
Frequency range (Meas	ure frequency)		
	 GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed frequency range. Attach tested headphone to dummy ears, apply the frequency sound within the frequency range claimed by supplier to the dummy ear. The frequency range of tested headphone shell meet the claim. 	Meet Claim: 20-20000Hz Record: 20-20000Hz	PASS
Headphone sensitivity	(Actual use / functionality)		
	 GBFD-EL-04219-AMN [For Headphone/ Earbuds] Report the claimed headphone sensitivity. Attach tested headphone to dummy ears, apply 1KHz with 1mW of power to the headphone, measure the sound level produced by headphone in dB/mW. Shell meet the claim. 	Claim: 90DB Record: R: 85.2dB L: 89.0dB	DATA



TEST RESULTS FOR OVER EAR PHONES				
TESTED PROPERTY	REQUIREMENTS RESULTS		RATING	
Stereo (Actual use / function	onality)			
	GBFD-EL-04219-AMN [For Headphone/ Earbuds] [If claimed]	Meet	PASS	
	Input a sound signal for left channel and stop, and then input a sound signal for right channel. Check the stereo function.			
Overall cord length (CPS	D-GB-01056-MTHD)			
	GBFD-EL-04219-AMN Report overall cord length; shall meet label claims (if applicable).	Meet 1: C:48 in / R:48 in	PASS	
Compatibility with acces	sories (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHI	D)		
	GBFD-EL-04219-AMN Product shall be compatible with any claimed accessories (i.e. speakers) and shall function as claimed.	Meet	PASS	
Sound quality (CPSD-GB	-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Shall provide clear sound with no hissing or audible distortion.	Meet	PASS	
Adjustment - sound leve	I (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)			
	GBFD-EL-04219-AMN Adjust volume control to min and max extremes. Shall control volume smoothly and without static or noise.	Meet	PASS	
Durability (CPSD-GB-010	58-MTHD)			
	GBFD-EL-04219-AMN [Switch]	Meet	PASS	
	Shall be able to withstand 100 cycles of repeated use.			



Received Date: September 15, 2022 Report Date: October 04, 2022

ADDITIONAL TEST RESULTS FOR OVER EAR PHONES

CPSD-GB-08612-DATA-CLAIM VERIFICATION LEVEL 2

Type of Claim	Claim	Actual	Result	Rating
☐ Subjective ⊠ Objective	3.5 mm JACK	3.5 mm JACK	M M M M NT (Unable to substantiate through protocol testing)	 PASS FAIL DATA (Depends on client)
☐ Subjective ⊠ Objective	48 in. CORD/1.22m FIL	48 in. CORD/1.22m FIL	M M M M M NT (Unable to substantiate through protocol testing)	 PASS FAIL DATA (Depends on client)
☑ Subjective ☐ Objective	Handsfree	Handsfree	M M M M M M NM Substantiate through protocol testing)	 SATISFACTORY FAIL DATA (Depends on client)
☑ Subjective ☐ Objective	Compatible With Most Audio Devices	Subjective Claim	M NM NT (Unable to substantiate through protocol testing)	 SATISFACTORY FAIL DATA (Depends on client)

Received Date: September 15, 2022 Report Date: October 04, 2022



EXHIBIT PHOTO(S)





¥002829






H U B

Received Date: September 15, 2022 Report Date: October 04, 2022



EXHIBIT PHOTO(S)









Test Report: (6222)258-0211 GREENBRIER INTERNATIONAL INC Received Date: September 15, 2022

Report Date: September 15, 2022 Report Date: October 04, 2022



EXHIBIT PHOTO(S)
















Received Date: September 15, 2022 Report Date: October 04, 2022



END OF REPORT