


Received Date: August 08, 2022 Report Date: August 17, 2022

US PASS CANADA NOT APPLICABLE

SUBMITTER

FOURSTAR GROUP HK (I)

UNIT A, 8/F, KAISER ESTATE PHASE 1, 41 MAN YUE ST, HUNGHOM, KOWLOON, HONG KONG



GBI/DTSC SKU
NUMBER(S)

259593

PRODUCT DESCRIPTION

EARBUDS ASTD COLORS

EXECUTIVE

For US, the sample(s) MEET all the tested requirement(s).

SUMMARY

No Surface Coating for total lead in surface coating test.

REMARKS

No applicable CPSC rules, bans, or standards were tested in this report. Therefore, no GCC was generated.

TECHNICAL QUESTIONS

Primary Chad Hsieh

Tel: 886-2-2895-3666#302

Email: Chad.Hsieh@Tw.Bureauveritas.Com

Primary Contact: Pearl Lin

GENERAL INFORMATION

Tel: 886-2-2895-3666#309

Email: Pearl.lin@tw.bureauveritas.Com

SIGNATURES

Bureau Veritas Consumer Products Services (H.K.)

Limited, Taiwan Branch

Chad Hsieh

Hardline Operation Manager

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (H. K.) LTD. -TAIWAN BRANCH No. 37 Zhongyang S. Road,

Beitou, Taipei 112, Taiwan Beitou

Tel: 886-2-2895-3666 Fax: 886-2-2895-6999

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents



VERITAS	
PLM BATCH ID	1
PLM GB ID #	705364
CHILD SKU	1
SUBMISSION PROCESS	Single Sample Collection (All DC's - 50% of Entire Quantity Produced)
CHILDREN'S AND TOY PROUDCTS PRODUCTION SAMPLE PULL	/
PREVIOUS FIRST OFF LINE TEST REPORT NUMBER	/
PREVIOUS 30% TEST REPORT NUMBER	
PREVIOUS 60% TEST REPORT NUMBER	1
TEST TYPE	Initial Test
VENDOR NAME	FOURSTAR GROUP HK. (I)
GREENBRIER INTERNATIONAL VENDOR NO	6695
MANUFACTURER	NINGBO DINGSHUO PLASTIC CO.,LTD
MANUFACTURER ADDRESS	MAJING ZHUANGQIAO JIANGBEI, NINGBO,ZHEJIANG,CHINA
VENDOR ITEM NO	1
STYLE NUMBER	1
COUNTRY OF ORIGIN	CHINA
COUNTRY OF SALE	UNITED STATES
LABELED AGE GRADE	Not Present
APPROPRIATE AGE GRADE	N/A (Adult)
TESTED AGE GRADE	Adult
CLIENT SPECIFIED AGE GRADE	Not Specified
PO NO(S) (USA)	11091592
PO SHIP DATE(S) (USA)	14-Aug-2022
ADDITIONAL PO NO(S) (USA)	1
ADDITIONAL PO SHIP DATES (USA)	1
PO NO(S) (CANADA)	/



VERITAS	
PO SHIP DATE(S)(CANADA)	1
ADDITIONAL PO NO(S) (CANADA)	1
ADDITIONAL PO SHIP DATES (CANADA)	1
DEPARTMENT NUMBER	65 ELECTRONICS
SUB-DEPARTMENT NUMBER	50 PHONE/TABLET ACCESSORIES
CLASS	1
SUB-CLASS	511
DOLLAR TREE DIRECT (DTD) SAMPLE DESCRIPTION	1
DTD SKU	1
DTD PO NO.(USA)	1
DTD PO SHIP DATE (USA)	1
DTD COUNTRY OF SALE	1
INITIAL REPORT NUMBER	1
FIRST RETEST REPORT NUMBER	1
PREVIOUS FOOD/CANDY REPORT NUMBER	1
PREVIOUS HBC LABEL REPORT NUMBER	1
PREVIOUS FIBER CONTENT PRE- PRODUCTION REPORT NUMBER	1
PREVIOUS TOY AGE GRADE REPORT NUMBER	1
PREVIOUS ENHANCED PERFORMANCE TESTING REPORT NUMBER	1
PREVIOUS CARE LABEL VERIFICATION REPORT NUMBER	1
NATIONAL BRAND PRODUCT NAME	1
NATIONAL BRAND UPC	1
INSPECTION NUMBER	10222090882
E3 ORDER	-



UPC CODE	1
SYNERGY SUBMISSION	No
PHASE OF SYNERGY SUBMISSION	1
DATE OF MANUFACTURE	30-Jul-2022
REASON FOR REVISION	1
PLACE OF MANUFACTURE	MAJING ZHUANGQIAO JIANGBEI, NINGBO, ZHEJIANG, CHINA
PROTOCOL NUMBER	GBFD-HL-PTCL-10050-AMN-UPC SCANNING REQUIREMENT-V5, GBFD-EL-PTCL-04219-AMN-HEADPHONES EARBUDS-V8, GBFD-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V6, CPSD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 COMPOSITING-V77, GBFD-AN-PTCL-06572.01-USA-CALIFORNIA PROPOSITION 65 (GREENBRIER)-V9, GBFD-AN-PTCL-08443-AMN-NON CPSIA REQUIREMENTS SUPPLEMENT-V5, GBFD-HL-PTCL-09062.03-AMN-TOXICS IN PACKAGING CLEARINGHOUSE-V10



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING		
Barcode requirement (CPSD-GB-01057-MTHD)					
	GBFD-HL-10050-AMN All products are required to have a unique scannable barcode according to the Uniform Code Council's specifications for product identification at the sales register sale. In addition, all barcodes must have the corresponding human readable numbers under the barcode.	Meet	PASS		
Claim verification - level	2 (CPSD-GB-08612-MTHD)				
	GBFD-EL-04219-AMN Examine the retail packaging (or submitted artwork).	Meet See Additional Test Results	PASS		
	Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly.				
	Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded.				
	Record all other objective (factual) claims as 'NT' for Not Tested and rate as 'FAIL'. Record all subjective (opinion) claims as 'NT' for Not Tested and rate as 'Satisfactory'.				
	If the objective (factual) claim is rated as 'FAIL' and the subjective (opinion) claim is rated as 'Satisfactory', the overall rating will rate as 'FAIL'.				
	Variations of color or assortment (meaning one item could be featured on the packaging but there are other styles in the assortment) between the visual graphic imagery (artwork, photographs and/or illustrations) of the product on the packaging and the product itself should be marked in the test report and should NOT constitute a failure.				
	Client Requirement				
Accuracy or adequacy o	finstructions (CPSD-GB-01057-MTHD)				
	GBFD-EL-04219-AMN Shall include assembly, use, maintenance, and safety information as required with no errors or spelling mistakes. Shall be easy to follow.	Meet	PASS		
Use labeling (CPSD-GB-0	01057-MTHD)				
	GBFD-EL-04219-AMN Supplemental label information of use/care instructions that are clear and understandable shall be provided in English language.	Meet	PASS		
	Note: -If French language is also included, it should not lead to a Fail.				
	Client requirement				
US Packaging labeling (16 CFR 500 / UPLR Handbook 130)				
	GBFD-EL-04219-AMN [US] Packaging shall be labelled, Product Identity Net quantity of contents Manufacturer, packer, or distributor's name & address	Meet	PASS		



Received Date: August 08, 2022 Report Date: August 17, 2022

TEST RESULTS FOR EARBUDS ASTD COLORS

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING				
Country of origin marking (19 CFR 134)							
	GBFD-EL-04219-AMN [US] Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Meet	PASS				
Heavy metals in packaging	ng (TPCH)						
	GBFD-HL-09062.03-AMN Per client, packaging & its component(s) shall not exceed 100 mg/kg sum of concentration levels of lead (Pb), cadmium (Cd), mercury (Hg) & hexavalent chromium (Cr VI).	Meet	PASS				

Test Item(s)	Test Item / Component Description(s)	Location(s)	Style(s)
1017	Multi-color coating (on paper card, A~D)		Α
I018	White/ light brown paper (card without coating,A~D)		Α
I019	Transparent plastic (cover on card,A~D)		Α
1020	White plastic (tie's cover,A/B/D)		A
1021	Black plastic (tie's cover,C)		Α
1022	Silvery metal (tie's,A~D)		A

Test Parameter(s)	Unit(s)		Result(s)				Requirement(s)
Test Item(s)		1017	I018	1019 + 1020 + 1021	1022		
Lead (Pb)		6.37	Not Detected	Not Detected	Not Detected		
Cadmium (Cd)	mg/kg	Not Detected	Not Detected	Not Detected	Not Detected		
Mercury (Hg)		Not Detected	Not Detected	Not Detected	Not Detected		
Chromium VI (Cr VI)		13.2	Not Detected	Not Detected	Not Detected		
Sum of Pb, Cd, Hg and Cr VI		< 19.57	Not Detected	Not Detected	Not Detected		Max. 100
Conclusion		Pass	Pass	Pass	Pass		

Phthalates in all coated cords for electrical items (In house method)

GBFD-AN-06572.01-USA

Per client, accessible plastic substrates/surface coatings of products shall have ≤ 1000mg/kg each of BBP, DBP, DEHP, DINP, DIDP & DnHP. When exceeded, utilize a warning.

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		A
1002	Blue plastic (cable,B)		A
1003	Black plastic (cable,C)		Α
1004	White plastic (cable,D)		Α
1005	Red plastic (plug head,A)		Α
1006	Blue plastic (plug head,B)		Α
1007	Black plastic (plug head/,C)		Α
1008	White plastic (plug head,D)		Α
1009	Red plastic (housing,A)		A
I010	Blue plastic (housing,B)		Α
I011	Black plastic (housing,C)		A
I012	White plastic (housing,D)		A
1013	Red plastic (cap on housing/middle components,A)		A
I014	Blue plastic (cap on housing/middle components,B)		A
1015	Black plastic (cap on housing/middle components,C)		Α
I016	White plastic (cap on housing/middle components,D)		А



Received Date: August 08, 2022 Report Date: August 17, 2022

Test Item(s)	Result(s) [Unit in mg/kg]	Conclusion	
	Detected Analyte(s)	Concentration	
001	DBP	62.3	Pass
002	Not Detected	Not Detected	Pass
003	DBP DEHP	324 164	Pass
004	DBP DEHP	251 64.6	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
l011	Not Detected	Not Detected	Pass
1012	Not Detected	Not Detected	Pass
1013	Not Detected	Not Detected	Pass
l014	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
1016	Not Detected	Not Detected	Pass
Phthalates in bluetooth	headphones, headphones and earphones (CA Prop 65)		
	GBFD-AN-06572.01-USA Accessible plastics [Incl. natural & synthetic rubber] & surface coatings of product shall not exceed 1000 mg/kg each of DEHP & DINP. Per client, labeling is not allowed.	Meet	PASS

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		Α
1002	Blue plastic (cable,B)		A
1003	Black plastic (cable,C)		A
1004	White plastic (cable,D)		A
1005	Red plastic (plug head,A)		A
1006	Blue plastic (plug head,B)		A
1007	Black plastic (plug head/,C)		A
1008	White plastic (plug head,D)		A
1009	Red plastic (housing,A)		A
I010	Blue plastic (housing,B)		A
I011	Black plastic (housing,C)		A
I012	White plastic (housing,D)		A
I013	Red plastic (cap on housing/middle components,A)		A
I014	Blue plastic (cap on housing/middle components,B)		A
I015	Black plastic (cap on housing/middle components,C)		A
1016	White plastic (cap on housing/middle components,D)		A

Test Item(s)	Result(s) [Unit in mg/kg]	Conclusion	
	Detected Analyte(s) Concentration		
1001	Not Detected	Not Detected	Pass
1002	Not Detected	Not Detected	Pass
1003	DEHP	164	Pass
1004	DEHP	64.6	Pass
1005	Not Detected	Not Detected	Pass



Received Date: August 08, 2022 Report Date: August 17, 2022

TEST RESULTS FOR EARBUDS ASTD COLORS

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING	
Test Item(s)	Result(s) [Unit in mg/kg]	Result(s) [Unit in mg/kg]		
	Detected Analyte(s)	Concentration		
1006	Not Detected	Not Detected	Pass	
1007	Not Detected	Not Detected	Pass	
1008	Not Detected	Not Detected	Pass	
1009	Not Detected	Not Detected	Pass	
I010	Not Detected	Not Detected	Pass	
I011	Not Detected	Not Detected	Pass	
1012	Not Detected	Not Detected	Pass	
I013	Not Detected	Not Detected	Pass	
1014	Not Detected	Not Detected	Pass	
1015	Not Detected	Not Detected	Pass	
1016	Not Detected	Not Detected	Pass	

Total lead in plastic coated cord-electrical (CA Prop 65)

CPSD-AN-06572.01-USA Plastic coated component(s) of certain electrical products shall not exceed 200 mg/kg of total lead (Pb). When exceeded, product(s) shall utilize warning statement(s).

Meet

PASS

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Red plastic (cable,A)		A
1002	Blue plastic (cable,B)		A
1003	Black plastic (cable,C)		Α
1004	White plastic (cable,D)		Α
1005	Red plastic (plug head,A)		Α
1006	Blue plastic (plug head,B)		Α
1007	Black plastic (plug head/,C)		Α
1008	White plastic (plug head,D)		Α

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1001 + 1002 + 1003	mg/kg	Max. 200	Not Detected	Pass
1004 + 1005 + 1006	mg/kg	Max. 200	Not Detected	Pass
1007 + 1008	mg/kg	Max. 200	Not Detected	Pass

Phthalates in headphone cables (CA Prop 65)

CPSD-AN-06572.01-USA San Mateo Superior Court 474817 Meet

PASS

Accessible plastic substrates of headphone cables[Incl. ear/cable plug & volume controller] shall have ≤100mg/kg each of BBP,DBP,DEHP,DIDP&DnHP. Labeling is not allowed.

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		Α
1002	Blue plastic (cable,B)		A
1003	Black plastic (cable,C)		Α
1004	White plastic (cable,D)		A
1005	Red plastic (plug head,A)		A
1006	Blue plastic (plug head,B)		A
1007	Black plastic (plug head/,C)		Α
1008	White plastic (plug head,D)		A



TESTED PROPERTY

Test Report: (6222)220-0250 GREENBRIER INTERNATIONAL INC

RESULTS

Received Date: August 08, 2022 Report Date: August 17, 2022

RATING

TEST RESULTS FOR EARBUDS ASTD COLORS

	l l		
Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1009	Red plastic (housing,A)		Α
1010	Blue plastic (housing.B)		Α

REQUIREMENTS

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1009	Red plastic (housing,A)		Α
I010	Blue plastic (housing,B)		A
I011	Black plastic (housing,C)		A
1012	White plastic (housing,D)		A
1013	Red plastic (cap on housing/middle components,A)		A
I014	Blue plastic (cap on housing/middle components,B)		A
I015	Black plastic (cap on housing/middle components,C)		A
1016	White plastic (cap on housing/middle components,D)		A

Test Item(s)	Result(s) [Unit in mg	/kg]	Conclusion
	Detected Analyte(s)	Concentration	
1001	DBP	62.3	Pass
1002	Not Detected	Not Detected	Pass
1003	DBP DEHP	324 164	Pass
1004	DBP DEHP	251 64.6	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass
1011	Not Detected	Not Detected	Pass
1012	Not Detected	Not Detected	Pass
1013	Not Detected	Not Detected	Pass
1014	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
1016	Not Detected	Not Detected	Pass

Total lead in charger, headphone, headset and splitter (CA Prop 65)

CPSD-AN-06572.01-USA Los Angeles Superior Court BC451036/BC463718/BC475262

Certain accessible surface coatings and substrates of chargers, headphones, headsets and splitters shall not exceed 100 mg/kg of total lead (Pb). Labeling is not allowed. **PASS**

Meet

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		Α
1002	Blue plastic (cable,B)		Α
1003	Black plastic (cable,C)		Α
1004	White plastic (cable,D)		Α
1005	Red plastic (plug head,A)		Α
1006	Blue plastic (plug head,B)		Α
1007	Black plastic (plug head/,C)		Α
1008	White plastic (plug head,D)		Α
1009	Red plastic (housing,A)		Α
I010	Blue plastic (housing,B)		Α
I011	Black plastic (housing,C)		Α
1012	White plastic (housing,D)		Α
1013	Red plastic (cap on housing/middle components,A)		Α



Test Report: (6222)220-0250 GREENBRIER INTERNATIONAL INC

Received Date: August 08, 2022 Report Date: August 17, 2022

TEST RESULTS FOR EARBUDS ASTD COLORS

TESTED PROPERTY REQUIREMENTS		rs	RES	ULTS	RATING	
Test Item(s)	Test Item	/ Test Component Description(s)	Location	ı(s)		Style(s)
1014	Blue plastic (ca	ap on housing/middle components,B)			Α	
I015	Black plastic (c	cap on housing/middle components,C)			Α	
1016	White plastic (d	cap on housing/middle components,D)			Α	

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1001 + 1002 + 1003	mg/kg	Max. 100	Not Detected	Pass
1004 + 1005 + 1006	mg/kg	Max. 100	Not Detected	Pass
1007 + 1008	mg/kg	Max. 100	Not Detected	Pass
1009+ 1010 + 1011	mg/kg	Max. 100	Not Detected	Pass
1012 + 1013 + 1014	mg/kg	Max. 100	Not Detected	Pass
1015 + 1016	mg/kg	Max. 100	Not Detected	Pass

Phthalates in computer and electronics accessories (CA Prop 65)

CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784 Meet

PASS

Accessible surface coating & plastic substrate certain computer & electronic accessories shal mg/kg each of BBP, DBP & DEHP. No labeling	I have ≤1000

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		Α
1002	Blue plastic (cable,B)		Α
1003	Black plastic (cable,C)		Α
1004	White plastic (cable,D)		Α
1005	Red plastic (plug head,A)		Α
1006	Blue plastic (plug head,B)		Α
1007	Black plastic (plug head/,C)		Α
1008	White plastic (plug head,D)		Α
1009	Red plastic (housing,A)		Α
1010	Blue plastic (housing,B)		Α
I011	Black plastic (housing,C)		Α
1012	White plastic (housing,D)		Α
1013	Red plastic (cap on housing/middle components,A)		Α
1014	Blue plastic (cap on housing/middle components,B)		Α
1015	Black plastic (cap on housing/middle components,C)		Α
I016	White plastic (cap on housing/middle components,D)		Α

Test Item(s)	Test Item(s) Result(s) [Unit in mg/kg]		
	Detected Analyte(s)	Concentration	
1001	DBP	62.3	Pass
1002	Not Detected	Not Detected	Pass
1003	DBP DEHP	324 164	Pass
1004	DBP DEHP	251 64.6	Pass
1005	Not Detected	Not Detected	Pass
1006	Not Detected	Not Detected	Pass
1007	Not Detected	Not Detected	Pass
1008	Not Detected	Not Detected	Pass
1009	Not Detected	Not Detected	Pass
1010	Not Detected	Not Detected	Pass



Meet

Received Date: August 08, 2022 Report Date: August 17, 2022

PASS

TEST RESULTS FOR EARBUDS ASTD COLORS

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Test Item(s)	t Item(s) Result(s) [Unit in mg/kg]		
	Detected Analyte(s)	Concentration	
l011	Not Detected	Not Detected	Pass
1012	Not Detected	Not Detected	Pass
1013	Not Detected	Not Detected	Pass
1014	Not Detected	Not Detected	Pass
1015	Not Detected	Not Detected	Pass
I016	Not Detected	Not Detected	Pass
Гotal lead in computer ar	nd electronics accessories (CA Prop 65)		
	CPSD-AN-06572.01-USA San Francisco Superior Court CGC-09-485784		

Accessible surface coatings & certain substrates of products shall have ≤100 mg/kg of total Pb. When exceeded, product for age >12 shall utilize a warning statement only.

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
1001	Red plastic (cable,A)		Α
1002	Blue plastic (cable,B)		Α
1003	Black plastic (cable,C)		A
1004	White plastic (cable,D)		A
1005	Red plastic (plug head,A)		A
1006	Blue plastic (plug head,B)		A
1007	Black plastic (plug head/,C)		A
1008	White plastic (plug head,D)		A
1009	Red plastic (housing,A)		A
I010	Blue plastic (housing,B)		A
I011	Black plastic (housing,C)		A
l012	White plastic (housing,D)		A
1013	Red plastic (cap on housing/middle components,A)		A
1014	Blue plastic (cap on housing/middle components,B)		A
I015	Black plastic (cap on housing/middle components,C)		Α
I016	White plastic (cap on housing/middle components,D)		Α

Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
1001 + 1002 + 1003	mg/kg	Max. 100	Not Detected	Pass
1004 + 1005 + 1006	mg/kg	Max. 100	Not Detected	Pass
1007 + 1008	mg/kg	Max. 100	Not Detected	Pass
1009+ 1010 + 1011	mg/kg	Max. 100	Not Detected	Pass
1012 + 1013 + 1014	mg/kg	Max. 100	Not Detected	Pass
1015 + 1016	mg/kg	Max. 100	Not Detected	Pass

Solids - Flammability (16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)				
[GBFD-EL-04219-AMN [US] Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second	Meet	PASS	



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Dimensions, weight, co	unts - product (CPSD-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:48 in L / R:48 in L 2:14g 3:NA 4: C:48 in L / R:48 in L 5:1 pc 6:NA	PASS
Dimensions, weight, co	unts - features (CPSD-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Each dimension should be listed and measured as appropriate. Shall meet claim.	Meet 1:C:48 in L / R:48 in L 2:14g 3:NA 4: C:48 in L / R:48 in L 5:NA	PASS
Defects and workmansl	nip (CPSD-GB-01057-MTHD)		
	GBFD-EL-04219-AMN No defects found in received product.	Meet	PASS
Sharp point and sharp e	edge (16 CFR 1500.48 & 49 (Mod))		
	GBFD-EL-04219-AMN Shall have no sharp points / edges, other than those required for function. Modification: Expanded scope to other products.	Meet	PASS
Pull test (Actual use / fur	nctionality)		
	GBFD-EL-04219-AMN Cables shall withstand a pull force of 8lbf between connectors and cable for 1 min. After the test, no visual defect occurs and the cable shall function well as intended.	Meet	PASS
Cycle test (CPSD-GB-01	058-MTHD)		
	GBFD-EL-04219-AMN [Buttons, Knobs and Jack] 100 uses of each without defect.	Meet	PASS
Actual use - functionali	ty (CPSD-GB-01058-MTHD)		
	GBFD-EL-04219-AMN Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.	Meet 1. Use instruction was provided with the sample and sample was used one time according to the use instructions, no defects, deformation or damage was found as per the intended use of the sample. 2. The sample was subject to one minute of manual operation without any issue or abnormality or damage to the sample. 3. The sample was reviewed in consideration of its basic end use, the sample functioned as intended without abnormality.	PASS



TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Frequency range (Measu	ure frequency)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds]	Meet Claim:20-20000Hz	PASS
	Report the claimed frequency range.	RECORD: 20-20000Hz	
	Attach tested headphone to dummy ears, apply the frequency sound within the frequency range claimed by supplier to the dummy ear. The frequency range of tested headphone shell meet the claim.	20-20000112	
Headphone sensitivity (Actual use / functionality)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds]	Data Claim:90DB	DATA
	Report the claimed headphone sensitivity.	RECORD:	
	Attach tested headphone to dummy ears, apply 1KHz with 1mW of power to the headphone, measure the sound level produced by headphone in dB/mW. Shell meet the claim.	R:86.2dB L:97.0dB	
Stereo (Actual use / funct	ionality)		
	GBFD-EL-04219-AMN [For Headphone/ Earbuds]	Meet	PASS
	Input a sound signal for left channel and stop, and then input a sound signal for right channel. Check the stereo function.		
Overall cord length (CPS	SD-GB-01056-MTHD)		
	GBFD-EL-04219-AMN Report overall cord length; shall meet label claims (if applicable).	Meet C:48 in L R:48 in L	PASS
Compatibility with acces	ssories (CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD	0)	
	GBFD-EL-04219-AMN Product shall be compatible with any claimed accessories (i.e. speakers) and shall function as claimed.	Meet	PASS
Sound quality (CPSD-GF	3-01058-MTHD / CPSD-EL-01039-MTHD)		
	GBFD-EL-04219-AMN Shall provide clear sound with no hissing or audible distortion.	Meet	PASS
Adjustment - sound leve	(CPSD-GB-01058-MTHD / CPSD-EL-01039-MTHD)		
	GBFD-EL-04219-AMN Adjust volume control to min and max extremes. Shall control volume smoothly and without static or noise.	Meet	PASS
Durability (CPSD-GB-010			
	GBFD-EL-04219-AMN [Switch]	Meet	PASS
	Shall be able to withstand 100 cycles of repeated use.		



Received Date: August 08, 2022 Report Date: August 17, 2022

ADDITIONAL TEST RESULTS FOR EARBUDS ASTD COLORS

CPSD-GB-08612-DATA-CLAIM VERIFICATION LEVEL 2

Type of Claim	Claim	Actual	Result	Rating
☐ Subjective	3.5mm JACK	3.5mm JACK		☑ PASS☐ FAIL☐ DATA (Depends on client)
☐ Subjective	48 IN CORD 1.22 m FIL	48 IN CORD		☑ PASS☐ FAIL☐ DATA (Depends on client)
☐ Subjective	Microphone/volume control	Microphone/volume control		☑ PASS☐ FAIL☐ DATA (Depends on client)
Subjective □ Objective	HABDSFREE	Subjective Claimed	☐M ☐NM ☑NT (Unable to substantiate through protocol testing)	☑ PASS☐ FAIL☐ DATA (Depends on client)
Subjective □ Objective	LIGHTWEIGHT & COMFORTABLE	Subjective Claimed	☐M ☐NM ☑NT (Unable to substantiate through protocol testing)	☑ PASS☐ FAIL☐ DATA (Depends on client)
Subjective □ Objective	COMPATIBLE WITH MOST AUDIO DEVICES	Subjective Claimed	□M □NM ⊠NT (Unable to substantiate through protocol testing)	□ PASS □ FAIL □ DATA (Depends on client)



Received Date: August 08, 2022 Report Date: August 17, 2022















Received Date: August 08, 2022 Report Date: August 17, 2022















Received Date: August 08, 2022 Report Date: August 17, 2022















Received Date: August 08, 2022 Report Date: August 17, 2022















Received Date: August 08, 2022 Report Date: August 17, 2022

EXHIBIT PHOTO(S)

PRODUCT SPEC: • SPEAKER DIAMETER: 15MM • SENSITIVITY: 90DB • IMPEDANCE: 32OHM • FREQUENCY RANGE: 20-20000HZ • PLUG: 3.5MM • STEREO • CORD LENGTH: 48 IN (122cm) PRESS AND HOLD TO END PHONE CALL. COMPATIBLE WITH MOST MOBILE PHONE MODELS.









END OF REPORT