






**BUREAU
VERITAS**





TEST REPORT

SILVER TIMING LTD
 UNIT 801-802, 8/F, PIONEER PLACE, 33 HOI
 YUAN ROAD, KWUN TONG

LAB LOCATION: SHENZHEN
LAB NUMBER: (8522)194-0051

ATTN: TERRY GRACE
CC: grace@silvertiming.com
 terry@silvertiming.com
 testing@silvertiming.com
 maychou@silvertiming.com
 helen@silvertiming.com

DATE IN: JULY 13, 2022
MOD. LOG IN: /
DATE OUT: JULY 18, 2022
REVISED DATE: /
WORKING DAYS: 3
PAGE: 3 OF 10

OVERALL RATING	
PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

TESTING FOR
CPSD-AN-PTCL-06572-USA-CALIFORNIA
PROPOSITION 65-V109

Sample Description:	DOOR GREETER ST PATRICK 2AST W/ BELLS & BOW 12IN, DOOR GREETER VALENTINE W/ BELLS & FOAM HEARTS 2AST 11IN, DOOR GREETER PATRIOTIC 3AST W/BELLS & BOW 11.5IN, DOOR GREETER EGG SHAPE W/BOW & BELLS 2AST 13IN		
Manufacturer:	/	P.O. No.:	6428, 6429
Buyer:	OWN NAME	Style:	/
Country of Origin:	CHINA	Country of Destination:	UNITED STATES
Color:	/	SKU Number:	G86170, G87291, G88182N, G90850
Re-test:	Yes: <input type="checkbox"/>	No: <input checked="" type="checkbox"/>	Charge Vendor: Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/		



REMARK(S):

1. See enclosed protocol (s) for the test results.
2. Only sample A4 was conducted test in this report .

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns:

Laura Liu / Peter Wan
(+86)755-32980236 / 32980233
Laura.liu@bureauveritas.com
Peter.wan@bureauveritas.com

General Enquiries:

Nicole Zeng / Tina He
(+86)755- 86135624 / 32980210
Nicole.zeng@bureauveritas.com
Tina.he@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD

BRIAN TAM
MANAGER – HARDLINES DIVISION



**BUREAU
VERITAS**

BV Lab Number: (8522)194-0051
 Technician Name: HL
 Test Date: JULY 18, 2022
 Reviewed By/Date: HL / JULY 18, 2022
Page 5 of 10

Protocol Number	CPSD-AN-06572-USA		Version	120
Protocol Description	CALIFORNIA PROPOSITION 65			
Country	United States			
Scope	This protocol covers the California Proposition 65 requirements and warning statements for specific products, from various Consent Decrees of the State of California.			
Creation Date	29/Apr/2014	Last Revision Date	27/Apr/2022	
Client Approval Date		Approver		
No. of Sample for testing	6	See below pricing chart for exceptions		
No. of Carton for transit testing	1			
No. of Working Days for testing	7	20 (subcontracted out tests)		

Keys					
A	Additional Charge For This Test	M	Mandatory	R	Regulatory

#		Evaluation	Citation / Method	Criteria	Result / Rating
LABELING					
2.282	A	Phthalates in holiday decor	Santa Clara Superior Court 114CV267502 / Solvent extraction with GC-MS/LC-MS analysis / CPSD-AN-00108-MTHD	<p>[Holiday decor] Product shall not contain more than 0.1% (1000ppm) of each of DEHP, BBP and DBP.</p> <p>Labeling is not allowed by the Consent Judgment. Reformulation of product is required.</p> <p>Note: - Applicable to 1) holiday greenery including but not limited to trees and wreaths; 2) holiday ornaments and holiday decorations; and 3) larger ornamental or decorative holiday oriented products, including sculptures and figurines</p>	M/PASS SEE RESULT TABLE



**BUREAU
VERITAS**

BV Lab Number: (8522)194-0051
Technician Name: HL
Test Date: JULY 18, 2022
Reviewed By/Date: HL / JULY 18, 2022
Page 6 of 10

#	Evaluation	Citation / Method	Criteria	Result / Rating
			<p>with or without string lights.</p> <ul style="list-style-type: none">- Actual testing would be conducted on soft plastic for item 2 only, i.e. holiday ornaments and holiday decorations.- Soft plastic is defined as plastic materials with shore A hardness < 90.- Actual testing would be conducted on all accessible vinyl/PVC components including both substrates and surface coatings for all items (1-3).- BVCPS recommends documentation or material bill for material identification is provided for all products. If documentation is not provided, the Beilstein test will be conducted on all plastic substrates and surface coatings to confirm the presence of PVC.- If insufficient surface coating to conduct a beilstein, then all surface coating should be tested.- Vendor is responsible for compliance of all other vinyl materials.	



BV Lab Number: (8522)194-0051
 Technician Name: HL
 Test Date: JULY 18, 2022
 Reviewed By/Date: HL / JULY 18, 2022
Page 7 of 10

Protocol Number	CPSD-AN-08443-USA-3 STAR		Version	12
Protocol Description	NON-CPSIA REQUIREMENTS SUPPLEMENT			
Country	United States			
Scope	This protocol applies to all products Except toys, children products and child care article as defined by CPSIA, all furniture including adult furniture, and household paint.			
Creation Date	20/Oct/2009	Last Revision Date	12/May/2022	
Client Approval Date		Approver		
No. of Sample for testing	6			
No. of Working Days for testing	7			

Keys					
A	Additional Charge For This Test	M	Mandatory	R	Regulatory

	Evaluation	Citation / Method	Criteria	1 Star	2 Star	3 Star	Result	Rating
ANALYTICAL								
A	Total lead in surface coating	CPSC-CH-E1003-09.1	<p>All accessible surface coatings in the as received state on items outside of the scope of 16 CFR 1303 shall not contain lead or lead components in which the lead content is in excess of 90 ppm (0.009%) of the weight of the total content.</p> <p>Note:</p> <ul style="list-style-type: none"> - Report actual results or include data table within report. - Component testing is allowed. - Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed. - Non-suspect materials as defined by the Consumer Products Safety Commission under 16 CFR 1500.88 and 16 CFR 1500.91 (d) and (e) will not be tested. It is the vendor's responsibility to ensure compliance to the applicable requirements. <p>Client requirement</p>		X	X	M SEE RESULT TABLE	PASS



Phthalates Content –California Proposition 65

Parameter	CAS no.	Unit	Result	Maximum Allowable Limit
			1	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<0.005	0.1
Conclusion	-	-	PASS	-

Sample Description			
	Color / Component	Location	Style
1	Translucent soft glue	Glue	A4
	White foam/ red glitter	Heart	A4

Note: “<” = less than

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer.



Phthalates Content –California Proposition 65

Parameter	CAS no.	Unit	Result	Maximum Allowable Limit
			1	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	%	<0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	%	<0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	%	<0.005	0.1
Di-n-hexyl (DnHP)	84-75-3	%	<0.005	0.1
Conclusion	-	-	PASS	-

Sample Description			
	Color / Component	Location	Style
1	Translucent soft glue	Glue	A4
	White foam/ red glitter	Heart	A4

Note: “<” = less than

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer.



**BUREAU
VERITAS**

Technical Report: (8522)194-0051

Page 10 of 10
July 18, 2022

TOTAL LEAD CONTENT IN SURFACE COATING

- Consumer Product Safety Improvement Act (CPSIA) of 2008 "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint", (16 CFR 1303)
 - Canadian Hazardous Products Act (CHPA), R.S., c. H-3, Schedule I, Part 1, Item 2
 - Client's total lead in surface coating
- NO COMPOSITE COMPOSITE

Element:				Lead			
Requirement: Maximum allowable limit:							
<input type="checkbox"/> CPSIA limit :				<input type="checkbox"/> 90 mg/kg			
<input type="checkbox"/> CHPA limit:				<input type="checkbox"/> 600 mg/kg			
<input checked="" type="checkbox"/> Client's limit:				<input checked="" type="checkbox"/> 90 mg/kg			
Sample Description			Result	Conclusion			
Color / Component	Location	Style	(mg/kg)	<input type="checkbox"/> CPSIA (90ppm)	<input type="checkbox"/> CHPA (600ppm)	<input checked="" type="checkbox"/> Client's Limit 90ppm	
1. Bright silvery coating	Bell	A4	29	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	
2. Red coating/ silvery underlying	Bell	A4	<10	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL	

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

* = Average of duplicate analyses

Remark: In some cases, the tested component cannot be tested individually due to overlapped coatings. And it is not considered as "COMPOSITE".

CPSIA Third Party Report (COULD/ COULDN'T/ NO COMMENT) be issued.

END OF REPORT