

**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 1 of 38

## **BIG LOTS TEST REPORT**

Applicant: NINGBO BESTCO IMPORT & EXPORT CO.,

LTD.

Address: 5F, No.168 East of Changshou Road, Panhuo Industrial Zone, Yinzhou District, Ningbo, Zhejiang, China

Date In:

May 18, 2022

Mod. Log In:

Date Out:

June 02, 2022

OVERALL RATING

GOOD X
UNSATISFACTORY
DATA





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions and, for electronic format documents subject to Terms and Conditions. Subject to Terms and Conditions. Subject to Terms and Conditions. Subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in fully, without prior written approval of the Company. Any unauthorized alteration, forgety or falsification of the content of appearance of this document is unlawfull and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing //inspection reports & certificate please contacts as telephone. (88-755)8307-1443.



No.: NBES220500282901 Date: June 02, 2022

Page 2 of 38










**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 3 of 38








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions and, for electronic format documents subject to Terms and Conditions. Subject to Terms and Conditions. Subject to Terms and Conditions. Subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in fully, without prior written approval of the Company. Any unauthorized alteration, forgety or falsification of the content of appearance of this document is unlawfull and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing //inspection reports & certificate please contacts as telephone. (88-755)8307-1443.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 4 of 38








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/er/Ferms-and-Conditions.or, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor of fallification of the content of appearance of this document is unlawful and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing impaction reports & certificate please contacts at stephone. (86-755) 8307 1443.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 5 of 38







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printes overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/



No.: NBES220500282901 Date: June 02, 2022



\*\*\*\*\*\* End of Photos \*\*\*\*\*\*\*





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 7 of 38

Sample Description	8+8 LED	TE	ALIGH	T SET					
· ·	10+10 L	10+10 LED TEALIGHT/VOTIVE SET							
		COMBO HL 8+8 LED GLITTER TEALIGHT SET							
		L 8+8 LED GLITTER TEALIGHT SET GOLD							
					ALIGHT SET SILVER				
					ALIGHT SET WHITE				
					TIVES GLITTER				
					OLD GLITTER				
					ED GLITTER				
	HL 9PK	LED	<b>VOTI</b> \	/ES SI	LVER GLITTER				
	HL 9PK	LED	VOTIV	/ES W	HITE GLITTER				
	HL 8+8 I	LED	GLITT	ER TE	ALIGHT SET RED				
Vendor					RT & EXPORT CO., LTD.				
Manufacturer	NINGHA	I JIE	SHEN	G PLA	STIC CO., LTD				
Vendor Style Number	22BCBL				PO Number	93220794	, 932	20793	,
•	22BCBL	-10S	;			93220795	932	20796	
	22BCBL	008-	СОМВ	O		93220797			
	22BCBL			_		93102563	•		•
	22BCBL			R		93102566			
	22BCBL					30102000	, 501	02001	
	22PE009			-					
	22PE009								
	22PE009								
		22PE009-SLVR 22PE009-WHT							
	22BCBL	-800	RED						
Appropriate Age Grade	/	/			Ref #	/			
Client Specified Age Grade	/				SKU#	81057948	88, 810	05794	89
Tested Age Grade	/					81057239	9, 810	05724	45
· ·						81057244	3, 810	05724	42
						81057240			
						810572449, 810572448 810572447, 810572444			
Country of Origin	China				UPC	/	, 01	00121	••
Country of Distribution	USA				Dept	340			
Vendor Number	1009888				Division	4			
Vendor Type	/				Merchandise Class	34006010/34012008			
Re-test	Yes No X			Х	Previous Report Number	/			
Sealed Sample Received	Yes X No			/	Troviduo repetertumber	,			
Was random sample pick done	Yes X No				If yes, was the box	Yes	Х	No	
by inspection team?"	163	^	140		sealed with original tape	163	^	140	
by inspection team?									
T T			-4:		when received?	4	1		]
Test Type:									
	Transit Test (ISTA Test)								





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 8 of 38

## TEST:

- << BIGLOTS-EBM-4001-GENERAL BATTERY OPERATED PRODUCT-V5>>
- << EE-BIGLOTS-CHEM-0001 Chemical Analysis\_V1.3>>

#### Remarks:

Model 810572445 / HL 8+8 LED GLITTER TEALIGHT SET GOLD tests all protocol, other model samples package review only.

Signed for and on behalf of SGS-CSTC Ltd.



Mike Zhu Technical Manager





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 9 of 38

#### << BIG LOTS-EBM-4001-GENERAL BATTERY OPERATED PRODUCT-V5 >>

Test Property	Test Method	Test Principle / Requirements	Result	Rating
• •				_

SUPPLEMENTARY PROTOCOLS (SUPPLEMENTARY REQUIREMENT FOR THE PRODUCT IF INTENDED THAT MUST BE FULFILLED)						
*Chemical Analysis	EE-BIG LOTS- CHEM-0001 Chemical Analysis	Product to be tested against all applicable requirements of this protocol in the destination countries.	M See test result	Good		
*Label Claimed Verification	BIG LOTS-SUPP- LABEL CLAIM VERIFICATION	All samples shall be reviewed against the requirements of BIG LOTS-SUPP-LABEL CLAIM VERIFICATION to determine if additional testing or labeling is required.	NA			

Note for Supplementary Testing Protocol (if available), Additional cost, sample size and TAT may be required if testing to one or more Supplementary Protocol(s) is/are necessary, please refer to the above referenced supplemental protocol(s) for additional information.

# REGULATORY REQUIREMENTS AND METHODS (LEGAL REQUIREMENTS ARE THOSE STATED IN LAW THAT MUST BE FULFILLED)

Regulatory Health Requ	irements:			
**FCC Compliance (if applicable)	FCC Rules	The products must comply with all relevant requirements of FCC. The products shall comply with the requirements of labeling and user information of the FCC rules.  BIG LOTS must submit valid test report and/or test certificate for verification.  For authorized lab: <a href="https://apps.fcc.gov/oetcf/eas/reports/TestFirmSearch.cfm">https://apps.fcc.gov/oetcf/eas/reports/TestFirmSearch.cfm</a> In lieu of testing, a test report/certification	NA	
Safety Agency Labeling (if applicable)	Visual Check	within 2 year can be reviewed.  Shall have valid NRTL Safety Agency Listing mark. Report actual and photograph.	NA	
Safety Verification (if applicable)	General Requirement	Report actual. Check the Listing Agency's website to see if the product is verified using either the brand name, the company name or listing numbers and model numbers. If it is on the website, it is verified.  If it is not on the website, then contact the listing agency by fax, email.	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/er/Terms-and-Conditions/erns-on-d, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/erns-e-Document say Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappears are of this document is unlawful and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing images tion reports & certificate please contact us at telephone (88-755) 380.7144.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 10 of 38

DOD CC - f	DL .t .t	OLDER STEEDON SECTION AND ADDRESS OF THE SECTION	T	1
BQB certificate (if applicable)	Bluetooth Rules	Shall have valid BQB certificate and report for verification, if the BQB mark is showed on the product.	NA	
Bluetooth Qualification (if applicable)	Visual/Docu ment Check	Qualification is a necessary prerequisite in order to be able to obtain the Bluetooth intellectual property license and apply the Bluetooth trademarks to a design or product. All qualified products have to get listed on the End Product Listing (EPL) https://www.bluetooth.org/tpg/listings.cfm	NA	
USB Integrators List (if applicable)	USB-IF Compliance Program	Usage of the USB logo requires a product to be compliant as demonstrated by passing the USB-IF Compliance Testing Program. The product must be listed in the USB-IF Integrators List.	NA	
		Compliance Test Report must be provided for verifying.		
**CEC Requirements (The product is sold in California)	CEC-400	The product is sold in California: Covered products must be listed by CEC appliance database with the sample's brand name and model number. This is verified by the CEC appliances database website: <a href="http://www.appliances.energy.ca.gov/QuickSearch.aspx">http://www.appliances.energy.ca.gov/QuickSearch.aspx</a>	NA	
		Note: Vendor may provide a letter (on CEC letterhead) or e-mail from CEC accepting their data if it is submitted but not yet posted on the website.		
**DOE Compliance (if applicable)	10 CFR 429.12	Each manufacturer shall submit a certification report to DOE certifying that each basic model meets the applicable energy conservation standard(s).  The compliance is to be verified on the website as following: <a href="http://www.regulations.doe.gov/certification-data/">http://www.regulations.doe.gov/certification-data/</a>	NA	
		for the covered product, refer to the following website: <pre>https://www.regulations.doe.gov/ccms/templ ates/product_templates</pre>		
**Safety of Lithium Battery	49 CFR 175	Each lithium cell or battery must be of the type proven to meet the criteria in Part III, sub-section 38.3 of the UN Manual of Test and Criteria.  Verify the compliance by reviewing the test	M Report number:11171 00138	Good
		report.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspy and role electronic Documents as http://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgety relistification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** Date: June 02, 2022 No.: NBES220500282901 Page 11 of 38

LABELING (LABELING REQUIREMENTS INCLUDE ALL RELEVANT MANDATORY AND ADDITIONAL LABELING AND MARKING REQUIREMENTS DISPLAYED TO THE CUSTOMER EITHER ON THE PRODUCT, PACKAGING OR INSTRUCTION LEAFLET OR BOOKLET)

Regulatory Labeling Re	•			
**One Time Use	F.P. & L. Act (16	Manufacturer, Packer, or Distributor's Name	М	Cood
Products, Fair	CFR 500) /	& Address (City, State & Zip); and	IVI	Good
Packaging and	NIST Uniform	Product Identification; and		
Labeling Act or All	Laws and	Net quantity of contents shall be expressed		
Other Products,	Regulations	in terms of weight or mass, measure,		
Uniform Packaging	Handbook 130	numerical count, or combination so as to		
and Labeling	TIATIUDUUK 130	give accurate information to facilitate		
Regulations		consumer comparison (U.S. and metric		
Regulations		units).		
**Country Of Origin	19 CFR Part	For product(or its container) imported into	M	Good
Marking	134 / Section	the United States (Unless excepted) shall	Made in China	
	304 of the Tariff	marked in a conspicuous place as legibly,		
	Act of 1930, as	indelibly, and permanently as the nature of		
	amended (19	the article(or container), and in comparable		
	USC 1304)	size and close proximity to any mention of		
		country other than country in which the		
		article was manufactured or produced. Shall		
		be visible at point of purchase.		
		Note: Containers of articles excepted from		
		marking shall be marked with the name of		
		the country of origin of the article unless the		
		container is also excepted from marking.		
Verify Label Claims	Claim	Examine the retail packaging (or submitted	M	Good
	verification	artwork).		
		Record each objective (factual) claim which		
		can be substantiated by the testing within		
		this protocols and rate accordingly.		
		Any net quantity/dimensional claims		
		evaluated in other sections of this protocol		
		need not be recorded.		
		All other claims (subjective and objective)		
		shall not be recorded or evaluated.		
General Markings	Visual Check	The following markings shall be legible and	M	Good
		readily visible on the product:		
		- Manufacturer's name or trademark		
		- Model number, type reference, etc.		
		- Other applicable marking		
		- Warning & Caution marking (if applicable)		
**CARB	Title 17, CA	[For US]	NA	
Formaldehyde	Code of			
Documentation and	Regulations,	Only Valid until March 22, 2019		
Label Review	Section			
	93120.7(d)	Vendor shall provide a completed and		
	Fabricator Label	approved sample declaration form if wood is		
	Requirements	present in the product. Sections A, B and D		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is cream to the imitiation of Inability, indemnification and jurisdiction issues defined them, any holder of this document is attention. Any holder of this document is Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or felasification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 12 of 38

A label review is only required if composite wood (except curved or bent plywood) is present in the sample, as stated under section B under the sample, as stated under section B under the sample declaration form.  If composite wood is present, - Section C shall be completed An acceptable label must be present on the product and/or the outer packaging. Fall if no label is present, - If a label is present, is hall consist of a stamp, tag, or sticker and be in English. A bar code cannot replace the label information. The label shall include: - Name of fabricator or responsible party, - Date of production for the finished good, - a statement of compliance which includes identification of the state ("California", "CA", Calif.", "CARB", or equivalent) section code 93120 for formaldehyde - (If Applicable) Has no added formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins (ULEF) - If Phase 1 Emissions Limit is selected under Section C, vendor must complete Declaration of Purchasing Date of Composite Wood Panels section. Fall if Phase 1 is selected but no declaration is made.  **U.S. EPA TSCA 770  **U.S. EPA TSCA 770  **CARB will accept finished goods (e.g., furniture, cabinets, and flooring) that comply with the U.S. EPA TSCA Title VI regulation and label review  Vendor must provide a completed and approved Sample Declaration Form if wood is present in the product. Sections A, B and D must always be completed.  If Vendor selects B.3., Section C must be completed.		T	1	T	1
wood (except curved or bent plywood) is present in the sample, as stated under section B under the sample declaration form.  If composite wood is present, - Section C shall be completed An acceptable label must be present on the product and/or the outer packaging. Fail if no label is present, if all able is present, if all all less present, if all all consist of a stamp, tag, or sticker and be in English. A bar code cannot replace the label information. The label shall include: - Name of fabricator or responsible party, - Date of production for the finished good, - a statement of compliance which includes identification of the state ("California", "CA", "Calif.", "CARB", or equivalent) section code 93120 for formaldehyde - ("If Applicable) Has no added formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins (ULEF) - If Phase 1 Emissions Limit is selected under Section C, vendor must complete Declaration of Purchasing Date of Composite Wood Panels section. Fail if Phase 1 is selected but no declaration is made.  ***U.S. EPA TSCA 770  ***U.S. EPA TSCA 770  ***U.S. EPA TSCA 770  ***U.S. EPA TSCA 770  CARB will accept finished goods (e.g., furniture, cabinets, and flooring) that comply with the U.S. EPA TSCA Title VI regulation and are labeled as TSCA Title VI compliant  Vendor must provide a completed and approved Sample Declaration Form if wood is present in the product. Sections A, B and D must always be completed.  If Vendor selects B.3., Section C must be completed.			shall always be completed.		
- Section C shall be completed An acceptable label must be present on the product and/or the outer packaging. Fail if no label is present If a label is present, it shall consist of a stamp, tag, or sticker and be in English. A bar code cannot replace the label information. The label shall include: - Name of fabricator or responsible party Date of production for the finished good, - a statement of compliance which includes identification of the state ("California", "CA", Calif.", "CARB", or equivalently section code 93120 for formaldehyde - (If Applicable) Has no added formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins ((ULEF) - If Phase 1 Emissions Limit is selected under Section C, vendor must complete Declaration of Purchasing Date of Composite Wood Panels section. Fail if Phase 1 is selected but no declaration is made.  ***U.S. EPA TSCA Title VI Formaldehyde documentation and label review is only required if EPA TSCA regulated Composite Wood is present in the sample, as stated by the Sample Declaration Form.  CARB will accept finished goods (e.g., furniture, cabinets, and flooring) that comply with the U.S. EPA TSCA Title VI regulation and are labeled as TSCA Title VI compliant  Vendor must provide a completed and approved Sample Declaration Form if wood is present in the product. Sections A, B and D must always be completed.  If Vendor selects B.3., Section C must be completed.			wood (except curved or bent plywood) is present in the sample, as stated under section B under the sample declaration		
**U.S. EPA TSCA Title VI Formaldehyde documentation and label review  40 CFR Part 770  A label review is only required if EPA TSCA regulated Composite Wood is present in the sample, as stated by the Sample Declaration Form.  CARB will accept finished goods (e.g., furniture, cabinets, and flooring) that comply with the U.S. EPA TSCA Title VI regulation and are labeled as TSCA Title VI compliant  Vendor must provide a completed and approved Sample Declaration Form if wood is present in the product. Sections A, B and D must always be completed.  If Vendor selects B.3., Section C must be completed.			- Section C shall be completed An acceptable label must be present on the product and/or the outer packaging. Fail if no label is present If a label is present, it shall consist of a stamp, tag, or sticker and be in English. A bar code cannot replace the label information. The label shall include: - Name of fabricator or responsible party, - Date of production for the finished good, - a statement of compliance which includes identification of the state ("California", "CA", Calif.", "CARB", or equivalent) section code 93120 for formaldehyde - (If Applicable) Has no added formaldehyde based resins (NAF) or ultra low emitting formaldehyde based resins (ULEF) - If Phase 1 Emissions Limit is selected under Section C, vendor must complete Declaration of Purchasing Date of Composite Wood Panels section. Fail if Phase 1 is selected but no declaration is		
An acceptable label must be present on the product and/or the outer packaging.	Title VI Formaldehyde documentation and label		A label review is only required if EPA TSCA regulated Composite Wood is present in the sample, as stated by the Sample Declaration Form.  CARB will accept finished goods (e.g., furniture, cabinets, and flooring) that comply with the U.S. EPA TSCA Title VI regulation and are labeled as TSCA Title VI compliant  Vendor must provide a completed and approved Sample Declaration Form if wood is present in the product. Sections A, B and D must always be completed.  If Vendor selects B.3., Section C must be completed.  An acceptable label must be present on the	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspy and role electronic Documents as http://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgety relistification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 13 of 38

	T			1
		If a label is present, it shall consist of a stamp, tag, or sticker and be in English. A bar code cannot replace the label information.  The label shall include: - Fabricator's name Date the finished good was produced using two digit month and four digit year (mm/yyyy or yyyy/mm) or the two digit month, two digit day, and four digit year (mm/dd/yyyy) A statement of compliance to denote that the composite wood product or finished good complies with the TSCA Title VI If a product has No Added Formaldehyde based resins (NAF) or Ultra Low Emitting Formaldehyde based resins (ULEF).  The Emission Limit on the label must be the same as Section (C.3.) on the Form.  For finished goods, if a label is NOT present, vendor shall indicate if the raw material was manufactured before Jun 1		
		material was manufactured before Jun 1, 2018 for HWPW-CC (selection of B.2 on Form).  For more information on Title VI labeling requirements, visit the Resources, https://www.epa.gov/formaldehyde/resources-and-guidance-materials-translations-formaldehyde-emission-standards-composite  Note:		
**N A out in or on the	400ED 472 405	1. In lieu of testing, valid product certificate issued by an EPA TSCA Title VI TPC should be provided for review.  2. SGS has been approved by EPA as a third-party certifier (TPC) under the Regulations. Please contact SGS for details.  3. All the composite wood product should be labeled even if the finished goods (including component parts sold separately to end users) smaller than 144 square inches.		
**Marking on the outside case of lithium ion battery	49CFR. 173.185 (c)	After December 31, 2015, each lithium ion battery subject to this provision must be marked with the Watt-hour rating on the outside case.	NA	



Jnless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and relections from a conditions of Service printed overleaf and Conditions of Service printed Conditions of Servi



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 14 of 38

		T	1	1
Marking Product (if applicable)	ANSI/PLATO FL 1 2016 Sec.3	-The smallest size icon that will be acceptable on packaging is 9.0mm x 9.0mm for an individual iconThere is no maximum size requirement for the iconsAll icons on the same surface or side of a package or document must be the same sizeThe icons must only have a total of two contrasting colors. If more than one icon is used, all icons on the same surface or side of a package or document must use the same color schemeIf an individual icon is used or the icons are separated on the packaging, then the format for the icon will require the solid "FL 1 Standard" border to be on top (see examples below).  FLI STANDARD LUMENS  FLI STANDARD  ODOOL LUMENS  FLI STANDARD  OOOOL LUMENS	NA No claim	
Battery Warning Statement	Visual Check	The following statement either in the instructions or marked on the device (required only for devices which use more than one battery in one circuit)  - Do not mix old and new batteries;  - Do not mix alkaline, standard (carbonzinc), or rechargeable (Ni-Cd, Ni-MH, etc) batteries.  Shall provide use, care, and maintenance information, as well as disposal of batteries information.	NA	
Battery / package marking	ANSI C18.1M Pt. 1-2015 Sec. 1.4.8	Shall display:  a) Battery system - except carbon zinc b) Designation (ANSI, IEC or Common) c) Polarity of terminal (when applicable) d) Nominal voltage e) Year, month, week or day of	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.apx.and, for electronic Documents as thttp://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.app Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 15 of 38

Battery / Package Marking	ANSI C18.3M, Part 1-2005, Section 1.4.7 / Visual	manufacture which may be coded or the expiration date  f) Name or trademark of manufacturer or supplier g) Warnings or cautionary notes (where applicable) h) Caution for ingestion (small batteries only)  Note: When small size battery is claimed on individual specification sheet, items b) and c) shall be marked on the battery. Items a), d), e), f), g), and h) may be given on the immediate packaging instead of on the battery. For zinc - air batteries, b) and c) may be marked on the sealing tab of the battery or on the battery; d), e), and f) may be given on the immediate packaging, instead of on the battery.  [For lithium primary batteries]  Shall display: a) Battery system (Lithium or Li) b) Designation c) Polarity of terminal (when applicable) d) Nominal voltage e) Date code – year, month or week f) Name or trademark of manufacturer or supplier g) Warnings or cautionary notes (where applicable) h) Caution for ingestion (small batteries only)  Note: When small size battery is claimed on individual specification sheet, items b) and c) shall be marked on the battery. Items a), d), e), f), g), and h) may be given on the	M	Good
Battery Labeling	Visual Check	battery.  Battery compartment have replacement	M	Good
/Compartment Markings	Tioux. Officer	pictorials or markings providing the following information: (as applicable)  - No. of batteries required - Batteries included or not (can be found on packaging) - Size of battery - Direction of polarity  Products with replaceable batteries shall be	- 1 battery for 1 product. - Batteries included - "+ CR2032 3V" On the Battery Compartment	3000
		permanently marked, visible at time of battery replacement, to indicate type of		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/ferms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized attention from the content is unleaving and the definition of the content of the content is unleaving and the prosecuted to the fullest extent of the law, Unless otherwise stated the Attention. To check the authenticity of testing impaction report & certificate, please contact us at the legalors.



No.: NBES220500282901

Date: June 02, 2022

Page 16 of 38

		battery, polarity alignment and how to insert correctly.		
		If the construction of battery or battery compartment ensures the proper installation of battery and prevents the revised battery from being connected to the circuit, the battery compartment will be exempted from this item.		
USB Icon (If Applicable)	Visual Check	One of the following USB icons shall be on each USB connector.  - USB 3.0 Icon:  - USB 2.0 Icon:	NA	
Bluetooth mark (if applicable)	License	The product shall bear the Bluetooth mark.	NA	
		Bluetooth SMART READY  Bluetooth SMART READY  Bluetooth Bluetooth SMART READY		
Clock or watch - special markings (If Applicable)	19 CFR 134.43 / 19 CFR 11.9 / Harmonized tariff schedule US chapter 91	[For US]  Movement: Must list the country of origin, name of manufacturer and number of jewels.	NA	
		Clock: Must list the country of origin. Clocks with opto-electronic displays (LCD and LED) are excepted from the special marking requirements (Critical)		
User Manual / Important Safety Instructions / Assembly Instructions	Visual Check	Instructions and warnings shall be provided in the user manual identifying reasonable foreseeable uses or misuses of the product. It shall also include instructions regarding the installation, use, safety and maintenance.	M	Good
		All accessories shall be described in the user's manual and provided with instructions for proper use.		
Assembly, Use and Care Instructions	Visual Check	Must be Included and be clear, if required for safe use.	М	Good
		Shall be provided in language appropriate to destination countries and shall include the following, which are to be provided in a simply understood form in an owner's	М	Good



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aspx and role electronic Documents as http://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forget relistification of the content appearance of this document is unleaving and the definition of the content is unleaving the definition of the content of the



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 17 of 38

manual or card attached to the product at the time of sale, or within the consumer package:  Instructions for assembly, including correct fitting of the safety devices, if applicable, and warnings about the likely injuries to people if the device weren't fixed well.  Instructions for maintenance.  If plastic bags with a thickness less than 1 mil, and an opening size of Trinches (finches to Rhode Island State and City Laws modified  Rhode Island State and City Laws modified  Rhode Island State and City Laws modified  Rhode Island State and Chity Laws modified  Rhode Island State and State					
Plastic Bag Warning Statement (if applicable)  California, New York, (if applicable)  Chicago, Massachusetts, and Rhode Island State and City Laws modified  Global Trade Item Number (GTIN)  A construction of the safety devices, if applicable, and a construction for maintenance.  California, New York, Chicago, Massachusetts, and Rhode Island or similar warning statement must be printed.  WARNING: keep this bag away from babies and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 19 points, 30 inches to less than 40 inches-font at least 10 points.  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  A constructions for assembly, including correct fitting of the safety devices, if applications for maintenance.  Items to be sold at a retail establishment should be marked with EAN-B, EAN-13, UPC-A or UPC-E bar codes.  The scanned information shall match the number underneath.  Global Trade Item Number (GTIN)  B constructions for maintenance.  Items to be sold at a retail establishment should be marked with EAN-B, EAN-13, UPC-A or UPC-E bar codes.  The scanned information shall match the number underneath.  B 10579488  810572445  810572445  810572444  810572444					
Plastic Bag Warning Statement (if applicable)  California, New York, Chicago, Massachusetts, and Richode Island State and City Laws modified  Plastic Bag Warning Statement (if applicable)  Chicago, Massachusetts, and Richode Island State and City Laws modified  Rhode Island State and City Laws and City Laws modified  Rhode Island State and City Laws and City Laws modified  Richode Island State and City Laws and City Laws modified  Richode Island State and City Laws and City Laws modified  Richode Island State and Richode Island State and City Laws modified  Richode Island State and Richode Island State and City Laws modified  Richode Island State and Richode Island State Island State Island State Island State Island State Island State I			the time of sale, or within the consumer		
California, New York, (if applicable)  Plastic Bag Warning Statement (if applicable)  Chicago, Massachusetts, and Rhode Island State and City Laws modified  Rhode Island State and City Laws modified  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  Chicago Research (GTIN)  Global Trade Item Number (GTIN)  Chicago Research (GTIN)  Chicago Resear			package:		
California, New York, (if applicable)  Plastic Bag Warning Statement (if applicable)  Chicago, Massachusetts, and Rhode Island State and City Laws modified  Rhode Island State and City Laws modified  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  Chicago Research (GTIN)  Global Trade Item Number (GTIN)  Chicago Research (GTIN)  Chicago Resear			<ul> <li>Instructions for assembly, including</li> </ul>		
Plastic Bag Warning Statement (if applicable)  California, New York, Chicago, Massachusetts, and Rhode Island State and City Laws modified  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  California, New York, Chicago, Massachusetts, and Rhode Island State and City Laws modified  Global Trade Item Number (GTIN)  Global Trade Item Number (GTIN)  Applicable and City Laws modified  Applicable and printed with the following or similar warning statement must be printed.  Applicable and City Laws modified  Applicable and Ci					
Plastic Bag Warning Statement (fi applicable)  California, New York, Chicago, Massachusetts, and Rhode Island State and City Laws modified  Rodified  Rodifi			,		
Plastic Bag Warning Statement (if applicable)  Rode Island State and City Laws modified  Rhode Island State and City Laws modified  Rode Island State and City Laws and Ci					
Plastic Bag Warning Statement (if applicable)  California, New York, Chicago, Massachusetts, and Rhode Island State and City Laws modified  Rode Island Rode Island) or greater (measured with bag laid flat) shall printed with the following or similar warning statement must be printed.  WARNING: keep this bag away from bagies and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing. The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 14 points, 42 inches to less than 60 inches-font at least 10 points.  Items to be sold at a retail establishment should be marked with EAN-8, EAN-13, UPC-A or UPC-E bar codes. The scanneal information shall match the number underneath.  Bio572443  Bio572443  Bio572446  Bio572446  Bio572449  Bio572449					
Plastic Bag Warning Statement (if applicable)  A California, New York, Chicago, Massachusetts, and Rhode Island State and City Laws modified  A RNING: keep this bag away from babies and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing. The font size must achere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 10  General requirement Number (GTIN)  Robert State  General requirement Number (GTIN)  Robert State  A General requirement Rumber (GTIN)  Robert State  A General Rumber (GTIN)  Robert State Rumber State Rumber (GTIN)  Robert State Rumber (GTIN					
Statement (if applicable)  Chicago, Massachusetts, and Rhode Island State and City Laws modified  WARNING: keep this bag away from baies and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing. The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches or more-Font at least 14 points, Less than 30 inches-font at least 14 points. Less than 30 inches-font at least 14 points.  Global Trade Item Number (GTIN)  General requirement  General requirement  General requirement  General requirement  General requirement  Hitems to be sold at a retail establishment should be marked with EAN-8, EAN-13, UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  Good  8105724443  8105724443  8105724443	Plastic Bag Warning	California New		NΙΛ	
(if applicable)  Chicago, Massachusetts, and Rhode Island State and City Laws modified  Research State and City Laws modified bear state and City Laws modified  Research State and City Laws modified bear state and City Laws modified  Research State and City Laws modified bear state and City Laws modified or more from the state and City Laws modified and city Laws modified bear state and City Laws modified  Research State and City Laws modified and city		· ·	, ,	INA	
Massachusetts, and Rhode Island State and City Laws modified  Rough Islame and City Laws has a contract the contract of the		-			
and Rhode Island State and City Laws modified  Rodel Island State and Children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing. The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 14 points, Less than 40 inches-font at least 10 points. Items to be sold at a retail establishment should be marked with EAN-8, EAN-13. UPC-4 or UPC-E bar codes. The scanned information shall match the number underneath.  Rodel Island State and Formation State Island State	(ii applicable)				
Rhode Island State and City Laws modified  Remains and City Laws modified  Remains and Children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 14 points, Less than 30 inches-font at least 14 points, Less than 30 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement  The scanned information shall match the number underneath.  M Good  B 10579488  B 10572445  B 10572445  B 10572443  B 10572449  B 10572449					
State and City Laws modified and City Laws modified before and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement requirement with the scanned information shall match the number underneath.  Good  Global Trade Item Number (GTIN)  General requirement requirement requirement with the scanned information shall match the number underneath.  Good  Global Trade Item Number (GTIN)  General requirement requirement requirement with the scanned information shall match the number underneath.  Global Trade Item Number (GTIN)  General requirement requirement requirement requirement with the scanned information shall match the number underneath.			_		
and City Laws modified shelps and children Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 18 points, 30 inches font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement  The scanned information shall match the number underneath.  Matter 10 points.  Items to be sold at a retail establishment should be marked with EAN-8, EAN-13.  UPC-A or UPC-E bar codes.  The scanned information shall match the number underneath.  Batter 10 points.  10 points.  11 points.  12 points.  13 points.  14 points, Less than 30 inches-font at least 10 points.  15 points.  16 points.  17 points.  18					
beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches to less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement  General requirement  General requirement  JPC-A or JPC-E bar codes.  The scanned information shall match the number underneath.  M  S10579488  1810572442  1810572443  18105724443  18105724443  18105724448					
film may cling to nose and mouth and prevent breathing.  The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement  UPC-G or UPC-E bar codes.  The scanned information shall match the number underneath.  Maios79488  100572443  110572442  110572442  110572442  110572442  110572442  110572442  110572442					
The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 14 points, Less than 30 inches-font at least 10 points.		modilled			
The font size must adhere to the following: Total length and width of Bag: 60 inches or more-Font at least 24 points, 40 inches to less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 14 points, Less than 30 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement  UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  M 810579488  810572443  810572443  810572444					
Total length and width of Bag: 60 inches or more-Font at least 12 4 points, 40 inches to less than 80 inches-font at least 14 points, 30 inches to less than 40 inches-font at least 14 points, Less than 30 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement  General requirement  UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  Good  810579488  810572443  810572443  810572444					
more-Font at least 24 points, 40 inches to less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 14 points, Less than 30 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement  General requirement  Items to be sold at a retail establishment should be marked with EAN-8, EAN-13, UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  Good 810572445  810572445  810572446  810572446  810572449  810572449					
less than 60 inches-font at least 18 points, 30 inches to less than 40 inches-font at least 14 points, Less than 30 inches-font at least 10 points.  Global Trade Item Number (GTIN)  General requirement requirement  Outpuble Bar codes. The scanned information shall match the number underneath.  Good 810579488  100579489  100572443  100572443  100572444  100572444  100572444  100572444  100572444  100572444					
Global Trade Item Number (GTIN)  General requirement requirement  General number (GTIN)  General requirement should be marked with EAN-8, EAN-13, UPC-4 or UPC-E bar codes. The scanned information shall match the number underneath.  M810579488  300 inches to less than 40 inches-font at least 10 points.  Items to be sold at a retail establishment should be marked with EAN-8, EAN-13, UPC-4 or UPC-E bar codes. The scanned information shall match the number underneath.					
Global Trade Item Number (GTIN)  General requirement requirement  General requirement  Items to be sold at a retail establishment should be marked with <u>EAN-8</u> , <u>EAN-13</u> , <u>UPC-A</u> or <u>UPC-E</u> bar codes.  The scanned information shall match the number underneath.  Good  810579488  810579445  810572446  810572442					
Global Trade Item Number (GTIN)  General requirement requirement requirement  General requirement requirement  Items to be sold at a retail establishment should be marked with EAN-8, EAN-13, UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  810579489  810572445  810572442  810572444  810572444					
Global Trade Item Number (GTIN)  General requirement should be marked with EAN-8, EAN-13, UPC-A or UPC-E bar codes. The scanned information shall match the number underneath.  M 810579488  810572445  810572442  810572442  810572442  810572448  810572448			·		
Number (GTIN)  requirement  should be marked with <u>EAN-8</u> , <u>EAN-13</u> , <u>UPC-A</u> or <u>UPC-E</u> bar codes.  The scanned information shall match the number underneath.  810579488  810579489  810572443  810572442  810572442  810572449  810572449					
UPC-A or UPC-E bar codes.  The scanned information shall match the number underneath.  810579489  34006 002 1810579489  34013 002 1810572445  34013 002 1810572443  34013 002 1810572443  34013 002 1810572443  34013 002 1810572443  34013 002 1810572444  34013 002 1810572444  34013 002 1810572444					Good
The scanned information shall match the number underneath.  810579489  3006 052 810577485  4 810572445  3012 052 810577483  4 810572442  4 810572444  3012 052 810572442  4 810572444  810572446  810572449	Number (GTIN)	requirement		810579488	
number underneath.  810579489 34006 082 810579489 34013 082 810579445 34012 082 810579443 34012 082 810579443 34012 082 810579444 34012 082 810579444 34012 082 810579444 34012 082 810579444					
810579489 34006 082 810579489 4 810579445 34012 082 810579483 4 8810572443 34012 082 810579443 4 810572444 34012 082 810579442 4 810572446 4 810572446 4 810572446 4 810572449 34012 082 810579449 4 810572449 34012 082 81057948				4 81057 94880 2	
810572443  810572443  810572442  34012 082 810572442  34012 082 810572442  4 810572446  34012 082 810572442  4 810572446  34012 082 810572446  34012 082 810572446			number underneath.	810579489	
34012 082 810572443  34012 082 810572443  34012 082 810572443  34012 082 810572442  34012 082 810572442  34012 082 810572442  34012 082 810572446  34012 082 810572446  34012 082 810572446  34012 082 810572446  34012 082 810572446				34006 082 810579489	
810572443  810572443  810572442  34012 082 810572442  34012 082 810572442  4 810572446  34012 082 810572442  4 810572446  34012 082 810572446  34012 082 810572446					
34012 082 810572445				910572445	
810572442 34012 082 810572442 4 81057 12 4 4 2 0 1 1 81057 22 446 34012 082 810572446 34012 082 810572446 34012 082 810572449 4 81 0 5 7 12 4 4 6 0 1 1 7 810572449 34012 082 810572449				34012 082 810572445	
810572442 34012 082 810572442 4 8105712446 0117 810572449 34012 082 810572449					
810572442 34012 082 810572442 4 8105712446 0117 810572449 34012 082 810572449				4   81057   24450   8	
810572442  34012 082 810572442  4 810572446  34012 092 810572446  34012 092 810572446  4 81 0 5 7 12 44 6 0 0 7  810572449  34012 092 810572449					
34012 082 810572442				# ## ## ## ## ## ## ## ## ## ## ## ## #	
34012 082 810572442  4 810572446  34012 082 810572446  4 810572446  34012 082 810572446  4 810572449  34012 082 810572449  34012 082 810572449				4 81057 24430	
34012 082 810572442  4 810572446  34012 082 810572446  4 810572446  34012 082 810572446  4 810572449  34012 082 810572449  34012 082 810572449				810572442	
34012 002 810572446 4 8810572449 34012 002 810572449					
34012 002 810572446 4 8810572449 34012 002 810572449					
34012 002 810572446 4 8810572449 34012 002 810572449				91057944201III1	
34012 092 8 10572449 4 8 1 0 5 7 12 4 4 9 0 1 4				34012 082 810572446	
34012 092 8 10572449 4 8 1 0 5 7 12 4 4 9 0 1 4					
34012 092 8 10572449 4 8 1 0 5 7 12 4 4 9 0 1 4				4   81057   24460   17	
4 81057124490114				810572449	
4 81057 24490 4				34012 302 310372449	
0.10==0.110				4 81057 24490 4	
810572448				810572448	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/enrs-en-Document subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/errs-en-Document-subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document-subject-at-en-Level-to-en-Le



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 18 of 38

			34012 082 810572448 4 810572447 34012 082 810572447 4 810572444 34012 082 810572444 4 810572444	
Vendor agreement document	Visual Check	Vendor agreement document with valid signature shall be provided by vendor together with sample submission.	M See VENDOR AGREEMENT DOCUMENT	Good

	•	HYSICAL CHARACTERISTICS ARE FEATURES IGHT, DIMENSIONS, VOLUME ETC)		
Workmanship	Visual Check	Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters.  Shall have no components missing, malformed, and / or fractured.	M	Good
LED indicator	Actual Use	LED indicator shall indicate as claimed in user's manual to show the actual status of the product.	NA	
Rubbing Test	Actual Use	The markings required by the standard shall be clearly legible and durable. Compliance is checked by inspection and by rubbing the marking by hand for 15 s with a piece of cloth soaked with water and again for 15 s with a piece of cloth soaked with petroleum spirit. The petroleum spirit to be used for the test is aliphatic solvent hexane. After all the tests of this standard, the marking shall be clearly legible. It shall not be easily possible to remove marking plates nor shall they show curling.	M	Good
Overall Dimension (Length x Width x Height)	Standard Measurement	Report overall dimensions. Must comply with all claims made on the product, the packaging and/or supplied specifications (-2% / +5%).	M Claimed: 1.45 in x 1.45 in Measured: 1.5 in x 1.5 in	Good
Total Weight	Standard Measurement	Report overall weight. Must comply with all claims made on the product, the packaging and/or supplied specifications (-2% / +5%).	R No claim: Measured: 10.3g	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://mww.sgs.com/en/Erms-and-Conditions.aspx.and">https://mww.sgs.com/en/Erms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Irems-and-Conditions/Irems-e-Document.aspx.">https://www.sgs.com/en/Irems-and-Conditions/Irems-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seuls shown in this test report refer only to the sample(s) tested and such sample(s) are retained of days only.

\*\*Ref. 558, 307, 1443.\*\*



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 19 of 38

Batteries	Visual Check	Shall meet label claims.	M	Good
Number of bulbs/LED	Visual Check	Report, shall meet claims ( if applicable)	R Each 1 LED	
LED Color	Visual Check	Report; shall meet label claims( if applicable)	R Warm white	
Parts inventory	Visual Check	Shall meet label claims.	М	Good
Capacity – volumetric	Standard Measurement	Report overall capacity; shall meet label claims (if applicable).	NA	

		MANCE TESTING IS THE METHOD OF TEST A IM PERFORMANCE STANDARD, SUCH AS SA		
Functionality of Use	Visual check/Actual use Item is to be tested per instructions provided with sample.	Shall function as intended as received. Report details of evaluation (features tested / methods used / materials used / etc.) Report any features not evaluated.	M	Good
Button / Switch Durability	In-house method	Shall operate 100 cycles of repeated use of each button and switch at moderate pressure with no cracking, color loss or adverse effects	М	Good
Continuous Use Test	Actual Use	Continuously operate in highest load function for 8 hours or per instruction. Shall not indicate safety issue, fire risk, or any other abnormality. If any adverse effects are found prior to the completion of 8 hours, stop the evaluation and record the findings.	М	Good
Dry Operation Test (if applicable)	Actual Use	After 8 hours continuous operation with no wax, there are no adverse effects.  If any adverse effects are found prior to the completion of 8 hours, stop the evaluation and record the findings.	NA	
Accuracy – clock (if applicable)	Actual use	Must Be Accurate Within 1 Minute Over One Day	NA	
Communication Distance of Bluetooth	In-house method	Report the maximum communication distance between the speaker and the output device of audio signal.	NA	
Ease of Assembly (if applicable)	Actual use	Shall easily assemble according to user instructions. Note any difficulty in assembly or inaccurate instructions.	М	Good
Ease of Cleaning (if applicable)	Actual use	Follow the instruction to clean up the unit. Comment the method of cleaning.	М	Good
Operational range -	Actual Use	Products with IR remote control shall work	NA	



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and conditions for relectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seutles shown in this test report refer only to the semple(e) selected and such sample(e) are retained for 3 days only.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 20 of 38

infrared remote		at 5 meter range or per instruction		
control (If applicable)				
Battery Case Durability	In-house method	Shall open and close 30 cycles at moderate torque with no cracking, color loss or adverse effects.	М	Good
Battery Charging test (if applicable)	In house method	Measure the charging time, Report against the claim.	NA	
Noise level (for motor operated product)	In house method	Report decibels dB(A) of in use product at 4 inches distance.	NA	
Reverse Voltage Test (if battery can be replaced)	In house method	Reversing battery orientation shall not damage unit. Report discrepancies.	M	Good
Connection to Devices (USB Connection)	Actual Use	Shall be connected and disconnected 200 times to the product and remain functional.	NA	
Heated Surface Temperatures	In-house Method	If applicable, report temperature of heated surface in normal use. Normal use temperatures shall not exceed temperature required to reasonably perform function.	NA	
Surface Temperatures	In-house Method	Except for heated surfaces required for function, no accessible surface or battery surface shall exceed Surface temperature, metal55°C Surface temperature, nonmetallic75°C during normal use, reasonably foreseeable abuse (by adults) or under stalled motor conditions, as applicable. This includes battery reverse polarity test. Batteries shall not operate when installed with polarity reversed.	M Surface temperature: 24.9°C	Good
Drop test	In house method	Portable products shall function as intended after the unit is dropped randomly from 3 feet onto a hard wooden surface (3 times) at room temperature.	M	Good
Measured Open Circuit Voltage	General Measure	[As received] Report open circuit voltage of battery as received	R CR2032: 3.0V	
Clamping Strength	Actual Use	Shall withstand 3 times of total weight for one minute, without cracking or breaking. (if applicable).	NA No clamp unit	
Additional Test				
* Short-circuit Test (if applicable)	ANSI C18.1M Part 2 Cls. 7.4.2 (Mod: sample size = 1; temp. tested = 20+/-5degC)	For non-rechargeable batteries, the undischarged battery sample shall be short-circuited and remain on test for 24 hours or until the case temperature declines by 20% of the temperature rise.	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/er/Terms-and-Conditions/erns-on-d, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/erns-e-Document say Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappears are of this document is unlawful and defenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing images tion reports & certificate please contact us at telephone (88-755) 380.7144.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 21 of 38

		No explosion and no fire occur.		
*Water Spray Test (for outdoor product without IP rating only)	In-house method	There shall be no wetting of any electrical component when subjecting the product to a 1 hour application of downward spray of water at an angle of 45° to the vertical.	NA	
*Beam Distance & Peak Beam Intensity  If claimed	ANSI/PLATO FL 1 2016 Cls. 2.2 & 2.3	-Measure one sample with fresh batteries or fully charged batteries/energy storage devices. 12V DC devices that are only tethered shall be powered with 13.8V DC using a power supply.  -If the device offers multiple output levels, the Beam Distance will be measured at the maximum level or as otherwise identified.  -If the device has variable focusing or adjustable beam angle, the Beam Distance will be measured at the focus level or beam angle that produces the maximum Beam Distance or as otherwise identified.  -Place the light measuring device at a test distance of either 2 or 10 or 30 meters to record the highest light intensity in Lux.  - Measurements shall be taken 30 seconds to 2 minutes of turning on the device.  -Use the Inverse Square Law to calculate the Beam Distance to 0.25 lux as follows -The measured data shall meet or exceed claimed.  Surface Light Intensity x (Distance)² = √( Peak Beam Intensity x (Distance)² = Feak Beam Intensity is in lux (lx)  b. Distance is in meters (m)  c. Peak Beam Intensity is in candela (cd)		
*Run Time  If claimed	ANSI/PLATO FL 1 2016 Cls. 2.4	- One sample with fresh batteries or fully charged batteries/energy storage devicesIf the device offers multiple output levels, the Run Time will be measured at the maximum level or as otherwise identifiedThe initial reading is taken at 30 seconds of continuous operation. When using a light measuring device, ensure that the distance from the front surface of the device to the sensor is identical for initial and end point measurementsThe light is operated continuously without	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/enrs-en-Document subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/errs-en-Document-subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document-subject-at-en-Level-Bublity, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the such supplies that the report refer only to the sample(e) tested and such sample(e) are retained for 30 days only. (163-75) 303 144-75.)



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 22 of 38

		any off time. (NOTE: If the device has an auto shut off mechanism, the operator must restart the light within 15 seconds for the test to be valid.) -Periodic light measurements and corresponding time values are recorded, and the end point is reached when the output value reaches 10% of the initial value for each sampleThe measured data shall meet or exceed claimed.		
*Submersible Test (if claimed)	ANSI/PLATO FL 1 2016 Cls.2.7.3.3 & Cls.2.7.5.2	- A reservoir at the claimed depth sufficient to cover the entire device with water or a water vessel that is pressurized equivalent to the claim depth as described in ANSI/IEC 60529, Section 14.2.8 for IPX8 evaluation. The duration shall be 4 hours at manufacturer specified depth.  - All test samples shall function normally immediately after the test and 30 minutes after the test.  -The sample passes the Waterproof test if there is no ingress of water in any functional area that contains unprotected electrical components (contacts, batteries, PCB, wires) or light sources.  -Protection shall provide exclusion of water from the components above.	NA	
*Resistance to Corrosion	ASTM B117 modified	Metal for use in outdoor locations shall withstand 24 hours in 5% salt fog with no failure of any of the following:	NA	
(Outdoor product, Metal part)		<ul><li>Failure, separation or penetration of coatings</li><li>Ferrous rust corrosion (red rust)</li><li>Loss of function</li></ul>		
*Effects of Low and High Temperature. ( for Outdoor use)	In house method	No change after 24 hrs. @ 0° F and 120° F	NA	





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 23 of 38

# EE- BIG LOTS -CHEM-0001 Chemical Analysis\_V1.3

Test Property	Test Method	Test Principle / Requirements	Result	Rating
US				
*California Proposition 65	Applicable Section from SGS California Proposition 65 Master File	All samples shall be reviewed against the requirements of California Proposition 65 to determine if additional testing or labeling is required.  In lieu of testing, a test report/certification within 1 year can be reviewed.	M See test result	Good
* TPCH-Lead, Cadmium, Mercury and Chromium (VI) Applicable to packaging materials	Sample digestion. Analysis conducted by Inductively Coupled Argon Plasma Spectrometry / UV- Visible Spectroscopy	Toxics in Packaging law (Toxics in Packaging Clearing House)  Applicable to 19 states (California, Connecticut, Florida, Georgia, Illinois, Iowa, Maine, Maryland, Minnesota, Missouri, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, Washington, Wisconsin)  ≤ 100ppm (sum of lead, cadmium, mercury and chromium (VI))  BIG LOTS can submit valid test report for verification.  Certificate of Compliance document shall be provided by vendor together with sample submission. Document shall be completely filled out with vendor's company letter head, valid signature and dated.  In lieu of testing, a test report/certification within 1 year can be reviewed.	M Certificate of compliance document Provided	Good
* Mercury Content Applicable to Batteries	Acid digestion / ICP or AAS	Public Law 104-142 Mercury-Containing and Rechargeable Battery Management Act Public Law No 104-142 (1996) H.R. 2024  For alkaline manganese battery: Hg-free (SGS detection limit = 1 mg/kg)  For alkaline manganese button cell: < 25 mg/cell  For zinc-carbon battery: Hg-free (SGS detection limit = 1 mg/kg)  For mercuric-oxide button battery: Prohibited	M See test result	Good



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/enrs-en-Document subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/errs-en-Document-subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document-subject-at-en-Level-Bublity, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the such supplies that the report refer only to the sample(e) tested and such sample(e) are retained for 30 days only. (163-75) 303 144-75.)



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 24 of 38

		1		
		BIG LOTS can submit valid test report for verification.		
* General Purpose Lights (if applicable)	IEC 62321:2008	AB1109 Not contain hazardous substances in EU RoHS.  Maximum concentration values per homogenous material: ≤ 0.1% (lead) ≤ 0.01% (cadmium) ≤ 0.1% (mercury) ≤ 0.1% (chromium (VI)) ≤ 0.1% (PBBs) ≤ 0.1% (PBDEs)	NA	
		BIG LOTS can submit valid test report for verification.		
* Lead, Cadmium, Mercury and Chromium (VI) (if applicable)	Acid digestion	California's Electronic Waste Recycling Act of 2003  Maximum concentration values per homogenous material: ≤ 0.1% (lead) ≤ 0.01% (cadmium) ≤ 0.1% (mercury) ≤ 0.1% (chromium (VI))  Product scope: "covered electronic device (CED)" as "a video display device containing a screen greater than four inches, measured diagonally, including  1. Cathode ray tube containing devices (CRT devices) 2. Cathode ray tubes (CRTs) 3. Computer monitors containing cathode ray tubes 4.Laptop computers with liquid crystal display (LCD) 5. LCD containing desktop monitors 6. Televisions containing cathode ray tubes 7. LCD-containing televisions (excluding LCD projection televisions); 8. Plasma televisions (excluding plasma projection televisions); 9. Portable DVD players with LCDs.	NA	
*Food Contact Material (Document	Supplementary Protocol	The sample shall meet requirements of supplemental protocol.	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.apx.and, for electronic Documents as thttp://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.app Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 25 of 38

<u> </u>		. 5.0.1.055	T	_
Review)		As per BIG LOTS requirement, documentation shall be provided for following in lieu of testing: - FDA FSSE - FDA GRAS  Note: - For wood food contact article, test report within 5 years can be submitted. If test report is not submitted, actual testing will be performed.  -For plastic, ceramic, paper and metal food contact article, Food Contact Certification can be submitted. If Food Contact Certification is submitted, Food Contact Certification process shall follow. Vendor must submit a certificate of compliance. No actual test would be performed before confirmation with BIG LOTS. In lieu of testing, a test report/certification within 5 years can be reviewed.		
* Lead Content in Paint or Similar Coating Material (upon BIG LOTS request)	CPSC-CH-E1003 / 16 CFR 1303 (Mod.) / ASTM E1613 / ASTM E1645	All accessible surface coatings in the as received state on items outside of the scope of 16 CFR 1303 shall not contain lead or lead components in which the lead content is in excess of 0.009% (90 ppm) of the weight of the total content.	M See test result	Good
		BIG LOTS can submit valid test report for verification. within 1 year		
* Bisphenol A (BPA)	BIG LOTS Requirement based on Prop 65	Test Bisphenol A (BPA) (CAS No. 80-05-7) with a MDL of 0.1ppm. Applicable to following products: 1. Products for children less than 3 years old, limit is ND. 2. Food contact materials, limit is ND. 3. Product parts which are intended to be put into mouth, limit is ND. (e.g. snorkel, or balloon) 4. Products for children over 3 years old but less than 12 years old, limit is 100ppm (3 in 1 composite allowed). BL will review CA65 label for incompliance of this limit.  NOTE: This update only applies to Prop 65 testing for BPA. Prop 65 testing for other chemicals or other testing related to	NA	
		BPA required by other states or regulators will continue as necessary.		
Nickel Spot Test	PD CR 12471	No detection - Negative test result.	NA	
Nickel Release	EN 1811 & EN	The rate of nickel release from the metal	NA	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.apx.and, for electronic Documents as thttp://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.app Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 26 of 38

12472	components of products (e.g. wrist-watch cases,	
	watch straps and tighteners; rivet	
	buttons, tighteners, rivets, zippers and metal	
	marks, when used in garments) coming into	
	direct and prolonged contact with the skin shall	
	be less than 0.5 μg/cm2 /week. NOTE:	
	If there is a non-nickel based coating, it shall	
	be subjected to EN 12472 Simulation of Wear	
	and Corrosion before testing.	
	2) This requirement refers to EU	
	Regulation (EC)	
	No.1907/2006 (REACH) and its	
	amendments.	

Result Key:

Claimed R Recorded M Meets NM Does Not Meet NA

Not

Applicable NT Not Tested

Rating Key:

GOOD Good

UNSAT Unsatisfactory





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 27 of 38

Test Results:

### **Test Part Description:**

Specimen No.	SGS Sample ID	Description
SN1	TAO22-034358.001	Translucent plastic candle wick
SN2	TAO22-034358.002	White plastic candle
SN3	TAO22-034358.003	Black plastic key
SN4	TAO22-034358.004	White plastic battery box
SN5	TAO22-034358.005	Silver button battery
SN6	TAO22-034358.006	Golden glitter powder
SN7	TAO22-034358.007	Red plastic candle
SN8	TAO22-034358.008	Silver glitter powder
SN9	TAO22-034358.009	Green glitter powder
SN10	TAO22-034358.010	Red glitter powder

### Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL)
- (4) "-" = Not Regulated

# <u>Part 1303, Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A. requirement-Lead</u>

Test Method: With reference to CPSC Test Method: CPSC-CH-E1003-09.1, analysis was performed by

ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>006</u>	<u>008</u>	<u>009</u>
Lead (Pb)	0.009	%	0.002	ND	ND	ND
Conclusion				PASS	PASS	PASS
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>010</u>		

rest item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>010</u>
Lead (Pb)	0.009	%	0.002	ND
Conclusion				<b>PASS</b>

## US Mercury-Containing Battery Management Act Public Law 104-142(1996)-Mercury (Hg)

Test Method: Acid digestion, analysis was performed by ICP-OES

Test Item(s) <u>Limit</u> <u>Unit</u> <u>MDL</u> <u>005</u>





**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 28 of 38

Mercury (Hg) ★ mg/cell 0.1 ND Conclusion PASS

Notes:

- (1)  $\star$  = See the table.
- (2) \*Limit shown is with reference to the US Mercury Containing Battery Management Act Public Law No 104-142 (1996).
- (3) Mercury Reference Information: (requirement of the US Mercury Containing Battery Management Act Public Law No. 104-142 (1996)).
- a) No person shall sell, offer for sale, or offer for promotional purposes any alkaline-manganese battery manufactured on or after the date of enactment of this Act, with a mercury content that was intentionally introduced (as distinguished from mercury that may be incidentally present in other materials), except that the limitation on mercury content in alkaline-manganese button cells shall be 25 milligrams of mercury per button cell.
- b) No person shall sell, offer for sale, or offer for promotional purposes any zinc-carbon battery manufactured on or after the date of enactment of this Act, that contains mercury that was intentionally introduced.
- c) No person shall sell, offer for sale, or offer for promotional purposes any button cell mercuric-oxide battery for use in the United States on or after the date of enactment of this Act.
- d) On or after the date of enactment of this Act, no person shall sell, offer for sale, or offer for promotional purposes a mercuric-oxide battery for use in the United States.

	Table 1 MDL	Limit*
Alkaline-manganese button cell	0.1mg/cell	25mg/cell
Zinc-Carbon battery	0.1mg/kg	ND
Alkaline-manganese battery	0.1mg/kg	ND
Other battery	0.1mg/kg	853

### **US California Proposition 65- Phthalate content**

Test Method: With reference to CPSC-CH-C1001-09.3. Analysis was performed by GC-MS.

Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	001 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP)	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	<u>002</u> ND
Test Item(s) Comment	CAS NO.	<u>Limit</u>	<u>Unit</u>	MDL	<u>002</u> <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	003 ND <b>PASS</b>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/ferms-e-Document.apx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from excrising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger fastification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



<b>Test Report</b> No.: NBES220500282901 Date: June 02, 2022 Page 29 of
---

Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	004 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	006 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	007 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	008 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	009 ND <b>PASS</b>
Test Item(s) Di-(2-ethylhexyl) Phthalate (DEHP) Comment	<u>CAS NO.</u> 117-81-7	<u>Limit</u> 1000	<u>Unit</u> mg/kg	<u>MDL</u> 50	010 ND <b>PASS</b>

#### Notes:


- (1) The limit is referenced to the requirement specified in Settlement Agreement between CAG v. Atico International (Asia) Ltd
- (2) The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical. A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w = 0) stated in ILAC-G8:09/2019.






**Test Report** No.: NBES220500282901 Date: June 02, 2022 Page 30 of 38

## Sample photo:



TAO22-034358.001



TAO22-034358.002




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aya.">https://www.sgs.com/en/Terms-and-Conditions.aya.</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx.">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx.</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3d days only.

(\$6.55.10.37.44.37.4




No.: NBES220500282901 Date: June 02, 2022

e: June 02, 2022 Page 31 of 38



TAO22-034358.003



TAO22-034358.004



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions and, for electronic format documents, subject to Terms and Conditions as the Company and Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined them. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to iterascition from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


(## 755 753 751 7443)



No.: NBES220500282901

Date: June 02, 2022

Page 32 of 38



TAO22-034358.005



TAO22-034358.006



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions and, for electronic format documents, subject to Terms and Conditions as the Company and Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined them. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to iterascition from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


(## 755 753 751 7443)




No.: NBES220500282901

Date: June 02, 2022

Page 33 of 38



TAO22-034358.007



TAO22-034358.008



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions and, for electronic format documents, subject to Terms and Conditions as the Company and Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined them. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to iterascition from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


(## 755 753 751 7443)




No.: NBES220500282901

Date: June 02, 2022

Page 34 of 38



TAO22-034358.009



TAO22-034358.010



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions sor Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.or, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



No.: NBES220500282901

Date: June 02, 2022

Page 35 of 38



TAOEC2203435801

SGS authenticate the photo on original report only





No.: NBES220500282901 Date: June 02, 2022

Page 36 of 38

# **VENDOR AGREEMENT DOCUMENT** VENDOR AGREEMENT REGARDING SAMPLES SUBMITTED FOR TESTING

This Agreement is a legally binding document and the parties hereto agree to be bound by all terms and conditions contained herein, as amended from time to time. This Agreement does not create an obligation for Big Lots! Stores, Inc., or any of its directly or indirectly affiliated entities ("Big Lots") to purchase merchandise or other goods. Big Lots reserves the right to remit payment to the party to whom the purchase order is issued.

Date:2022-05-25					
Legal Name (Please print): _ Ningbo Bestco Imp. & Exp. Co., Ltd ("Vendor")  □ X Existing Vendor □ New Vendor					
Vendor Type (Check One Only) □X Individual	☐ Corporation ☐ Sole Proprietorship				
Address of Vendor:  Name:Ningbo Bestco Imp. & Exp. Co., Ltd Address: 3rd-5th Floor No.168 Changshou East Road Panhuo Industrial Estate_ Code:315105 Attention: Tracy Yue Phone: _0574-28867788-617_ Fax: _0574-28867799_ Email:tracy@bestcocn.com  Address to Mail Claim Documentation:  Name: Ningbo Bestco Imp. & Exp. Co., Ltd Address: 3rd-5th Floor No.168 Changshou East Road Panhuo Industrial Estate_ City: Ningbo Prov/State: Zhejiang Code: 315105  Attention: Tracy Yue  Address to Mail Claim Documentation:  Name: Ningbo Bestco Imp. & Exp. Co., Ltd Address: 3rd-5th Floor No.168 Changshou East Road Panhuo Industrial Estate_ City: Ningbo Prov/State: Zhejiang Code: 315105  Attention: Tracy Yue					
Vendor hereby certifies that the samples submitted to the Big Lots testing facility and which accompany this document are identical in all material respects to the product that will be sold to Big Lots by vendor and which will eventually be for sale in Big Lots' stores. Vendor agrees to defend, indemnify and hold harmless Big Lots against any and all liabilities to or claims by any third parties, and expenses or losses of any nature, in any way connected with or arising from the failure of Vendor's products which are sold to Big Lots to be identical in all material respects to those samples originally submitted to Big Lots for testing.					
Tracy NINGBO BESTCO IMPORT & EXPORT CO.LTD. Print Legal Name 被证 语进出口有限公司  Per: Authorized Signing Officer. Authorized Signing Officer We/I have authority to bind the Vendor Partner					
As an officer of the Vendor I have read this form and understand the Vendor's business relationship with Big Lots is based upon full compliance with the above representation. I understand that the Vendor's failure to have its products satisfy this representation may result in Big Lots' immediate cancellation of all outstanding orders and refusal to do business in any manner with the Vendor. I hereby affirm that all actions, legal and corporate to make this document a binding and enforceable obligation of the Vendor are complete and that the Vendor agrees to ensure that its products sold to Big Lots will be identical in all material respects to the samples submitted to Big Lots for testing.  Officer's Signature:					





No.: NBES220500282901 Date: June 02, 2022

Page 37 of 38

#### CERTIFICATE OF COMPLIANCE REDUCTION OF TOXICS IN PACKAGING

## Ningbo Bestco Imp & Exp Co., Ltd.

### Certificate of Compliance

#### Reduction of Toxics in Packaging

We certify that all packaging (i.e., packages and packaging components as defined in the Model Toxics in Packaging Legislation published by the Toxics in Packaging Clearinghouse at www.ToxicsInPackaging.org) sold to Big Lots Stores, Inc. and/or its subsidiaries, affiliates, or divisions, in all States that have adopted some form of the Model Toxics in Packaging Legislation, complies with the requirements of the specific State toxics in packaging law(s). Specifically:

- 1) We certify that the regulated metals lead, mercury, cadmium, and hexavalent chromium -were not intentionally added to any packaging during the manufacturing process.
- We further certify that the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium present in any packaging does not exceed 100 parts per million by weight.
- 3.) If the packaging is sold to Big Lots Stores, Inc., its subsidiaries, affiliates and/or divisions in the State of lowa, we hereby certify that no materials used to replace the regulated heavy metals are present in a quantity or manner that creates a hazard as great or greater than the hazard created by the regulated metals.
- We will maintain adequate documentation of this certification for inspection upon request.
- 5.) We acknowledge that this Certification does not create any obligation for subsidiaries, affiliates and/or divisions of Big Lots Stores, Inc., an Ohio corporation, including West Coast Liquidators, Inc., CSC Distribution, Inc., Closeout Distribution, Inc., Durant DC, LLC, Big Lots Capital, Inc., PNS Stores, Inc., C.S Ross Company, Big Lots Wholesale, Wisconsin Toy and Consolidated International (collectively, "Big Lots") to purchase merchandise or other goods.

COMPANY NAME: \_\_\_\_ Ningbo Bestco Imp & Exp Co., Ltd.\_ ADDRESS: 5F, No.168 East of Changshou Road, Panhuo Industrial Zone, Yinzhou District, Ningbo, Zhejiang, China





No.: NBES220500282901 Date: June 02, 2022 Page 38 of 38

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://mww.sas.com/printers.and-Conditions.aspa">https://mww.sas.com/printers.and-Conditions.aspa</a>, for electronic format documents of the control of the control