

Test Report

Number: SHAH01217168

Applicant: L3 SALES AND SOURCING
700 EIGHT TWENTY BLVD SUITE 101,
FT WORTH, TX 76106 U.S.A.
Attn: HANSON

Date: 23 Jun, 2022

Sample Description:

Three (3) styles of submitted sample said to be :

Item Name : FRAME ORNAMENT
SKU No. : 1310362.
Buyer : Family Dollar.
Goods Exported To : US.
Country Of Origin : CHINA.
P.O. No. : 7405243

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Tests Conducted

1. TEST PROTOCOL FOR CHILDREN'S PRODUCT SUPPLEMENTAL

As requested by the applicant, the test results were listed as below:

Key	Attribute	Citation	Requirement / Limit	Partial Testing	Result	Rating
	Labeling Requirement					
	Age Grading Evaluation	With reference to Determination Guidelines: Relating Children's Ages to Toys Characteristic and Play Behavior 2002 by CPSC	Children product shall be labeled to indicate the minimum age for intended use. NOTE: Testing would be conducted according to either the labeled age grade or the appropriate age grade, as determined by Intertek, whichever is more stringent. In case if the product is not age labeled, the appropriate age grade will be determined by Intertek and tested accordingly.		Label age grade: none Appropriate age grade for testing: for ages 3 years and up	-
†*	Tracking Label	Consumer Product Safety Improvement Act of 2008 / Client's requirement	[For disposal products, only required on packaging] Toys and children's articles shall have a permanent and distinguishing mark on itself and its packaging, to the extent practicable, enabling the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. The accuracy of tracking label will not be verified. The CPSC has not issued implementing guidance as to the size, location and format of the tracking label. However, the requirement to provide tracking information is mandatory regardless of whether the CPSC provides such guidance after the effective date. Report actual and image of tracking label on product and/or package.	Yes	On package and product: MIDWOODBR ANDSLLC 03225160388 40520	-
†	Consumer Registration of Durable Infant or Toddler Product	16 CFR 1130	Durable infant or toddler products, as follows, shall meet the requirements for consumer registration. 1) Full-size cribs and non-full-size cribs; 2) Toddler beds; 3) High chairs, booster seats, and hook-on chairs; 4) Bath seats; 5) Gates and other enclosures for confining a child; 6) Play yards; 7) Stationary activity centers; 8) Infant carriers;		NA	-



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Partial Testing	Result	Rating
			9) Strollers; 10) Walkers; 11) Swings; 12) Bassinets and cradles; 13) Children's folding chairs; 14) Changing tables; 15) Infant bouncers; 16) Infant bathtubs; 17) Bed rails; 18) Infant slings.			
†*	Law Label - Except Stuffed Toy and Stuffed Pet Toy	Various US State Law / With reference to IABFLO	Stuffed articles (except stuffed toys and stuffed pet toys), bedding or furniture with filling materials, as specified, shall have law label attached to the product. NOTE: It is the vendor's responsibility to register the product as required.		NA	-

Abbreviation: P = Pass; F = Fail; NA = Not Applicable; NR = Not Requested

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.

Key: * : Additional charge items

†: Mandatory Requirement

Results Key:

NA	Not Applicable	NT	Not Tested
NR	Not Requested	R	Recorded
C	Claimed		

Rating Key:

P	Pass
F	Fail

2.TEST PROTOCOL FOR PAINT BRUSH

As requested by the applicant, the test results were listed as below:

Key	Attribute	Citation	Requirement / Limit	Result	Rating
	Labeling				
†	One Time Use Products Fair Packaging and Labeling Act OR All Other Products Uniform Packaging and Labeling Regulations	F.P. & L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	Manufacturer, packer, or distributor's name & address (city, state & zip). Product Identification. Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).	Provided	P
†	Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Shall be visible at point of purchase.	Provided	P
	Parts Labeling	Visual Check	Shall match the actual content if present.	NA	-



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating										
	Use Labeling	ITS-M0060	Use/care instructions that are clear and understandable shall be provided in language appropriate to destination countries.	NA	-										
	Verify Label Claims	ITS-M0060	Shall comply with all claims.	Meet	P										
	Instructions	ITS-M0060	Shall provide easy understandable instructions regarding assembly, use and maintenance.	NA	-										
†	Plastic Bag Warning Statement (if applicable)	Massachusetts – 105 CMR 630.000 / New York – 10 NYCRR § 12.12 / Rhode Island – R.I. Gen. Laws § 11-9-16 / California – Cal Bus & Prof Code § 22200	<p>Plastic bags with a thickness of less than one mil (0.001 inch), in which a diameter is 5 inches or greater (when formed into a circle) used as packaging or packaging article for domestic/household use (e.g. laundry bag, garbage bag) shall contain a warning statement similar (at a minimum should describe that there is a suffocation hazard, and how to avoid this hazard) to below on both sides of each bag.</p> <p>Warning: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.</p> <p>The warnings shall be printed clearly as to prevent the ink from smearing or upon a gummed label securely attached to the bag. It shall be contrasted by typography, layout or color from the contents of the bag and from other printed matter on the bag, if any.</p> <p>If the total length and width of the bag is more than 40 inches, the warning shall be repeated at 20 inches intervals. Except laundry bag, the font size of the warning must adhere to the chart listed below:</p> <table border="1"> <thead> <tr> <th>Total Length and Width of Bag</th> <th>Size of Print</th> </tr> </thead> <tbody> <tr> <td>60 inches or more</td> <td>at least 24 point</td> </tr> <tr> <td>40 to 59 inches</td> <td>at least 18 point</td> </tr> <tr> <td>25 to 39 inches</td> <td>at least 14 point</td> </tr> <tr> <td>Less than 25 inches</td> <td>at least 10 point</td> </tr> </tbody> </table> <p>For laundry bag, the font size of the warning should be at least 36 points.</p>	Total Length and Width of Bag	Size of Print	60 inches or more	at least 24 point	40 to 59 inches	at least 18 point	25 to 39 inches	at least 14 point	Less than 25 inches	at least 10 point	NA	-
Total Length and Width of Bag	Size of Print														
60 inches or more	at least 24 point														
40 to 59 inches	at least 18 point														
25 to 39 inches	at least 14 point														
Less than 25 inches	at least 10 point														

Key: †: Mandatory Requirement

Results Key:

NA	Not Applicable	NT	Not Tested
NR	Not Requested	R	Recorded
C	Claimed		

Rating Key:

P	Pass
F	Fail

Date Sample Received: May 11, 2022

Testing Period: May 11, 2022 to May 13, 2022



Test Report

Number: SHAH01217168

Tests Conducted

3. TEST PROTOCOL FOR POSTER PAINTS

As requested by the applicant, the test results were listed as below:

Key	Attribute	Citation	Requirement / Limit	Result	Rating
	Labeling Requirement				
†	Product Packaging and Labeling	F.P. & L. Act, 16 CFR 500 (For one time use products) OR NIST Handbook 130 Uniform Laws and Regulations (For others)	Manufacturer, packer, or distributor's name & address (city, state & zip). Product Identification. Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).	Provided	P
†	Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Provided	P
†	Labeling of Art Material	16 CFR 1500.14(b)(8) / LHAMA / ASTM D4236	Art materials as defined by 16 CFR 1500.14(b)(8) shall meet all applicable labeling requirement of ASTM D4236: "Conforms to ASTM D4236".	Meet	P
	Verify Label Claims	ITS-M0060	Shall meet label claims (If applicable). Remark any claim that is not verified.	C: Diy-5 count, frame ornament, 3 pains 0.085 fl oz, 2.5 mL each conforms to ASTM D-4236 and non-toxic R: Diy-5 count, frame ornament, 3 pains 0.081 fl oz, 2.41 mL each ASTM D-4236 and non-toxic	-
	Instructions	ITS-M0060	Instructions and warnings shall be provided in user manual (if applicable) that warns the user against reasonable, foreseeable uses or misuses of the product. It shall also include instructions regarding installation, use, safety and maintenance. All accessories shall be recorded and described in the user's manual and provided with instruction for proper use. Shall be legible and easy to understand with no errors or spelling mistakes. Provide a copy of the instructions in the report.	NA	-



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating												
† *	Plastic Bag Warning	Various US State Law / With reference to Massachusetts Regulations 105 CMR 630.000 & New York Codes, Rules and Regulations (NYCRR) Title 10, § 12.12 & Rhode Island General Laws, Title 11, § 11-9-16 & California Business and Profession Code § 22200 & Code of Virginia, § 18.2-320	<p>Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent:</p> <p>WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.</p> <p>The warning shall be printed clearly so as to prevent the ink from smearing, or upon a gummed label securely attached to the plastic bag, and shall be printed in a prominent place with legible bold face type which shall be contrasted by typography, layout or color from the contents of the bag and from other printed matter on the bag, if any.</p> <p>The size of the print shall be as follows. If the total length and width of the bag is more than 40 inches, the warning shall be repeated at intervals of 20-inches or less.</p> <table border="1" data-bbox="662 968 1156 1182"> <thead> <tr> <th>Total length and width of bag (X)</th> <th>Size of print</th> </tr> </thead> <tbody> <tr> <td>X ≥ 60 inches</td> <td>≥ 24 point</td> </tr> <tr> <td>40 ≤ X < 60 inches</td> <td>≥ 18 point</td> </tr> <tr> <td>25 ≤ X < 40 inches</td> <td>≥ 14 point</td> </tr> <tr> <td>X < 25 inches</td> <td>≥ 10 point</td> </tr> <tr> <td>Bags intended for freshly clean clothes</td> <td>≥ 36 point</td> </tr> </tbody> </table> <p>NOTE: The requirement for bags intended for freshly clean clothes is per state of Virginia.</p>	Total length and width of bag (X)	Size of print	X ≥ 60 inches	≥ 24 point	40 ≤ X < 60 inches	≥ 18 point	25 ≤ X < 40 inches	≥ 14 point	X < 25 inches	≥ 10 point	Bags intended for freshly clean clothes	≥ 36 point	NA	-
Total length and width of bag (X)	Size of print																
X ≥ 60 inches	≥ 24 point																
40 ≤ X < 60 inches	≥ 18 point																
25 ≤ X < 40 inches	≥ 14 point																
X < 25 inches	≥ 10 point																
Bags intended for freshly clean clothes	≥ 36 point																

Key: * : Additional charge items

†: Mandatory Requirement

Results Key:

NA	Not Applicable	NT	Not Tested
NR	Not Requested	R	Recorded
C	Claimed		

Rating Key:

P	Pass
F	Fail

Date Sample Received: May 11, 2022 & May 18, 2022

Testing Period: May 11, 2022 to May 18, 2022



Test Report

Number: SHAH01217168

Tests Conducted

4. TEST PROTOCOL FOR ARTS & CRAFTS

As requested by the applicant, the test results were listed as below:

Key	Attribute	Citation	Requirement / Limit	Result	Rating							
†*	Formaldehyde Emission of Composite Wood Product	40 CFR 770.10 / ASTM E1333-10 / ASTM D6007	Composite wood products (i.e. hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF)) that are either in the form of panels, component parts, or incorporated into finished goods shall not release formaldehyde exceeding below limits.	Meet	P							
			<table border="1"> <thead> <tr> <th>Composite wood product</th> <th>Limit (max.)</th> </tr> </thead> <tbody> <tr> <td>HWPW CC or HWPW VC</td> <td>0.05 ppm</td> </tr> <tr> <td>MDF</td> <td>0.11 ppm</td> </tr> <tr> <td>Thin MDF (thickness ≤ 8 mm)</td> <td>0.13 ppm</td> </tr> <tr> <td>PB</td> <td>0.09 ppm</td> </tr> <tr> <td>Laminated products that are not exempt from the definition of HWPW (EFFECTIVE DATE: March 22, 2024)</td> <td>0.05 ppm</td> </tr> </tbody> </table> <p><i>In lieu of testing, valid certificate or test report or document can be submitted if dated within one year.</i></p>			Composite wood product	Limit (max.)	HWPW CC or HWPW VC	0.05 ppm	MDF	0.11 ppm	Thin MDF (thickness ≤ 8 mm)
Composite wood product	Limit (max.)											
HWPW CC or HWPW VC	0.05 ppm											
MDF	0.11 ppm											
Thin MDF (thickness ≤ 8 mm)	0.13 ppm											
PB	0.09 ppm											
Laminated products that are not exempt from the definition of HWPW (EFFECTIVE DATE: March 22, 2024)	0.05 ppm											



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating
†*	California Air Resource Board (CARB) Formaldehyde Emissions from Composite Wood Products	Airborne Toxic Control Measure (ATCM) California Code of Regulations Title 17, §93120 / ASTM D6007	<p>The covered products include finished goods composed of or containing:</p> <ul style="list-style-type: none"> - Particleboard (PB); - Medium Density Fiberboard (MDF); - Thin MDF (≤ 8 mm in thickness); - Hardwood Plywood (HWPW) made with a composite core (veneer or composite). <p>1. It is the responsibilities of the importers and manufacturers to maintain chain of custody documentation which certifies the use of composite wood materials that meet CARB requirements. The documentation shall be retained for two years and readily accessible upon request.</p> <p>2. The label should include the fabricator's name, the date the finished good was produced and a marking to denote that the product was made with HWPW, PB, or MDF that complies with the applicable Phase 1 or Phase 2 emission standards in section 93120.2(a). Finished goods shall be labeled as having been made with no-added formaldehyde based resins or ULEF resins if this is so for all HWPW, PB, or MDF used in fabricating the finished goods.</p> <p><i>In lieu of testing, valid certificate or test report or certificate can be submitted if dated within one year.</i></p> <p>Note: Intertek Shanghai, Shenzhen and Hong Kong are approved as third party certifier (TPC) for certification of CARB</p>	Meet	P
Labeling					
†	Product Packaging and Labeling	F.P. & L. Act, 16 CFR 500 (For one time use products) OR NIST Handbook 130 Uniform Laws and Regulations (For others)	Manufacturer, packer, or distributor's name & address (city, state & zip).	Provided	P
			Product Identification.	Provided	P
			Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).	Provided	P
†	Country of Origin Marking	19 CFR 134.11	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	Provided	P



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating
†*	Labeling of Composite Wood Product, Panel, and Finished Good containing Composite Wood Product	40 CFR 770.45	<p>Composite wood products (i.e. hardwood plywood (HWPW) made with either a combination core (CC) or a veneer core (VC), particleboard (PB), and medium-density fiberboard (MDF), panels, and finished goods containing composite wood products shall be labeled with the fabricator's name, the date the finished good was produced (in month/year format), and a statement that the finished goods are TSCA Title VI compliant.</p> <p>NOTE: 1) Vendor shall provide valid certificates and/or other documents. 2) Information cannot be on bar code label. 3) Information for CARB and TSCA can be on the same label. 4) Label must be on the product for all types of products. 5) Family Dollar does not allow de minimis exemption for labeling.</p>	Meet	P
	Verify Label Claims	ITS-M0060	Shall meet label claims (If applicable). Remark any claim that is not verified.	Meet	P
	Instructions	Visual Check	<p>a. Instructions and warnings shall be provided in user manual that warns the user against reasonable, foreseeable uses and misuses of the product. It shall also include instructions regarding installation, use, safety and maintenance. All accessories shall be recorded and described in the user's manual and provided with instruction for proper use.</p> <p>b. The instructions shall be legible and easy to understand with no errors or spelling mistakes. Provide a copy of the instructions in the report.</p>	NA	-



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating												
† ⁺	Plastic Bag Warning	Various US State Law / With reference to Massachusetts Regulations 105 CMR 630.000 & New York Codes, Rules and Regulations (NYCRR) Title 10, § 12.12 & Rhode Island General Laws, Title 11, § 11-9-16 & California Business and Profession Code § 22200 & Code of Virginia, § 18.2-320	<p>Plastic bags with a thickness of less than 1 mil (0.001 inch) having an opened end larger than 5 inches in diameter shall contain the following warning statement or equivalent:</p> <p>WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy.</p> <p>The warning shall be printed clearly so as to prevent the ink from smearing, or upon a gummed label securely attached to the plastic bag, and shall be printed in a prominent place with legible bold face type which shall be contrasted by typography, layout or color from the contents of the bag and from other printed matter on the bag, if any.</p> <p>The size of the print shall be as follows. If the total length and width of the bag is more than 40 inches, the warning shall be repeated at intervals of 20-inches or less.</p> <table border="1"> <thead> <tr> <th>Total length and width of bag (X)</th> <th>Size of print</th> </tr> </thead> <tbody> <tr> <td>X ≥ 60 inches</td> <td>≥ 24 point</td> </tr> <tr> <td>40 ≤ X < 60 inches</td> <td>≥ 18 point</td> </tr> <tr> <td>25 ≤ X < 40 inches</td> <td>≥ 14 point</td> </tr> <tr> <td>X < 25 inches</td> <td>≥ 10 point</td> </tr> <tr> <td>Bags intended for freshly clean clothes</td> <td>≥ 36 point</td> </tr> </tbody> </table> <p>NOTE: The requirement for bags intended for freshly clean clothes is per state of Virginia.</p>	Total length and width of bag (X)	Size of print	X ≥ 60 inches	≥ 24 point	40 ≤ X < 60 inches	≥ 18 point	25 ≤ X < 40 inches	≥ 14 point	X < 25 inches	≥ 10 point	Bags intended for freshly clean clothes	≥ 36 point	NA	-
Total length and width of bag (X)	Size of print																
X ≥ 60 inches	≥ 24 point																
40 ≤ X < 60 inches	≥ 18 point																
25 ≤ X < 40 inches	≥ 14 point																
X < 25 inches	≥ 10 point																
Bags intended for freshly clean clothes	≥ 36 point																
†	Labeling for Art Materials	16 CFR 1500.14 (b)(8)/ ASTM D4236	Art materials as defined by 16 CFR 1500.14 (b)(8) shall meet the labeling requirements in accordance with ASTM D4236: "Conforms to ASTM D4236".	Meet	P												
† ⁺	Hazardous Substance Labeling	16 CFR 1500.3 (b)(14) and 16 CFR 1500.14 and 16 CFR 1500.121	Substances or article contains substances that have known hazards shall have labeling comply with all applicable requirements of the Regulations.	NA	-												



Test Report

Number: SHAH01217168

Tests Conducted

Key	Attribute	Citation	Requirement / Limit	Result	Rating
†*	Chemistry Set Labeling	16 CFR 1500.83(a)(23)	Chemistry sets, science education sets and replacement chemicals for such sets, are exempt from section 2(p)(1) of the Federal Hazardous Substances Act if i.) The immediate container of hazardous chemical bears on its main panel the name, appropriate signal word, and additional statement "Read back (or side) panel before using" and bears on the back (or side) panel the remainder of the appropriate cautionary statement; ii.) The experiment manual or other instruction book or booklet bears the following caution statement within the borders of a rectangle and in the type size specified in 1500.121: WARNING – This set contains chemicals that may be harmful if misused. Read cautions on individual containers carefully. Not to be used by children except under adult supervision. The outer carton bears on the main panel the caution statement specified in (ii).	NA	-

Abbreviation: P = Pass; F = Fail; NA = Not Applicable; NR = Not Requested

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.

Key: †: Mandatory Requirement * : Additional charge items

Results Key:

NA	Not Applicable	NT	Not Tested
NR	Not Requested	R	Recorded
C	Claimed		

Rating Key:

P	Pass
F	Fail



Test Report

Number: SHAH01217168

Tests Conducted



Picture 1



Picture 2: labeling



Picture 3: labeling

Date Sample Received: May 11, 2022
Testing Period: May 11, 2022 to Jun.22, 2022

End Of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.
This report shall not be reproduced except in full, without written approval of the laboratory.
This statement of conformity is only based on the actual measured test result by the laboratory, without taking the influence of uncertainty into account.*



Test Report

Number: SHAH01516735

Applicant: PCHI ASIA LIMITED
35/F SAXON TOWER, 7 CHEUNG SHUN ST,
CHEUNG SHA WAN KLN, HK

Date: 15 Nov, 2022

Sample Description:

Six(6) sets of submitted sample said to be:
Item no. : 3902947
Vendor no. : 13201
Factory no. : 01722
P.O. no. : 350706
Rating according to
Amscan's protocol : Pass
Item name : Pat Mdf Painting Craft Kit
Sample submission date : Nov 08,2022
Report issued date : Nov 15,2022
Report no. : SHAH01516735
Retest of report : --
Remark : --
Test Reference Number : LBW10055203
Labelled age group : 4+
Age group for testing : Over 4 Years
Packaging provided : Yes
Buyer : Amscan
Country of origin : China
Country of destination : US
Sample Type : Vendor Provided Sample

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01516735

Amscan Gunscan
reference :

Component	Heavy Metal	Phthalate
multicolour paper head card(packaging)	Nd	NA
silver metal staple(packaging)	Nd	NA
transparent plastic bag(packaging)	Nd	Nd
wood-buff wood board	Pb8	NA
wood-black painting with wood board	Nd	NA
transparent plastic box	Nd	Nd
red paint	Nd	NA
blue paint	Nd	NA
white paint	Nd	NA
yellow paint	Nd	NA
black plastic stick	Pb10	Nd
black plastic brush	Nd	Nd

Remark :

1. In lieu of testing and as per client's request, a report - (report no. 67321-010009 issued by MTS dated Jan 19,2021) toxicological risk assessment of Title 16, Code of Federal Regulations (CFR), Part 1500.3 for Vendor# 13201:3902439 Halloween Paint Your Own Craft Kit Color Acrylic Paint was provided for verification.
 2. In lieu of testing and as per client's request, a report - (report no. 67321-010010 issued by MTS dated Jan 19,2021) toxicological risk assessment of Canada Consumer Product Safety Act (CCPSA) Toys Regulation SOR/2011-17 Section 25 & 26 for Vendor# 13201:3902439 Halloween Paint Your Own Craft Kit Color Acrylic Paint was provided for verification.
 3. In lieu of testing and as per client's request, a report - (report no. SHAH01472330 issued by Intertek dated Jul 12,2022) cleanliness of materials of United States Pharmacopoeia, Chapter 61 & 62 for Paint was provided for verification.

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01516735



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Bill Zhang
General Manager



Test Report

Number: SHAH01516735

Amscan requirement (for GCC use)	
Test item	Rating
Lead in surface coating (16 CFR 1303)	Pass
Lead in substrate (CPSIA 101)	Pass
Choking hazard labeling (16 CFR 1500.19)	NA
Pacifiers (16 CFR 1511)	NA
Rattles (16 CFR 1510)	NA
Labeling on hazardous (16 CFR 1500.14(b) (1-5))	NA
Toys (ASTM F963) (CPSIA 106)	Pass#
Sharp point (16 CFR 1500.48)	Pass
Sharp edge (16 CFR 1500.49)	NA
Small part (16 CFR 1501)	NA
Flammability of solids (16 CFR 1500.44)	Pass
Flammability of textiles (16 CFR 1610)	NA
Flammability of plastic film (16 CFR 1611)	NA
Phthalates in toy & childcare items (CPSIA 108)	Pass
Art materials (LHAMA) (16 CFR 1500.14(b)(8))	#
Others (please specify)	NA

Abbreviation: NA = Not applicable NR = Not requested

= As requested by applicant, Section 4.29 and 5.13 were not assessed.

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01516735

Conclusion:

<u>Tested Samples</u>	<u>Requirement</u>	<u>Result</u>
Submitted Sample Set	Amscan Labeling Requirement	Pass (Subjected to Remark)
	U.S. ASTM F963-17 - Physical And Mechanical Tests Excluding Art Materials Requirement of Section 4.29 and 5.13	Pass
	U.S. ASTM F963-17 - Flammability Test of Materials Other Than Textile Materials	Pass
	U.S. CFR Title 16 (CPSC Regulations) - Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Pass
Tested components of submitted sample	Total Lead content in surface coating	Pass
Tested component of submitted sample	Amscan's requirement for total Lead content in non-surface coating materials (substrate)	Pass
Tested components of submitted sample	Amscan's requirement for toxic elements test on surface coating	Pass
Tested component of submitted sample	Amscan's requirement for toxic elements test on substrate	Pass
	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 section 23 and amendments SOR/2016-195 for toxic elements test	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01516735

Conclusion:

<u>Tested Samples</u>	<u>Requirement</u>	<u>Result</u>
Tested Components Of Submitted Sample	Amscan's requirement for specified phthalates	Pass
	Amscan's requirement with reference to Consent Judgement No. BG-350969 for phthalates content based on related court case of California Proposition 65 (excluding labelling assessment)	Pass
	California Proposition 65 for paints and pigments , Consent Judgement No. SF-306481 -Total Lead (Pb) content -Total Cadmium (Cd) content	Pass
Tested component of submitted sample	Amscan's requirement with reference to consent judgement No. SF-306481 for total Lead (Pb) & Cadmium (Cd) content in paints and pigments products based on related court case of California Proposition 65	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01516735

Tests Conducted

1 Labeling Test on Amscan Product

As per the Amscan requirement, the submitted sample was subjected to the following tests.

Number of Samples Tested: One (1) Set.

Executive Summary:

Labeling Requirements	Citation	Criteria	Result
16 CFR 500 Fair Packaging and Labeling Act or Uniform Packaging and Labeling Regulations	FPLA (16 CFR 500) or NIST Uniform Laws and Regulations Handbook 130	Manufacturer, Packer, or Distributor's Name & Address (City, State & Zip Code)	P
		Product Identification	P
		Net quantity of contents shall be expressed in appropriate type size and in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (in.-pound and SI units).	P
Country of Origin Marking	19 CFR 134	Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.	P (Made in China)
16 CFR 1500.130 Pressurized Container Labeling	16 CFR 1500.130	Self-pressurized containers shall conform to the labeling requirements 16 CFR 1500.121(c).	NA
ASTM F963 Labeling	ASTM F963, Section 4 - 6	Shall have special labeling for special features	P See Remark #1
Labeling for Misbranded Toy or Children Articles	FHSA Sec.24 / 16 CFR 1500.19&121	Shall conform to the labeling requirement as defined by the act and regulations	NA
Art Materials	16 CFR 1500.14(b)(8) / ASTM D4236	Shall conform to the labeling requirements as defined by 16 CFR 1500.14 (b)(8)(LHAMA)/ASTM D4236 The art materials product/package shall carry "Conforms to ASTM D4236" or similar statement express the same meaning. Note: it is the supplier's responsibility to ensure the art materils used in the product are non-toxic and conforms to ASTM D4236. The document review is reported on next test item.	Record: "Conforms to ASTM D4236" on package.
16 CFR 1500.14(b)(1-5) Labeling on Hazardous Substances	16 CFR 1500	Substances have a special hazards to health shall have conform labeling requirement.	NA
Stuffed Toy Labeling	PA / MA / OH Stuffed Toy Law	Stuffed toys shall have a tag or label securely affixed which contains: <ul style="list-style-type: none"> A statement that "All new material" was used Type of material 	NA



Test Report

Number: SHAH01516735

Tests Conducted

Labeling Requirements	Citation	Criteria	Result
		<ul style="list-style-type: none"> The assigned state registration number (Pennsylvania at a minimum) The name and principal place of business (city and state) of the manufacturer or vendor	
Stuffed Articles	Technical Standard and Safety Act, 2000 Ontario Regulation 218/01 Quebec Regulation Respecting Stuffing and Upholstered and Stuffed Articles The Public Health Act of Manitoba, C.C.S.M. c. P210 - Bedding, Upholstered and Stuffed Articles Regulation	Toys shall have a label in the required format, securely affixed in a conspicuous location to the stuffed article. Labels must be made of a white durable fabric with black printing and shall declare filling materials by generic name in descending order based on the volume of each filling material.	NA
Safety Agency Listing Verification*	Visual Check	Verify UL/ETL listing or equivalent UL/ETL number: _____ for _____ UL/ETL number: _____ for _____ UL/ETL number: _____ for _____	NA
Safety Agency Listing Verification*	Visual Check	CUL/CETL Current Listing verification Comment: Conduct electrical listing verification and testing for CANADA if being sold in Canada CUL/CETL number: _____ for _____ CUL/CETL number: _____ for _____ CUL/CETL number: _____ for _____	NA
FCC Labeling Verification	FCC Part 15	Shall have valid FCC report if the product operates by DC / AC with internal frequency >9kHz or operates by battery with internal frequency >1.705MHz Appropriate marking shall appear on both the product and instruction manual.	NA
CARB Labeling Verification	Visual check	Verify CARB Labeling	P
TSCA Labeling Verification	Visual check	Verify TSCA Labeling	P

Abbreviation: P = Pass; NA = Not Applicable;

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

Remark:

#1 = As requested by the applicant, ASTM F963 section 4.29 and 5.13 art materials requirement was not assessed.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.11, 2022

2 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age Group for Testing: For ages over 4 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

Test	FHSA	Parameter
Impact Test	Section 1500.53 (b)	4 x 3.0 ft
Torque Test	Section 1500.53 (e)	4 in-lbf
Tension Test	Section 1500.53 (f)	15 lbf
Compression Test	Section 1500.53 (g)	30 lbf

Section	Testing Items	Assessment
4.1	Material Quality	P
4.5	Sound-Producing Toys	NA
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	P
4.8	Projections	NA
4.9	Accessible Points	P
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	NA
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA



Test Report

Number: SHAH01516735

Tests Conducted

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NC #1
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P #1
6	Instructional Literature	P
7	Producer's Markings	
	- Name of Producer/Distributor (Toy & Package)	Yes
	- Address (Package)	Yes

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable NC = Not Conducted

#1 = As requested by applicant, sections 4.29 and 5.13 were not assessed.

Date Sample Received: Nov.9, 2022
 Testing Period: Nov.9, 2022 to Nov.11, 2022

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

3 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

<u>Sample</u>	<u>Ignition Point</u>	<u>Burn Length</u> (inch)	<u>Time</u> (sec)	<u>Burn Rate</u> (inch/sec)	<u>Limit</u> (inch/sec)
Brush	edge	1-3/4	60	0.03	0.10

All styles of the submitted toy sample and its accessories were tested, the above result only showed the most severe burn rate of the samples.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.11, 2022

4 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

<u>Sample</u>	<u>Ignition Point</u>	<u>Burn Length</u> (inch)	<u>Time</u> (sec)	<u>Burn Rate</u> (inch/sec)	<u>Limit</u> (inch/sec)
Brush	edge	1-3/4	60	0.03	0.10

All styles of the toy sample and its accessories were tested, the above result only showed the most severe burn rate.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.11, 2022

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

5 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Age group for testing: For ages over 4 years

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.	
<u>Test</u>	<u>Parameter</u>
Drop test	4 x (0.909±0.005) m
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NA
4	Packaging	
	(a) The opening perimeter is less than 14 inches	P
	(b) The opening perimeter is more than 14 inches	NA
	<u>Electrical hazard</u>	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	NA
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	P
12	Glass	NA
13	Fasteners	NA
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	<u>Auditory hazards</u>	
19	Noise limit	NA
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	NA
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA



Test Report

Number: SHAH01516735

Tests Conducted

No.	Testing Items	Assessment
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: Nov.9, 2022

Testing Period: Nov.9, 2022 to Nov.11, 2022

6 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments
SOR/2016-195, SOR/2016-302.and SOR/2018-138

	<u>Assessment</u>	<u>Requirement</u>
Cellulose Nitrate/Celluloid	Absent	Absent

Date Sample Received: Nov.9, 2022

Testing Period: Nov.9, 2022 to Nov.11, 2022

To be continued

Test Report

Number: SHAH01516735

Tests Conducted

7 Total Lead (Pb) Content In Surface Coating

As per Amscan's request, with reference to U.S. Code of Federal regulations title 16 part 1303 and U.S. Consumer Product Safety Improvement Act 2008, title I, section 101 for children's products containing Lead and Illinois Lead Poisoning Prevention Act, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested component</u>	<u>Result in ppm</u>	<u>Limit in ppm</u>
(1+2)	<10	90
(3+4)	<10	90
(5)	<10	90

Remark: ppm = parts per million = mg/kg

Tested components:

1. Blue paint.
2. Red paint.
3. White paint.
4. Yellow paint.
5. Black coating on wood.

Date Sample Received: Nov.9, 2022

Testing Period: Nov.9, 2022 to Nov.13, 2022

8 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per Amscan's request, with reference to U.S. Consumer Product Safety Improvement Act 2008, title I, section 101 for children's products containing Lead and Illinois Lead Poisoning Prevention Act, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested component</u>	<u>Result in ppm</u>	<u>Limit in ppm</u>
(1+2+3)	<10	90
(4)	<10	90

Remark: ppm = parts per million = mg/kg

Tested components:

1. Transparent plastic. (jar)
2. Black plastic. (brusher)
3. Black plastic thread. (brusher head)
4. Natural color ply-wood excluding coating.

Date Sample Received: Nov.9, 2022

Testing Period: Nov.9, 2022 to Nov.13, 2022

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

9 Toxic Elements Analysis on Surface Coating

As per Amscan's request, with reference to section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result (ppm)</u>			<u>Limit (ppm)</u>
	(1+2)	(3+4)	(5)	
Total Barium (Ba)	<10	<10	<10	1000
Total Lead (Pb)	<10	<10	<10	90
Total Cadmium (Cd)	<10	<10	<10	75
Total Antimony (Sb)	<10	<10	<10	60
Total Selenium (Se)	<10	<10	<10	500
Total Chromium (Cr)	<10	<10	<10	60
Total Mercury (Hg)	<10	<10	<10	10
Total Arsenic (As)	<10	<10	<10	25
Total Nickel (Ni)	<10	<10	<10	60

Remark: Sol.= Soluble
ppm = Parts per million = mg/kg

Remark: The result of total heavy metals content was below the limits, soluble test was not conducted.

Tested Components:

1. Blue paint.
2. Red paint.
3. White paint.
4. Yellow paint.
5. Black coating on wood.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

10 Toxic Elements Analysis On Substrate

As per Amscan's request, with reference to section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	<u>Result in ppm</u>		<u>Limit in ppm</u>
	(1+2+3)	(4)	
Total Barium (Ba)	26	<10	1000
Total Lead (Pb)	<10	<10	90
Total Cadmium (Cd)	<10	<10	75
Total Antimony (Sb)	<10	<10	60
Total Selenium (Se)	<10	<10	500
Total Chromium (Cr)	<10	<10	60
Total Mercury (Hg)	<10	<10	60
Total Arsenic (As)	<10	<10	25
Total Nickel (Ni)	<10	<10	60

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

Remark: Sol = Soluble
ppm = Parts per million = mg/kg

Remark: The result of total heavy metals content was below the limits, soluble test was not conducted.

Tested Components:

1. Transparent plastic. (jar)
2. Black plastic. (brusher)
3. Black plastic thread. (brusher head)
4. Natural color ply-wood excluding coating.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

11 Toxic Elements Analysis

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	(1+2)	Result (mg/kg) (3+4)	(5)	Limit (mg/kg)
Tot. Lead (Pb)	<10	<10	<10	90
Tot. Mercury (Hg)	ND	ND	ND	ND
Sol. Cadmium (Cd)	<10	<10	<10	1000
Sol. Antimony (Sb)	<10	<10	<10	1000
Sol. Selenium (Se)	<10	<10	<10	1000
Sol. Arsenic (As)	<10	<10	<10	1000
Sol. Barium (Ba)	<10	<10	<10	1000

Remark: mg/kg = Milligram per kilogram
Tot. = Total
Sol. = Soluble
ND = Not detected (<0.047 mg/kg)

Tested Components:

1. Blue paint.
2. Red paint.
3. White paint.
4. Yellow paint.
5. Black coating on wood.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

12 Phthalate Content Test

Test Method: Amscan's specification, with reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) and High Performance Liquid Chromatographic (HPLC) analysis.

Compound	Result (% w/w)	Limit (% w/w)
	(1+2+3)	(Max.)
Dibutyl phthalate (DBP)	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	0.1
Benzyl butyl phthalate (BBP)	ND	0.1
Diiso-nonyl phthalate (DINP)	ND	0.1
Di-n-octyl phthalate (DnOP)	ND	0.1
Diiso-decyl phthalate (DIDP)	ND	0.1
Di-n-hexyl phthalate (DnHP) / (DHEXP)	ND	0.1
Di-cyclohexyl phthalate (DCHP)	ND	0.1
Diisobutyl phthalate (DIBP)	ND	0.1
Dipentyl phthalate (DPP) / (DPENP)	ND	0.1
Diisooctyl phthalate (DIOP)	ND	--
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	ND	--
Monobutyl phthalate (MBP)	ND	--
Diethyl phthalate (DEP)	ND	--
Bis(2-methoxyethyl) phthalate (DMEP)	ND	--
Diisopentylphthalate (DIPP)	ND	--
N-pentyl-isopentylphthalate (PIPP)	ND	--
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	ND	--
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	ND	--
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	ND	--
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	ND	--

Remark:

ND = Not Detected
Detection Limit = 0.01%(w/w)

Tested components:

1. Transparent plastic. (jar)
2. Black plastic. (brusher)
3. Black plastic thread. (brusher head)

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

To be continued



Test Report

Number: SHAH01516735

Tests Conducted

13 Total Lead (Pb) And Total Cadmium (Cd) Content For Paints And Pigments

With reference to US EPA method 3050B/3051, acid digestion method was used, total Lead content and total Cadmium content were determined by Inductively Coupled Argon Plasma Spectrometry.

	(1+2)	<u>Result (ppm)</u>	(3+4)	<u>Requirement (ppm)</u>
Total Lead(Pb)	<5		<5	12.5
Total Cadmium(Cd)	<1		<1	2.5

The above limit was quoted from the Consent Judgement SF-306481 settled by the superior court of the state of California for the county of San Francisco, for paints and pigments based on the California Proposition 65.

Remark: ppm = Parts per million = mg/kg

Tested Components:

1. Blue paint.
2. Red paint.
3. White paint.
4. Yellow paint.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

14 Total Lead (Pb) & Cadmium (Cd) Content

As per Amscan's request, with reference to US EPA method 3050B/ 3051, acid digestion method was used and total Lead & Cadmium content were determined by Inductively Coupled Argon Plasma Spectrometry.

	(1+2)	<u>Result in ppm</u>	(3+4)	<u>Limit in ppm</u>
Total Lead (Pb)	<5		<5	12.5
Total Cadmium (Cd)	<1		<1	2.5

The above limit was quoted from the consent judgement No. SF-306481 settled by the superior court of the state of California for the county of San Francisco, for paints and pigments based on the California Proposition 65.

Remark: ppm = part per million = mg/kg

.....
To be continued



Test Report

Number: SHAH01516735

Tests Conducted

Tested components:

1. Blue paint.
2. Red paint.
3. White paint.
4. Yellow paint.

Date Sample Received: Nov.9, 2022
Testing Period: Nov.9, 2022 to Nov.13, 2022

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shanghai Ltd.



Sara Pucillo

From: 张慧慧 <sales@xuyang-art.com>
Sent: Tuesday, December 13, 2022 1:46 AM
To: Sara Pucillo
Cc: Samantha Matuszewski; Alice; Bonnie Davies
Subject: Re: Testing Report-Ningbo Xuyang PO 7179-2022.12.12
Attachments: SHAH01516735.pdf

Hi Sara,

Well noted, because the test (FRAME ORNAMENT) was arranged by our guests, this CPSIA test may not be done.

Please kindly check the attached report of G91237 similar product of our other guests (the product materials and paint are from the same factory), please kindly advise if is acceptable. Any questions please let me know, thanks!

Best Regards,

Mona

张慧慧

NINGBO XUYANG IMP.&EXP.CO.,LTD.

宁波絮扬进出口有限公司