

# TEST REPORT

LAB NO. : (3223)113-0223 DATE : Apr. 28, 2023 PAGE : 1 OF 3

Applicant:

#### NINGBO FUCHUANG IMP.&EXP. CO., LTD

FL.2 BUILDING C, YUANQUWUYOU ZONE, TAOYUAN VILLAGE, HENGJIE TOWN, HAISHU DIST, NINGBO

Date of Submission: 2023-04-23

Test Period: 2023-04-23 to 2023-04-28

| Sample Description: | CANDY CONTAINER W/HANDLE              |                         |                              |  |  |
|---------------------|---------------------------------------|-------------------------|------------------------------|--|--|
| Sample Status:      | Intact                                |                         |                              |  |  |
| Manufacturer:       | NINGBO FUCHUANG<br>IMP.&EXP. CO., LTD | Buyer:                  | ASIA GLOBAL ENTERPRISES LTD. |  |  |
| Style No.(s):       | G91268                                | PO No.:                 | 7162                         |  |  |
| Country of Origin:  | China                                 | Country of Destination: | /                            |  |  |
| Color:              | BLUE/RED/GREEN                        | Vendor:                 | /                            |  |  |

Test Item(s): Details see attached page(s).

| TEST REQUESTED   | CONCLUSION |
|--|------------|
| Olefin Polymers - Polypropylene Homopolymer - U.S. FDA 21 CFR 177.1520 | PASS       |

Note:

The tested part of the sample was specified by client.

The test conclusion was given based on the results of tested part.

#### <u>REMARK</u>

If there are questions or concerns on this report, please contact the following persons:

Customer service

Ms. Ashe XI (0574) 87091115

ashe.xi@bureauveritas.com

BUREAU VERITAS TESTING TECHNICAL SERVICE (ZHEJIANG) CO.,LTD

Jane Ye

TECHNICAL MANAGER

PREPARED BY:

Bureau Stritas Testing Technical Service
(Institute Co., Ltd
II west 6F cast /F cast 8F, Building B.
No 66 Quigy Read: Ningbo, Zaojiang, China
Tel:86-574-87091333, Fax:86-5/4-87971038
website cps Kareau veritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <a href="http://www.bureauveritas.com/home/about-us/curb-business/cps/about-us/terms-conditions/">http://www.bureauveritas.com/home/about-us/curb-business/cps/about-us/terms-conditions/</a> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.




LAB NO. : (3223)113-0223 DATE : Apr. 28, 2023 PAGE : 2 OF 3

#### **Sample Description Assigned by Laboratory:**

| Test Item | Description         | Client Claimed Material |
|-----------|---------------------|-------------------------|
| 1         | Blue plastic bucket | PP                      |

## **Photo of the Submitted Sample**



32231130223



LAB NO. : (3223)113-0223 DATE : Apr. 28, 2023 PAGE : 3 OF 3

#### **TEST RESULT**

### Olefin Polymers - Polypropylene Homopolymer - U.S. FDA 21 CFR 177.1520

| Parameter                    | Unit              | Result<br>1 | Limit       |
|------------------------------|-------------------|-------------|-------------|
| Density                      | g/cm <sup>3</sup> | 0.901       | 0.880-0.913 |
| Melting Point                | °C                | 170.8       | 160-180     |
| Total Extractives (n-Hexane) | % w/w             | 1.2         | ≤ 6.4       |
| Total Extractives (Xylene)   | % w/w             | 2.9         | ≤ 9.8       |
| Conclusion                   | -                 | PASS        | -           |

Note:  $g/cm^3 = gram per cubic centimetre$ 

% w/w = percent weight by weight

"<" = less than

" $\leq$ " = less than or equal to

Method: U.S. FDA 21 CFR 177.1520