

REPORT

Technical Report: (8523)074-0306

Page 1 of 10 MAR 29, 2023





TEST REPORT

SILVER TIMING LTD UNIT 801-802, 8/F, PIONEER PLACE, 33 HOI YUAN ROAD, KWUN TONG **LAB LOCATION:** SHENZHEN (8523)074-0306

ATTN: TERRY, GRACE **CC:** grace@silvertiming

grace@silvertiming.com terry@silvertiming.com testing@silvertiming.com ling@silvertiming.com helen@silvertiming.com **DATE IN:** MAR 15, 2023

MOD. LOG IN:

DATE OUT: MAR 29, 2023

REVISED DATE: /
WORKING DAYS: 11
PAGE: 2 OF 10

PASS X X FAIL DATA

TESTING FOR CALIFORNIA PROPOSITION 65 COMPOSITING CPSD-AN-06572.01-USA

Sample Description:	ORNAMENT CHRISMAS WINE BOTTLE OR COFFEE CUP								
Manufacturer:	/	/ P.O. No.: 7274							
Buyer:	OWN NA	NAME Style: /							
Country of Origin:	CHINA			Country of Destination:	USA				
Color:	/			SKU Number:	G9146	3 9			
Re-test:	Yes:	No:	Х	Charge Vendor:	Yes:	Х	No:		
Previous Report No.:	/								



EXECUTIVE SUMMARY:

Test content	Result/Rating
Total lead content in surface coating	Meet/Pass
California proposition 65	Meet/Pass
Client's request- phthalate content (7P)	Meet/Pass

REMARK:

- 1. As per client's request, only the following tests were conducted.
 - California proposition 65

 - Total lead content in surface coating Client's request- phthalate content (7P)
- See enclosed protocol for test results in this report.

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns: Peter Wan / Laura Liu

> (+86)755-32980233 / 32980236 Peter.wan@bureauveritas.com Laura.liu@bureauveritas.com

General Enquiries: Grace Gao / Penny Tian

> (+86)755-86135512/32980229 Grace.gao@bureauveritas.com Penny.tian@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD

LARRY CHING

SENIOR MANAGER - HARDLINES DIVISION



RESULT:

Phthalates Content - California Proposition 65

Parameter	CAS no.	Unit	Result		Maximum Allowable Limit
			1	2	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	<0.005	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.016	<0.005	0.1
Conclusion	-	-	PASS	PASS	-

Sample Description						
	Color / Component	Location	Style			
1	Green PVC	Leaf	A1,A4			
2	Translucent soft glue	Glue	All			

"<" = less than Note:

Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer. Method:



Phthalates Content -As Client's Requirement for 7P Content

Parameter	CAS no.	Unit	Result		Maximum Allowable Limit
			1	2	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	< 0.005	< 0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.016	< 0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	%	< 0.005	< 0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	%	< 0.005	< 0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	%	< 0.005	< 0.005	0.1
Di-n-hexyl (DnHP)	84-75-3	%	< 0.005	< 0.005	0.1
Conclusion	-	-	PASS	PASS	-

	Sample Description						
	Color / Component Location Style						
1	Green PVC	Leaf	A1,A4				
2	Translucent soft glue	Glue	All				

"<" = less than Note:

Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer. Method:



Total Lead Content – California Proposition 65

Parameter	Unit		Re	Maximum		
		1	2	3	4	Allowable Limit
Total Lead (Pb)	mg/kg	<10	<10	<10	<10	200
Conclusion	-	PASS	PASS	PASS	PASS	-

Parameter	Unit		Re	Maximum		
		5	6	7	8	Allowable Limit
Total Lead (Pb)	mg/kg	<10	<10	<10	<10	200
Conclusion	-	PASS	PASS	PASS	PASS	-

	Sample Description							
	Color / Component	Location	Style					
1	green pvc	leaf	A1,A4					
2	translucent soft glue	glue	All					
	iridescent glitter	glitter	All					
3	brown composite wood	board	All					
4	white power	berry	A1,A4					
5	silvery metal	core of leaf	A1,A4					
6	silvery metal	staple	All					
7	all coating(>4colors)	pattern	All					
8	red coating	berry	A1,A4					

Note: "<" = less than

mg/kg = milligram per kilogram

Sample was digested with acid reference to EPA3051and then analyzed by Atomic Absorption Spectrophotometer or Inductively Coupled Argon Plasma Spectrometer. Method:



$T \cap T$			CONTENT	INI CLIDEA	$\Delta \mathbf{r}$	\sim
101	ΔI	1 FAI)	CONIFNI	IN SURFA		(.()

	Consumer Produ certain consumer Canadian Hazardo Client's total lead	products beari ous Products A	ing Lead- ct (CHPA	containing p	aint",(16 CFR	1303)	aining paint and		
	NO COMPOSITE	⊠ COMPOSI	TE	Г					
EI	ement:			Lead					
R	equirement: Maximu	ım allowable lim	it:						
	CPSIA limit:			☐ 90 mg/kg					
	CHPA limit:			☐ 600 mg/kg					
⊠Client's limit:				⊠ 90 mg/kg					
	Sample	Description		Result		Conclusion			
	Color / Component	Location	Style	(mg/kg)	□CPSIA (90ppm)	□CHPA (600ppm)	⊠Client's Limit 90ppm		
1.	all coating(>4colors)	pattern	All	<10	□PASS □FAIL	□PASS □FAIL	⊠PASS □FAIL		
2.	red coating	berry	A1,A4	<10	□PASS □FAIL	□PASS □FAIL	⊠PASS □FAIL		
*	LT = Less Than mg/kg = milligrams per kilogram (ppm = parts per million) * = Average of duplicate analyses Remark: In some cases, the tested component cannot be tested individually due to overlapped coatings. And it is not considered as "COMPOSITE".								

CPSIA Third Party Report (☐COULD/ ☐COULDN'T/☒NO COMMENT) be issued.



BV Lab Number: (8523)074-0306

Technician Name: HL

Test Date: MAR 29, 2023

Reviewed By/Date: SH / MAR 29, 2023

Page 8 of 10

Protocol Number	CPSD-AN-06572.01-US	A		Version	81			
Protocol Description	CALIFORNIA PROPOS	ITION 65 COMPOSITING			-			
Country	United States							
Scope	This protocol covers the	California Proposition 65 rec	quirements and warning sta	tements for specific products, from various Co	nsent Decrees of the State of California			
	20/Apr/2014							
Creation Date	29/Apr/2014	Last Revision Date						
Client Approval Date		Approver						
No. of Sample for testing	6	See below pricing char	rt for exceptions					
No. of Carton for transit	1							
testing								
No. of Working Days for	7	7 20 (subcontracted out tests)						
testing								

Keys					
A A	Additional Charge For This Test	M	Mandatory	R	Regulatory

#		Evaluation	Citation / Method	Criteria	Result / Rating
LABE	ABELING				Kating
2.295	A	Phthalates in holiday decor	Santa Clara Superior Court 114CV267502 / Solvent extraction with GC-MS/LC-MS analysis / CPSD-AN-00108-MTHD	[Holiday decor] Product shall not contain more than 0.1% (1000ppm) of each of DEHP, BBP and DBP. Labeling is not allowed by the Consent Judgment. Reformulation of product is required. Note: - Composite up to 3 like materials. If the composite result exceeds the adjusted limit (regulatory limit divided by the number of components), individual materials will be analyzed Applicable to 1) holiday greenery including but not limited to trees and wreaths; 2) holiday ornaments and holiday decorations; and 3) larger ornamental or decorative holiday oriented products, including sculptures and figurines with or	M/PASS SEE RESULT TABLE



BV Lab Number: (8523)074-0306

Technician Name:

MAR 29, 2023

HL

Reviewed By/Date:

Test Date:

SH / MAR 29, 2023

Page 9 of 10

#		Evaluation	Citation / Method	Criteria	Result / Rating
				without string lights. - Actual testing would be conducted on soft plastic for item 2 only, i.e. holiday ornaments and holiday decorations. - Soft plastic is defined as plastic materials with shore A hardness < 90. - Actual testing would be conducted on all accessible vinyl/PVC components including both substrates and surface coatings for all items (1-3). - BVCPS recommends documentation or material bill for material identification is provided for all products. If documentation is not provided, the Beilstein test will be conducted on all plastic substrates and surface coatings to confirm the presence of PVC. - If insufficient surface coating to conduct a beilstein, then all surface coating should be tested. - Vendor is responsible for compliance of all other vinyl materials.	
2.296	A	Phthalates in décor items	Marin Superior Court CIV- 1105882 / Solvent extraction with GC-MS/LC-MS analysis	[Décor items] Product shall not contain more than 0.1% (1000 ppm) of each DEHP, DBP and BBP. Labeling is not allowed by the Consent Judgment. Reformulation of product is required. Note: - Composite up to 3 like materials. If the composite result exceeds the adjusted limit (regulatory limit divided by the number of components), individual materials will be analyzed. - Applicable to faux fruit and vegetables, balls, gems, beads, ornaments, floral, greenery, plants, picks, stems, centerpieces, candle rings, table décor and planters. - Actual testing would be conducted on all accessible PVC, soft plastic, vinyl, and synthetic leather substrates. - Excluding products that are primarily intended for children 12 years of age and younger. - Soft plastic is defined as plastic materials with shore A hardness < 90. - BVCPS recommend all products shall provide documentation or material bill for material identification. If documentation is not provided the Beilstein test will be conducted on all hard plastic substrates to confirm the presence of PVC.	M/PASS SEE RESULT TABLE
2.298	A	Total lead in decorative ornament	San Francisco Superior Court CGC-09-491452 / EPA 3051A (Mod) / EPA 3050B (Mod) / CPSD-AN-00108-MTHD	[Decorative ornaments] Product shall not exceed 200 ppm (0.02%) total lead content. Labelling is not allowed by the consent judgment. Reformulation of product is required. Note:	M/PASS SEE RESULT TABLE



 BV Lab Number:
 (8523)074-0306

 Technician Name:
 HL

 Test Date:
 MAR 29, 2023

 Reviewed By/Date:
 SH / MAR 29, 2023

 Page 10 of 10

#	Evaluation	Citation / Method	Criteria	Result / Rating
			 Composite up to 3 like materials. If the composite result exceeds the adjusted limit (regulatory limit divided by the number of components), individual materials will be analyzed. Applicable to decorative ornaments hanging on tree or similar only. Actual testing would be conducted on all accessible substrates and surface coatings. Non-suspect materials, except leather, as defined by the Consumer Products Safety Commission in 16 CFR 1500.91 (d) and (e) will not be tested. Vendor is responsible for compliance of these materials. 	

END OF REPORT