

# Test Report

Report No.:CTT2303031067EN

Page 1 of 4

**Applicant:** Ningbo Oxen Import & Export Co.,Ltd.

**Address:** No.1 HouCang Industry Zone,West of YinXian Road,Ningbo,China

**Sample Received Date:** Mar. 10, 2023

**Completed Date:** Mar. 13, 2023

**Report Date:** Mar. 13, 2023

The following merchandise was (were) submitted and identified on behalf of the applicant as:

**Sample Name:** Harvest Floar

**Model No.:** G94030

**P/O No.:** 7186

**Sample Color:** color

**Sample Quantity:** 1

**Test Result(s):** Please refer to next page(s).

**Test Requested and Conclusion(s):**

| No. | Standard and Requirement   | Conclusion(s) |
|-----|--|---------------|
| 1   | Client's requirements (Refer to California Proposition 65)<br>- Lead       | PASS          |
| 2   | Client's requirements (Refer to California Proposition 65)<br>- Phthalates | PASS          |

**Signed for and on Behalf of CTT:**



Frank  
Technical Manager




Verification Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing  
Technology Co., Ltd.

1st-2nd Floor, Building 5, District B, Yingcai Entrepreneurship Park. No.E21, Xinke Road, Yiwu, Zhejiang, China 322000  
Tel:86-0579-89986543 Fax:86-0579-89986547 Hot Line:400 6789 666  
Website:<http://www.cttlab.com> Email:[enquiry@cttlab.com](mailto:enquiry@cttlab.com)



# Test Report

Report No.: CTT2303031067EN

Page 2 of 4

**Test Result(s):**

Lead - Client's requirements

Method: CPSC-CH-E1002-08.3, analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) .

| Substances              | Pb             | Conclusion |
|-------------------------|----------------|------------|
| CAS No.                 | 7439-92-1      |            |
| Reporting Limit (mg/kg) | 10             |            |
| Limit (mg/kg)           | 100            |            |
| Material No.            | Result (mg/kg) |            |
| 1+2                     | 11             | PASS       |
| 3+4+5                   | N.D.           | PASS       |
| 6+7                     | 36             | PASS       |

**NOTE:**

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than Reporting Limit).
3. "+" = The test result is obtained from composite testing on materials linked with "+" mark, it is possible that individual test result can be higher if materials are tested separately. This had not been taken in account in the conclusion of this report.

**Test Result(s):**

Phthalates - Client's requirements


Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography-Mass Spectrometer (GC-MS) .

| No.               | Substances Name | CAS No.                   | Limit (mg/kg) | Reporting Limit (mg/kg) | Result (mg/kg) |      |
|-------------------|-----------------|---------------------------|---------------|-------------------------|----------------|------|
|                   |                 |                           |               |                         | 1+2            | 6+7  |
| 1                 | DBP             | 84-74-2                   | 1000          | 50                      | N.D.           | N.D. |
| 2                 | BBP             | 85-68-7                   | 1000          | 50                      | N.D.           | N.D. |
| 3                 | DEHP            | 117-81-7                  | 1000          | 50                      | N.D.           | 151  |
| 4                 | DNOP            | 117-84-0                  | 1000          | 50                      | N.D.           | N.D. |
| 5                 | DINP            | 28553-12-0/<br>68515-48-0 | 1000          | 100                     | N.D.           | N.D. |
| 6                 | DIDP            | 26761-40-0/<br>68515-49-1 | 1000          | 100                     | N.D.           | N.D. |
| 7                 | DNHP            | 84-75-3                   | 1000          | 50                      | N.D.           | N.D. |
| <b>Conclusion</b> |                 |                           |               |                         | PASS           | PASS |

**NOTE:**

1. mg/kg = milligram per kilogram (ppm).

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



# Test Report

Report No.:CTT2303031067EN

Page 3 of 4

2. N.D. = Not Detected (Less than Reporting Limit).
3. "+" = The test result is obtained from composite testing on materials linked with "+" mark, it is possible that individual test result can be higher if materials are tested separately. This had not been taken in account in the conclusion of this report.

## Test Material List

| Material No. | Sample Description                     | Location        |
|--------------|--|-----------------|
| 1            | Red brown plastic                      | Stem            |
| 2            | Brown plastic                          | Leaf stem       |
| 3            | Multicolor synthetic fiber             | Leaf (red)      |
| 4            | Multicolor synthetic fiber             | Leaf (orange)   |
| 5            | Multicolor synthetic fiber             | Leaf (green)    |
| 6            | Green plastic with light green plastic | Outside of stem |
| 7            | Dark green plastic                     | Treetop         |

## Photo of Sample:



This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

# Test Report

Report No.:CTT2303031067EN

Page 4 of 4



\*\*\*End of Report\*\*\*

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

