

REPORT

Technical Report: (8523)066-0570

Page 1 of 8
March 15, 2023





TEST REPORT

SILVER TIMING LTD
 UNIT 801-802, 8/F, PIONEER PLACE
 33 HOI YUAN ROAD
 KWUN TONG
 KOWLOON

LAB LOCATION: SHENZHEN
LAB NUMBER: (8523)066-0570

ATTN: TERRY, GRACE
CC: grace@silvertiming.com
 terry@silvertiming.com
 testing@silvertiming.com
 ling@silvertiming.com
 helen@silvertiming.com

DATE IN: MARCH 07, 2023
MOD. LOG IN: MARCH 09, 2023
DATE OUT: MARCH 15, 2023

REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 8

OVERALL RATING	
PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

TESTING FOR
CPSD-AN-PTCL-06572-USA-CALIFORNIA
PROPOSITION 65-V109
CPSD-AN-PTCL-08443-USA-3 STAR-NON
CPSIA REQUIREMENTS SUPPLEMENT-V12

Sample Description:	TABLE DÉCOR PUMPKIN MDF								
Manufacturer:	/			P.O. No.:	7276				
Buyer:	OWN NAME			Style:	/				
Country of Origin:	CHINA			Country of Destination:	UNITED STATES				
Color:	/			SKU Number:	G94042				
Re-test:	Yes:	<input type="checkbox"/>	No:	<input checked="" type="checkbox"/>	Charge Vendor:	Yes:	<input checked="" type="checkbox"/>	No:	<input type="checkbox"/>
Previous Report No.:	/								



**BUREAU
VERITAS**

EXECUTIVE SUMMARY:

Test content	Result/Rating
Lead content in surface coating	Meet/Pass See result table
Client's 7 phthalates content	Meet/Pass See result table
California proposition 65	Meet/Pass See result table

REMARK(S):

1. See enclosed protocol (s) for the test results.

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns: Peter Wan / Laura Liu
(+86)755-32980233 / 32980236
Peter.wan@bureauveritas.com
Laura.liu@bureauveritas.com

General Enquiries: Grace Gao / Penny Tian
(+86)755- 86135512 / 32980229
Grace.gao@bureauveritas.com
Penny.tian@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD

LARRY CHING
SENIOR MANAGER – HARDLINES DIVISION



**BUREAU
VERITAS**

RESULT:

Phthalates Content –California Proposition 65

Parameter	CAS no.	Unit	Result	Maximum Allowable Limit
			1	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<0.005	0.1
Conclusion	-	-	PASS	-

Sample Description			
	Color / Component	Location	Style
1	Translucent soft glue	Glue	All

Note: “<” = less than

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer.



**BUREAU
VERITAS**

RESULT:

Phthalates Content –As Client’s Requirement for 7P Content

Parameter	CAS no.	Unit	Result	Maximum Allowable Limit
			1	
Dibutyl phthalate (DBP)	84-74-2	%	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	<0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	%	<0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	%	<0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	%	<0.005	0.1
Di-n-hexyl (DnHP)	84-75-3	%	<0.005	0.1
Conclusion	-	-	PASS	-

Sample Description			
	Color / Component	Location	Style
1	Translucent soft glue	Glue	All

Note: “<” = less than

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer / Gas Chromatograph Mass Spectrometer.



BUREAU VERITAS

RESULT:

TOTAL LEAD CONTENT IN SURFACE COATING

- Consumer Product Safety Improvement Act (CPSIA) of 2008 "Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint", (16 CFR 1303)
- Canadian Hazardous Products Act (CHPA), R.S., c. H-3, Schedule I, Part 1, Item 2
- Client's total lead in surface coating

NO COMPOSITE COMPOSITE

Element:				Lead			
Requirement: Maximum allowable limit:							
<input type="checkbox"/> CPSIA limit :				<input type="checkbox"/> 90 mg/kg			
<input type="checkbox"/> CHPA limit:				<input type="checkbox"/> 600 mg/kg			
<input checked="" type="checkbox"/> Client's limit:				<input checked="" type="checkbox"/> 90 mg/kg			
Sample Description				Result	Conclusion		
	Color / Component	Location	Style	(mg/kg)	<input type="checkbox"/> CPSIA (90ppm)	<input type="checkbox"/> CHPA (600ppm)	<input checked="" type="checkbox"/> Client's Limit 90ppm
1.	All coating (>4colors)	Tag	A3	<10	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL
2.	Turquoise coating	Pumpkin	A3	<10	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input type="checkbox"/> PASS <input type="checkbox"/> FAIL	<input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL

LT = Less Than

mg/kg = milligrams per kilogram (ppm = parts per million)

* = Average of duplicate analyses

Remark: In some cases, the tested component cannot be tested individually due to overlapped coatings. And it is not considered as "COMPOSITE".



**BUREAU
VERITAS**

BV Lab Number: (8523)066-0570
 Technician Name: HL
 Test Date: March 15, 2023
 Reviewed By/Date: HL/ March 15, 2023
Page 7 of 8

Protocol Number	CPSD-AN-08443-USA-3 STAR		Version	12
Protocol Description	NON-CPSIA REQUIREMENTS SUPPLEMENT			
Country	United States			
Scope	This protocol applies to all products Except toys, children products and child care article as defined by CPSIA, all furniture including adult furniture, and household paint.			
Creation Date	20/Oct/2009	Last Revision Date	12/May/2022	
Client Approval Date		Approver		
No. of Sample for testing	6			
No. of Working Days for testing	7			

Keys					
A	Additional Charge For This Test	M	Mandatory	R	Regulatory

	Evaluation	Citation / Method	Criteria	1 Star	2 Star	3 Star	Result	Rating
ANALYTICAL								
A	Total lead in surface coating	CPSC-CH-E1003-09.1	<p>All accessible surface coatings in the as received state on items outside of the scope of 16 CFR 1303 shall not contain lead or lead components in which the lead content is in excess of 90 ppm (0.009%) of the weight of the total content.</p> <p>Note:</p> <ul style="list-style-type: none"> - Report actual results or include data table within report. - Component testing is allowed. - Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed. - Non-suspect materials as defined by the Consumer Products Safety Commission under 16 CFR 1500.88 and 16 CFR 1500.91 (d) and (e) will not be tested. It is the vendor's responsibility to ensure compliance to the applicable requirements. <p>Client requirement</p>		X	X	M SEE RESULT TABLE	PASS



**BUREAU
VERITAS**

BV Lab Number: (8523)066-0570
 Technician Name: HL
 Test Date: March 15, 2023
 Reviewed By/Date: HL/ March 15, 2023
Page 8 of 8

Protocol Number	CPSD-AN-06572-USA		Version	120
Protocol Description	CALIFORNIA PROPOSITION 65			
Country	United States			
Scope	This protocol covers the California Proposition 65 requirements and warning statements for specific products, from various Consent Decrees of the State of California.			
Creation Date	29/Apr/2014	Last Revision Date	27/Apr/2022	
Client Approval Date		Approver		
No. of Sample for testing	6	See below pricing chart for exceptions		
No. of Carton for transit testing	1			
No. of Working Days for testing	7	20 (subcontracted out tests)		

Keys					
A	Additional Charge For This Test	M	Mandatory	R	Regulatory

#		Evaluation	Citation / Method	Criteria	Result / Rating
LABELING					
2.296	A	Phthalates in décor items	Marin Superior Court CIV-1105882 / Solvent extraction with GC-MS/LC-MS analysis	[Décor items] Product shall not contain more than 0.1% (1000 ppm) of each DEHP, DBP and BBP. Labeling is not allowed by the Consent Judgment. Reformulation of product is required. Note: - Applicable to faux fruit and vegetables, balls, gems, beads, ornaments, floral, greenery, plants, picks, stems, centerpieces, candle rings, table décor and planters. - Actual testing would be conducted on all accessible PVC, soft plastic, vinyl, and synthetic leather substrates. - Excluding products that are primarily intended for children 12 years of age and younger. - Soft plastic is defined as plastic materials with shore A hardness < 90. - BVCPS recommend all products shall provide documentation or material bill for material identification. If documentation is not provided the Beilstein test will be conducted on all hard plastic substrates to confirm the presence of PVC.	M/PASS SEE RESULT TABLE

END OF REPORT